Contents

Read the Informatica® MDM Registry Edition Release Notes to learn about fixed limitations and known limitations of the release.

Installing or Upgrading MDM Registry Edition

Before you install or upgrade to MDM Registry Edition version 10.5, see the following documents:

- *Informatica MDM Registry Edition 10.5 Installation and Configuration Guide*
- *Informatica MDM Registry Edition 10.5 Release Notes*

For more information about product requirements and supported platforms, see the Product Availability Matrix: https://network.informatica.com/community/informatica-network/product-availability-matrices>.

10.5 Fixed Limitations

The following table describes fixed limitations:

Reference Number	Description
IR-2119	In AIX, the CPU usage by the synchronization server is significantly high, even when the synchronization server doesn't process any records.
IR-2057	The `SSAOPTS=+Y` environment variable doesn't log the database timings as expected. It prints only the header line in the log file.
IR-2026	When you start two synchronizers for two systems that use different schemas but with identical IDT names, the synchronization process fails even though the schemas are different.

Reference Number	Description
IR-1947	When you install MDM Registry Edition on cloud platforms, the installer might fail with the following error: `win_get_special_folder failed`: The issue occurs when the path name of the installation directory is lengthy.
IR-1925	When you sequentially start two synchronizers by using the `updsync` utility, the second synchronizer might not start. The issue occurs if the IDT name of the second synchronizer is a subset of the IDT name of the first synchronizer.
IR-1863	On Windows, the MDM Registry Edition Sort utility can't sort more than 4 billion records.
IR-1862	When you run Relate by specifying the value for the `-eEncoding` option as `8 = UTF-8`, the CSV output doesn't convert the `W` fields to UTF-8.
IR-1840	When you perform a search using the `relate` utility without a carriage return after the last record in the input file, the last record excludes from the search operation.
IR-1845	The `idsbatch` utility stops working unexpectedly when you enter incorrect input parameters.
IIR-1556	After you deploy a system by using the SDF Wizard, the system is not visible in the MDM Registry Edition Console.
IIR-586	When you upgrade to the latest version of MDM Registry Edition from an earlier version, the upgrade process fails.

Cumulative Known Limitations

The following table describes known limitations that are carried forward from previous releases:

Reference Number	Description
IIR-2845	The Relate client fails if the length of the Record Layout field value is greater than 250 characters.
IIR-2844	The Load-IDT job fails if the user source table has a CLOB data type column.
IIR-2828	A system load job might fail if the length of the JOB-LIST parameter value in the loader-definition section is greater than 65 characters. Workaround: A blank space is introduced at the beginning of every line when the JOB-LIST parameter value wraps to the next line. Remove the blank space at the beginning of every line, save the SDF file, and load the system.
IIR-2805	The updsync utility might stop immediately after you start it. Workaround: Remove the `stop` value in the FIELD column of the IDS_UPD_SYNC_TXN table and run the utility.

Reference Number	Description
IIR-2799	When you perform a search that uses the Filter field in the LWM_FIELDS control, you get the following unclear error message: `NAME3V2 match failed 'Could not find field 'Filter<number>''` Workaround: Remove the Filter field from the LWM_FIELDS control because the LWM_FIELDS control does not support the Filter fields.
IIR-2493	After you enable a review option, such as PREFERRED-RECORD-REVIEW or PRE-MERGE-REVIEW, if you create a persistent ID by using the mass load utility, no review records are added in the review tables.
IIR-2385	When you install MDM Registry Edition in console mode, you cannot configure the name and port number for the Secure Search Server and Security Server. Workaround: By default, the installer configures the host name and the port number for the Secure Search Server and Security Server. If you want to change the default values, update the values of the following environment variables in the `<MDM Registry Edition Installation Directory>\env\mdmres.bat` file on Windows and the `<MDM Registry Edition Installation Directory>/env/mdmres` script on UNIX: - SSA_SSEPORT - SSA_SSEHOST - SSA_SSPORT - SSA_SSHOST
IR-2212	MDM Registry Edition can't create triggers to synchronize data from a database view. Workaround: To synchronize data from a database view, use NSA, Flat File or Web Services.
IIR-2117	On Windows, if the installation of MDM Registry Edition in console mode fails, the `errorlevel` value does not change from 0.
IIR-2160	When you run a multi-search that passes file records in the ids_search_start function, only the first search in the multi-search runs.
IIR-1883	You cannot create more than one system in the SDF Wizard. Workaround: Close the SDF Wizard and open it.
IIR-1660	On DB2 UDB, if you set DB2_COMPATIBILITY_VECTOR=ORA, loading IDT fails during the trigger creation step.
IIR-1677	If you start the Update Synchronizer before you deploy a system through the SDF Wizard, the system does not synchronize the data with the IDT. Workaround: Restart the Update Synchronizer.
IIR-1547	When you create a system on a computer and deploy it on another computer by using the SDF Wizard, the deployment might fail. Workaround: Try to deploy the system on the computer on which you created the system.
IIR-1539	When you use the Organization purpose for matching records, if the ID field of one record is a subset of the ID field of another record, the ID fields get 100% match score.
IIR-1524	Concatenating multiple source fields into a single IDT field might create a line that is longer than the maximum length of 255 bytes. Loading such SDF fails.

Reference Number	Description
IIR-1486	On Linux AMD64, you can incorrectly use the GNU Compiler for Java (GCJ) to launch the SDF wizard and as a result, the JVM does not respond correctly. Workaround: Include the path to the appropriate Oracle JRE in the PATH variable.

IIR-1035	When an Informatica Data Director application accesses Security Server or Secure Search Server, you might get the following error message:
	`java.lang.OutOfMemoryError`
	Workaround: Set the JAVA_OPTS environment variable to increase the memory available for the Java processes. For example:
	`JAVA_OPTS=-Xms512m -Xmx1024m -XX:MaxPermSize=512m`

IIR-994	Search fails and displays the message NAME3V2 ssan3_match_encoded call failed 'Missing matching bracket'. Workaround: Limit Controls parameters to 256 characters.
IIR-584	In the Job Editor, the Execute SQL step lists **ssa** as one of the supported logon types. You cannot use this logon type because the Execute SQL step does not use the database dictionaries.
IIR-578	The `-y` option in `Dupfinder` and `Relate` does not show flattened and repeating fields correctly.

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through the Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:
https://www.informatica.com/services-and-training/customer-success-services/contact-us.html.

To find online support resources on the Informatica Network, visit https://network.informatica.com and select the eSupport option.