



Informatica® Multidomain MDM 10.4 Release Notes March 2020

© Copyright Informatica LLC 2001, 2022

Contents

Installation and Upgrade.....	2
Before You Install or Upgrade.....	2
Creating or Updating Operational Reference Stores for Specific Locales.....	4
IBM Environments.....	4
Oracle Environments.....	4
JBoss Environments.....	6
After You Install or Upgrade.....	7
10.4 Fixed Limitations.....	8
MDM Hub Fixed Limitations.....	8
Data Director with Business Entities Fixed Limitations.....	9
Data Director with Subject Areas Fixed Limitations.....	12
Provisioning Tool Fixed Limitations.....	12
Business Entity Services Fixed Limitations.....	13
Business Process Management Fixed Limitations.....	13
Services Integration Framework Fixed Limitations.....	14
10.4 Closed Enhancement Requests.....	15
Data Director Closed Enhancement Requests.....	15
Provisioning Tool Closed Enhancement Requests.....	15
10.4 Known Limitations.....	15
Data Director with Business Entities Known Limitations.....	15
Provisioning Tool Known Limitations.....	16
Business Process Management Known Limitations.....	16
Cumulative Known Limitations.....	16
MDM Hub Known Limitations (Cumulative).....	16
Data Director with Business Entities Known Limitations (Cumulative).....	19
Provisioning Tool Known Limitations (Cumulative).....	20
Business Entity Services Known Limitations (Cumulative).....	20
Business Process Management Known Limitations (Cumulative).....	21
Services Integration Framework Known Limitations (Cumulative).....	21

Read the Informatica® *Multidomain MDM Release Notes* to learn about known and fixed limitations, enhancements, and support changes. The *Multidomain MDM Release Notes* also include information about installation and upgrade issues and workarounds.

Installation and Upgrade

Multidomain MDM has some known limitations related to installing and upgrading the product. Before you begin, review these issues.

Before You Install or Upgrade

Some known limitations can affect your install or upgrade experience. To avoid potential issues, ensure that you review the following issues and complete any workarounds before you upgrade. Then review the environment-specific installation and upgrade issues.

Install Java Development Kit

If you use Oracle Java runtime environment (JRE), install JRE 1.8, update 144 or later on the machines on which you want to launch the Hub Console. JRE 1.8, update 144 or later is required for the Batch Viewer in the Hub Console.

(MDM-18910)

Hub Server Installation in Non-English Environments

When you install the MDM Hub in a language other than English with JDK 1.8 or later, you need to enter the language code.

1. To launch the installer, open a command prompt, navigate to the Hub Server installation directory, and enter the following command:

```
hub_install.exe -l <language code>
```

Where <language code> is your preferred language. Use the language code for one of the following languages:

Language	Language Code
Brazilian Portuguese	pt_BR
French	fr
German	de
Japanese	ja
Korean	ko
Russian	ru

Language	Language Code
Simplified Chinese	zh_CN
Spanish	es

(MDM-14224)

Hub Server Installation Without Prerequisites Validation

When you run the Hub Server installer without the prerequisites validation, the database password prompt requires a dummy value.

1. To start the Hub Server installer without the prerequisites validation, run the following command:

```
hub_install.bin -DSIPERIAN_INSTALL_PREREQ_VALIDATION=false
```

2. When prompted for the database password, enter a dummy value.

The installation continues. If you do not specify a dummy value, the installation fails. (MDM-10975)

Upgrade Installation for Entity 360 View

When you upgrade the Hub Server, the `entity360view.ear` sometimes fails to install due to a timed out error.

Workaround: You can run the installation components `patchInstallSetup` or `postInstallSetup` again.

Alternatively, run the following command from the `<MDM Hub installation directory>/hub/server/bin` folder:

```
./sip_ant.sh -Dentity360view.ear.dodeploy=true deploy.entity360view-ear
```

Upgrade Hierarchies

When you copy relationships in Hierarchy Manager and create them as hierarchy relationships, you might copy a relationship loop and create a hierarchy with a relationship loop at the root business entity. However, Data Director cannot display hierarchies for records with data loops at the root business entity level.

For example, in the Organization hierarchy, a relationship loop exists from the Organization root business entity to the Organization root business entity. Then in Data Director, if a data loop exists from the Informatica record to the Informatica record, Data Director cannot display the hierarchy for the Informatica record.

Before you upgrade, review your relationships in Hierarchy Manager to ensure that you do not have relationship loops from one business entity to the same business entity. If you have relationship loops in Hierarchy Manager, after you upgrade, you might have to restructure your relationships.

Workarounds:

- Add another business entity as the root business entity in the hierarchy model.
- Create the relationship as a network relationship instead.

For more information about upgrading hierarchies, see the *Multidomain MDM Upgrade Guide*.

(MDM-30963)

Creating or Updating Operational Reference Stores for Specific Locales

When you run the `sip_ant` script to create or update Operational Reference Stores, you are prompted to enter the operating system locale. If the prompt does not list your operating system locale, select the default locale `en_US`.

(MDM-31496)

IBM Environments

The following issues affect Multidomain MDM when installed with IBM AIX, IBM Db2, or IBM WebSphere.

Configuring Single Sign-On Authentication for Data Director in IBM Db2 Environments

In IBM Db2 environments, when you configure Single Sign-On (SSO) authentication for Data Director, you upload a custom login provider package in Data Director Configuration Manager. If the size of the custom login provider package is greater than 1 MB, Data Director Configuration Manager cannot save the package.

To configure SSO by using a custom login provider package that is greater than 1 MB, perform the following steps:

1. Run the following Db2 database command:

```
UPDATE C_REPOS_COLUMN SET DATA_LENGTH = 50000000 WHERE TABLE_NAME =  
'C_REPOS_DS_LOGIN_SETTINGS' AND COLUMN_NAME = 'BLOB_DATA'  
ALTER TABLE C_REPOS_DS_LOGIN_SETTINGS ALTER COLUMN BLOB_DATA SET DATA TYPE  
BLOB(50M)  
REORG TABLE C_REPOS_DS_LOGIN_SETTINGS  
COMMIT
```

2. In Data Director Configuration Manager, use the **Login Provider Settings** page to upload the custom login provider package.

(MDM-31317)

Oracle Environments

The following issues affect Multidomain MDM when installed with Oracle database or Oracle WebLogic.

Oracle WebLogic 12.2.1.3

When you use Oracle WebLogic version 12.2.1.3 with Multidomain MDM version 10.4, the following additional steps are required to address some known limitations.

Apply a patch to WebLogic 12.2.1.3

Ensure that your WebLogic 12.2.1.3 environment includes the following patch:

`p26923558_122130_Generic.zip`

(MDM-18967)

Configure the Java Virtual Machines for WebLogic 12.2.1.3

To configure a Java Virtual Machine (JVM), set the Java options by using the `JAVA_OPTIONS` environment variable.

You can set the Java options in the following file:

On UNIX. `<WebLogic domain>/bin/setDomainEnv.sh`

On Windows. `<WebLogic domain>\bin\setDomainEnv.cmd`

The following table describes the Java options:

Java Options	Description
<code>-Djavax.wsdl.factory.WSDLFactory</code>	Required to invoke a service WSDL that might have a default namespace prefix. Set to the following value: <code>com.ibm.wsdl.factory.WSDLFactoryImpl</code>
<code>-DANTLR_USE_DIRECT_CLASS_LOADING</code>	Required to launch the WebLogic Server on which the MDM Hub is deployed. Set to <code>true</code> .

Update the Hub Server build properties

Edit the Hub Server `build.properties` file to set the following property:

```
weblogic.version=10.x
```

(MDM-22366)

Deploy the Resource Kit .ear files

If you install the Resource Kit, the `.ear` files are not deployed automatically. You need to edit the classpath in the `sip_ant` script, run the post installation script, and deploy the `.ear` files from the WebLogic Administration Console.

Note: The following example procedure refers to `.sh` files and uses the syntax for a UNIX system.

1. If the post installation fails, navigate to the following directory:
`<MDM Hub installation directory>/hub/server/resourcekit/bin`
2. Open the `sip_ant.sh` file.
3. Find the following text and delete `$WLS_CLASSPATH`:

```
$JAVA_HOME/jre/bin/java \  
$USER_INSTALL_PROP \  
-Xmx512m -classpath \  
$SIP_HOME/deploy/lib/ant.jar:$SIP_HOME/deploy/lib/ant-launcher.jar:$SIP_HOME/  
deploy/lib/ant-nodeps.jar:$WLS_CLASSPATH  
\  
org.apache.tools.ant.Main \  
$PARAM
```

4. Save the file.
5. Run `./postinstall.sh -Dweblogic.password=<password>`.
The process saves the generated `.ear` files in the following location: `<MDM Hub installation directory>/hub/serverresourcekit/bin/deploy/deployed_ears`.

6. Open the WebLogic Administration Console and deploy the generated `.ear` files.
(MDM-22847)

Run the PostInstallSetup Script in Non-English Oracle and JBoss Environments

When you install in a locale other than English in an Oracle and JBoss environment, the `postInstallSetup` script does not run during the installation process.

Workaround: Run the `postInstallSetup` script after the installation to deploy the EAR files. For more information, see the *Multidomain MDM Installation Guide*. (MDM-8731)

JBoss Environments

The following issues affect Multidomain MDM when installed with JBoss and any database environment.

Enabling Security on JBoss EAP 7.1 for Remote Transactions

In JBoss EAP 7.1 environments, remote transactions fail when remoting-connector security is not enabled.

To workaround the issue, enable remoting-connector security. Ensure that you configure the supported Elytron security framework. For more information, see the JBoss bugs JBEAP-13963 and JBEAP-16149.

(MDM-28775)

Deploying the Data Director Applications on JBoss EAP 7.1

After you install or upgrade the MDM Hub in the JBoss EAP 7.1 environment, the deployment status of applications might appear as failed in the Data Director Configuration Manager.

Use the Repository Manager tool in the Hub Console to ensure that all the Operational Reference Stores are validated. After the validation, use the Data Director Configuration Manager to redeploy the applications.

(MDM-24559, MDM-24415)

Registering an Operational Reference Store on JBoss Clusters

In a JBoss cluster environment, to be able to register Operational Reference Stores, configure the `<datasources>` definition in the `standalone-full.xml` file.

1. Open the `standalone-full.xml` file, which is in the following directory:
`<JBoss Installation Directory>/standalone/configuration`
2. Configure the `<datasources>` definition and save the changes.

(MDM-10952)

After You Install or Upgrade

Some known limitations can affect your installation or upgrade experience. To avoid potential issues, ensure that you review the following issues and complete any workarounds after you install or upgrade.

Configuring the Hub Console Client

If you installed the Hub Server in the silent mode or if HTTPS is enabled for the application server and you need to use an HTTPS port, edit the `build.properties` file after you install or upgrade. The Hub Console requires the Hub Console client properties to connect to the Hub Server machine.

1. Open the `build.properties` file that is in the following directory:

```
<MDM Hub installation directory>/hub/server/bin
```

2. Edit the following properties:

- `console.hostname`. Specify the IP address or publicly accessible host name (FQDN) of the server to which the application server binds.
- `console.webport`. Specify the HTTP or HTTPS port of the current node that the Hub Console must use.

3. Save the file.

4. Repackage the Hub Server EAR files.

- a. Navigate to the following directory:

```
<MDM Hub installation directory>/hub/server/bin
```

- b. Run the following command:

On UNIX.

```
./sip_ant.sh repackage
```

On Windows.

```
sip_ant.bat repackage
```

(MDM-31619)

Upgrading Operational Reference Stores in IBM Db2 Environments

In an IBM Db2 environment, when you run the `sip_ant` upgrade script to upgrade the Operational Reference Store (ORS) database, the upgrade might fail. The issue occurs because some SELECT statements return more than one row while creating the `_PCTL` and `_HPCT` tables.

For a workaround, contact Informatica Global Customer Support.

(MDM-31347)

Validating Operational Reference Stores in IBM Db2 Environments

In an IBM Db2 environment, after you upgrade the Operational Reference Store (ORS) databases, the ORS validation might fail with warnings. The warnings indicate the use of incorrect time stamps instead of current time stamps in the `_PCTL` and `_HPCT` tables.

- ▶ To correct the time stamps, run the following command:

```
UPDATE C_REPOS_COLUMN
SET DATA_DEFAULT = 'CURRENT_TIMESTAMP'
WHERE (TABLE_NAME LIKE '%_PCTL' OR TABLE_NAME LIKE '%_HPCT') and DATA_TYPE =
'TIMESTAMP'
```

(MDM-31443)

10.4 Fixed Limitations

MDM Hub Fixed Limitations

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Reference Number	Description
MDM-30832	When the display names of base object columns in an Operational Reference Store (ORS) use special characters, the upgrade script fails to update the ORS.
MDM-30513	The RESTORE message trigger fails to publish messages to the queue with the following error: <code>ArrayIndexOutOfBoundsException:18</code>
MDM-29675	The <code>mdmsupport.war</code> file does not contain the latest jackson JAR files.
MDM-28983	When you delete landing table columns, memory leaks occur.
MDM-28068	In a IBM Db2 environment, when many concurrent batch jobs run, thread connections remain open. The database crashes because Db2 cannot recycle the logs.
MDM-27814	When you run a match job on a data set with a large number of matching records, the performance of the match job is poor.
MDM-27657	In a Microsoft SQL Server environment, the stage job can process only one record.
MDM-27201	When the base objects names in the MDM Hub contain less than 5 characters, the External Match job fails with the following error: <code>Error executing job:Invalid length parameter passed to the LEFT or SUBSTRING function.</code>
MDM-26689	During a match batch job, if you use the dynamic match threshold to determine the search ranges to skip, the performance of the match batch job is poor.
MDM-26418	During a match job, if the <code>_STRP</code> table is corrupted, the match job can fail.

Reference Number	Description
MDM-26038	When a base object has columns that are nullable and columns that are not nullable but have a default value, the edit cross-reference records fail to unmerge. The following error occurs: ORA-01407: cannot update ("ORS"."C_TABLE"."COL<n>") to NULL
MDM-22528	After you remove a parameter from a cleanse transformation mapping and apply the change, you cannot add a parameter to the mapping.
MDM-21986	Forward matching records that are created during the Automerge process can cause the process to run slowly.
MDM-20337	When you use the MdmKeyStore class, a file descriptor leak causes FileNotFoundException errors
MDM-20332	If a PUT update comes from a source system other than the Admin source system, the cross-reference record that is created can be unmerged. The cross-reference record unmerges, even though all the other cross-reference records for that base object are the result of PUT calls.
MDM-19869	The Match Analyze report does not show tradeoffs between match quality and performance.
MDM-17156	Blowfish is visible to MDM users.
MDM-17047	Forward matching records are created during the Automerge process, which can cause the process to run slowly.
MDM-16105	In WebLogic environments, when you start the WebLogic server, the MDM Hub might generate an error.
MDM-12502	After you close the Hub Console, the processes associated with the Hub Console continue to run on the machine.
MDM-7853	During transitive matching, incorrect values appear in the ROWID_MATCH_RULE column of the HMRG table.
MDM-1578	When you use the Data Manager tool in the Hub Console to delete an active cross-reference record, the record is deleted, but an error occurs.

Data Director with Business Entities Fixed Limitations

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Reference Number	Description
MDM-30521	You cannot sort child columns in the search results panel of the Search tab.
MDM-30260	When you create a query, you cannot select the correct child business entity fields without knowing the parent to which the child business entity belongs.

Reference Number	Description
MDM-30193	You cannot create or edit a record in the Form view.
MDM-30188	After you get a validation error for a lookup field, you cannot save a correct value.
MDM-30078	Search results do not display values for lookup fields with CHAR data type.
MDM-29828	When you launch Data Director in Chrome 78 or later, field labels do not appear in the Cross-reference Records view.
MDM-29546	When Data Director uses an HTTPS load-balanced URL, an error might occur when you perform actions such as opening and creating records.
MDM-28943	When you open a record that has more than 1000 cross-reference records associated with it, the <code>ORA-01795</code> exception occurs.
MDM-28589	When you display Data Director in a language other than English, the Status column in the task inbox is empty.
MDM-28400	When you use the Hub Console to acquire a lock on the MDM Hub Master Database, the session ID is cleared for all the users who are logged into Data Director. Data Director generates the <code>SIP-18017</code> error.
MDM-28218	When a business entity field with a label format contains pure numbers, the label appears as a date.
MDM-27979	Pending records appear in the search query results.
MDM-27691	The Task Manager has usability issues because of multiple scroll bars.
MDM-26319	When you create a merge task for records with consolidation indicator 9, the merge process fails.
MDM-26153	In the Matching Records view, the option to select all records is not available.
MDM-26101	After a user claims a task or updates the task owner, the Task Manager does not automatically refresh to show the changes.
MDM-26076	In the Task Manager , when you filter matching records by match rules, the following error appears: <code>SIP-50225: The Interaction ID of a pending merge record does not match the Interaction ID which was specified in the request.</code>
MDM-25806	When you search for lookup records, the records results do not populate in the Data Director Form view.
MDM-25745	When you save the changes to a record that is in the pending state, an unclear error message appears.
MDM-25591	Records that users remove from the merge task participate in the merge process.
MDM-25329	When the Service Data Objects (SDO) code runs in an IBM WebSphere Application Server environment, the performance might be impacted.

Reference Number	Description
MDM-25098	You cannot search for tasks across all pages in the Task Manager .
MDM-24712	When you create a record, you face usability issues because of overlapping fields in the form.
MDM-24385	When search strings contains accented characters, records do not appear in the search result.
MDM-24342	When cleanse validation is configured for fields, an error message appears even though the incorrect value that was entered is corrected.
MDM-24144	When you create records by using a custom business entity view with a default business entity, the business entity to business entity cleanse transformation does not work for lookup fields.
MDM-24020	If an administrator rejects a task to update business entities, the records do not delete from the base object and cross reference tables.
MDM-23608	If you log in through single sign-on (SSO), you cannot search for records.
MDM-22850	When you use a view to business entity transformation that uses a cleanse function, the cleanse function is invoked twice.
MDM-22817	When you filter child records by a date that does not exist in the child records, a record with a non-matching date appears.
MDM-22519	In the search results, some rows are empty. The rows represent records that are filtered out because the user does not have permission to view the records.
MDM-22369	When you preview a changed record from a task, the preview might not display the change bar beside some of the changed values in child records.
MDM-20688	When a user claims a task, the task inbox does not display a confirmation message.
MDM-19944	When Data Director populates lookup values by processing the values using a cleanse function, the following error occurs when users create a record: <code>SIP-14396: The unique constraint on base object was violated.</code>
MDM-18555	When multiple base object columns are associated with a single lookup table, search results do not appear.
MDM-17819	After you generate a business entity schema, the Operational Reference Store validation fails.
MDM-17410	You cannot import data in bulk.
MDM-17395	The date fields in the Business Entity view, Matching Records view, and the Cross-reference Records view display the date along with the time stamp.
MDM-17373	When you include the legacy Merge Preview in a record view, the Provisioning tool displays an error.
MDM-16861	When cleanse validation for records fail, incorrect child record fields are highlighted.

Reference Number	Description
MDM-16374	You cannot open large hierarchies in the Hierarchy Manager . The application times out.
MDM-4288	In an application server cluster environment, the changes that you make to the Data Director application synchronize across all the MDM Hub nodes.

Data Director with Subject Areas Fixed Limitations

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Reference Number	Description
MDM-30788	When you use Data Director with subject areas to view comments that users add through Data Director with business entities, the space between words in the comments are replaced with %20.
MDM-30169	When you add new start and end dates to the timeline of a record, Data Director does not create a cross-reference record for the event and does not save the event.
MDM-29820	When you configure an external link as a custom top-level tab in Data Director, you cannot use an encrypted password for authentication.
MDM-28985	When search results contain one-to-many child records, the export of search results with custom profiles fail.
MDM-25368	When you view a parent record in the Person view, Matching Records view, History view or Cross-reference Record view, the label name displays a date.
MDM-26949	When you configure lookup fields with ROWID_OBJECT as the display field, data security filter does not work.
MDM-26800	When you configure the subTypeQualifier filter for lookup columns in a base object, correct lookup values do not appear in the Data Director application.
MDM-25697	In Task Administration, a user with administrative privileges cannot claim tasks.
MDM-25645	In the Task Details window, attach a file with more than 49 characters and send for approval. When you attempt to download the same file, the file extension is truncated.
MDM-23852	If more than one subject area has the same application column defined as a dependent lookup, but with different filter conditions, the dependent lookup values are blank.
MDM-13822	You cannot disclaim a merge task.

Provisioning Tool Fixed Limitations

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Reference Number	Description
MDM-27974	When MDM administrators save record view layouts with missing dependent lookup fields, validation errors do not appear.
MDM-27075	When you configure multi-level dependent lookups, an error might occur.
MDM-26720	When you configure a searchable field in a child node that is three or more nodes under the root business entity node, the Initially Index Smart Search Data batch job fails. The following error occurs: SIP-10322: ORA-00904: "<column Name>": invalid identifier.
MDM-22528	After you remove a parameter from a cleanse transformation mapping and apply the change, you cannot add a parameter to the mapping.
MDM-22457	If you publish a layout with a duplicate name, the publish process fails with an error.
MDM-21991	When you include the legacy Merge Preview in a record view, the Provisioning tool displays an error.
MDM-13754	If a write lock is acquired in the Hub Console, the Provisioning tool does not work as expected.

Business Entity Services Fixed Limitations

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Reference Number	Description
MDM-30520	When you make a Search Record REST API call, if a record in the search result is in the deleted state, the following error occurs: SIP-50105: User does not have the required rights.
MDM-25358	When you use the Delete REST API to delete a child record, the following error displays: SIP-50100: com.informatica.mdm.cs.server.CompositeServiceInvoker: Error in service execution
MDM-28625	Business entity services calls from Informatica Data Quality result in validation errors.
MDM-19209	When a business entity services call updates a child record, the shadow parent record ID in the child cross-reference record is not updated.

Business Process Management Fixed Limitations

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Reference Number	Description
MDM-25437	When you trigger the One Step Approval Workflow process for a user that returns a security payload, the process fails to insert the payload into the database.

Services Integration Framework Fixed Limitations

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Reference Number	Description
MDM-30506	During the Restore SIF API calls, data source connection leaks occur.
MDM-29187	When you use a custom query package in the SearchQuery SIF API call, you receive an incorrect API response.
MDM-26611	When a base object is associated with cross-reference records from multiple source systems, the Restore SIF API does not restore the specified cross-reference record. The API restores the cross-reference record that was added last.
MDM-26225	The DeletePending API call deletes pending records in the parent base object and active records in the child base object.
MDM-24786	When you use the MDM sample Operational Reference Store (ORS), the GetOneHop SIF API generates the following error: SIP-14105: Unexpected error occurred while processing request: GetOneHopRequest java.lang.NullPointerException
MDM-24438	When you make a Put and a Delete SIF API call in parallel for different cross-reference records of the same base object, the Delete API call fails.
MDM-22670	When you run the ExecuteBatchDelete SIF API to delete more than 5000 records, all the records are not deleted.
MDM-12952	The Service Integration Framework (SIF) WSDL that you generate shows the use of the HTTP protocol, even though the Hub Server and the Process Server use the HTTPS protocol.

10.4 Closed Enhancement Requests

Data Director Closed Enhancement Requests

The following table describes closed enhancement requests:

Reference Number	Description
MDM-8506	Tasks are categorized based on subject areas.
MDM-8137	Tasks are associated with subject areas and user roles. User roles with the required privileges can view and edit tasks.

Provisioning Tool Closed Enhancement Requests

The following table describes closed enhancement requests:

Reference Number	Description
MDM-28096	You can configure a record view layout to have fields from a single business entity distributed across multiple components in the layout.

10.4 Known Limitations

This section contains known limitations that were found in 10.4.

Data Director with Business Entities Known Limitations

The following table describes known limitations that were found in 10.4:

Reference Number	Description
MDM-31951	In the Task Inbox component on the Home page, you cannot view hierarchy tasks.
MDM-31384	In the Hierarchy view and the Network view, if the Quick View tab configuration is based on a business entity view layout, the SIP-50139 error occurs. The Quick View tab does not open.
MDM-31165	When you use the New File Import operation to import relationships and the task approval workflow triggers, the operation fails and displays the following error: SIP-10321: Error adding relationship record.
MDM-30602	If hierarchies have a workflow associated with them, you cannot import the hierarchy relationships.

Provisioning Tool Known Limitations

The following table describes known limitations that were found in 10.4:

Reference Number	Description
MDM-31531	When multiple users simultaneously try to create match rule sets, they can select the same business entity or business entities that belong to the same root base object table without any validation error message. During the file import, they get the following error message: <code>Cannot delete the data for the business entity <business entity name>.</code>
MDM-31311	You cannot create match rule sets with sample data in a language other than English.

Business Process Management Known Limitations

The following table describes the known limitations that were found in 10.4:

Reference Number	Description
MDM-34263	In a Linux environment that uses Azul Zulu JDK, when you run the ActiveVOS installer, the following error appears: <code>java.lang.Error: Probable fatal error:No fonts found...</code> Workaround: To install the missing fonts, run the following command: <code>sudo yum install fontconfig dejavu-sans-fonts dejavu-serif-fonts</code>

Cumulative Known Limitations

This section contains known limitations that are carried forward from previous releases.

MDM Hub Known Limitations (Cumulative)

The following table describes known limitations that are carried forward from previous releases:

Reference Number	Description
MDM-31423	When you run multiple match and merge jobs or merge jobs in parallel for different base objects, the jobs fail. Workaround: Run the match and merge jobs or merge jobs sequentially.
MDM-24156	If you use SAML based authentication, users cannot search for records in Data Director and access the Hub Console. Workaround: To use SAML based authentication, create the users in the MDM Hub as externally authenticated users.

Reference Number	Description
MDM-22756	If you run the Support Tool with the HTTPS protocol, when you navigate from the Match Analysis Tool to the CSM tab, an error occurs.
MDM-22528	After you remove a parameter from a cleanse transformation mapping and apply the change, you cannot add a parameter to the mapping.
MDM-22143	When you integrate Multidomain MDM 10.3 for IBM DB2 with Dynamic Data Masking 9.8.4, and then create a security rule set for DB2, the affected master data is not masked.
MDM-19586	When pattern validation rules with WHERE clauses are applied, trust is downgraded for all records instead of only the records that match the patterns in the WHERE clause.
MDM-16869	In the Hub Console, non-administrative users cannot create Hierarchy Manager entities.
MDM-15369	When Chinese characters are loaded into a staging table, some Chinese characters get corrupted.
MDM-10792	When the database contains partitioned tables, the metadata validation process generates the following warning: SIP-PV-10233(31) - The tablespace of a table in the database differs from the tablespace specified in the metadata. You can safely ignore the warning.
MDM-10476	When you unmerge a record with a large number of cross-reference records, the Process Server generates an out of memory error.
MDM-10201	To promote a change list to a schema that has hierarchies enabled, you must have MDM Hub administrator privileges.
MDM-9902	When 'Enable History of Cross-Reference Promotion' is enabled for a base object, the history of cross-reference record promotion is not maintained.
MDM-9816	When you refresh an Informatica Data Quality cleanse function which has two mapplets with different ports using WebSphere, the following error appears: SIP-11134: Compile failed for compile command

Reference Number	Description
MDM-9604	<p>When you promote an empty change list to an Operational Reference Store with a business entity configuration, the promote fails with the following error:</p> <pre>Object cannot be deleted because 'CO CS Configs\TaskConfiguration\Task Types \AVOSBeNotification\Task Roles\DataSteward' is depending on it. (deleteRole[id:ROLE.DataSteward])</pre> <p>Workaround: Remove the DataSteward role from the target Operational Reference Store, and then promote the change list.</p>
MDM-8588	<p>The first time that you import a schema in the Hub Console, the following error might appear:</p> <pre>missing initial moveto in path definition</pre> <p>You can safely ignore the error message.</p>
MDM-7592	<p>A source system that is not mapped to a column in the base object can override a valid value in the column with a null value. For example, SourceA and SourceB contribute to BaseObjectC. SourceA is mapped to ColumnX with minimum and maximum trust settings of zero. SourceB is not mapped to ColumnX and has no trust setting for it, but it is mapped to other columns in BaseObjectC. When SourceB updates BaseObjectC, ColumnX is incorrectly updated with a null value.</p> <p>Workaround: Change the minimum trust setting for SourceA to at least 2.</p>
MDM-5830	<p>After installation of the MDM Hub, the WebSphere application server user name and password are visible in the installation logs.</p>
MDM-1578	<p>When you delete an active cross-reference record in the Data Manager tool in the Hub Console, the record is deleted but an error occurs. You can safely ignore the error.</p>

Data Director with Business Entities Known Limitations (Cumulative)

The following table describes known limitations that are carried forward from previous releases:

Reference Number	Description
MDM-24316	When you upgrade from version 10.2 or earlier, non-administrative users cannot log in to an application. The issue occurs when the application that is created in the Provisioning tool has the same name as the Data Director application that was upgraded.
MDM-24156	If you use SAML based authentication, users cannot search for records in Data Director and access the Hub Console. Workaround: To use SAML based authentication, create the users in the MDM Hub as externally authenticated users.
MDM-23745	When you sort on a column that contains a lookup list with more than 40 values, the sort fails.
MDM-23092	When you use multiple tabs to create records and click the Apply button, the records do not save.
MDM-22587	When you export search results that are based on a timeline, the export process ignores the timeline and exports all data.
MDM-22811	In the simple merge component, when you want to change a date value, the calendar does not appear correctly. Workaround: Type in a date.
MDM-21692	The calendar controls are not localized.
MDM-18665	When you delete the Status Cd code, the following error occurs: <code>Cannot read property 'taskId' of undefined</code> Workaround: You can edit this field, but you cannot delete it.
MDM-18157	On Chrome, when you display the interface in Chinese, some button labels are truncated.
MDM-14460	If the time zone of the application server is different from the time zone of the client, the time of an event in the History view differs from the time in the event details panel.
MDM-14327	If there are multiple pages of search results for business entity child records and you type in a page number beyond the range of pages displayed, subsequent attempts to view a page of search results fail and an error occurs.
MDM-8764	When you generate the business entity schema from a subject area configuration, mandatory lookup fields are not included in the business entity view configuration or transformation configuration.
MDM-8606	In the Matching Records view, when you merge records, the system can appear unresponsive. Workaround: Wait until the merge job finishes.
MDM-7597	If you delete a record and then search for the record, the ROWID of the deleted record still displays.

Reference Number	Description
MDM-2699	In calendars, you cannot set a date before January 1, 1000.
MDM-2574	In the task inbox, setting the Owner filter to <code>Unclaimed</code> does not return the list of unclaimed tasks.

Provisioning Tool Known Limitations (Cumulative)

The following table describes known limitations that are carried forward from previous releases:

Reference Number	Description
MDM-22531	When you configure a read-only field with more than one default value, the Provisioning tool displays a validation error. Workaround: Use a cleanse job to set the default value for a read-only field.
MDM-20600	When you remove a base object from the Hub Console, the Provisioning tool continues to show the base object and does not generate validation errors. Workaround: If you delete a base object, update the related business entity in the Provisioning tool.
MDM-14528	If you create a transformation with the same name as another transformation, a validation error message does not appear. An error appears only when you try to publish the changes.
MDM-14449	If you make a field searchable in a reference entity that is referenced in two or more business entities, then the field is searchable for all the business entities. Furthermore, if you make a field searchable in a reference entity that is not referenced in any business entity, then the field is not searchable. Workaround: Make a field searchable in a reference entity that is referenced in only one business entity.
MDM-8844	When you publish configuration changes through the Provisioning tool, you can overwrite these changes if you generate a business entity schema through the IDD Configuration Manager.
MDM-7219	The Provisioning tool fails to launch when the last slash is omitted. Workaround: Add a slash character to the end of the URL: <code>http://host:port/provisioning/</code>

Business Entity Services Known Limitations (Cumulative)

The following table describes known limitations that are carried forward from previous releases:

Reference Number	Description
MDM-10553	When you run a read composite service for a deleted grandchild record, the business entity service call does not return data.

Business Process Management Known Limitations (Cumulative)

The following table describes known limitations that are carried forward from previous releases:

Reference Number	Description
MDM-22986	When you install ActiveVOS, the admin user password is stored in plain text in the ActiveVOS installation properties file.
MDM-9079	In the ActiveVOS Console, on the MDM Identity Provider page, you must enter the password of the MDM Hub user named <code>admin</code> in the MDM Connection Settings Password field. You cannot use the password for any other user, even if the user has administrative privileges.
MDM-9041	When multiple workflow triggers apply to an action, the first applicable trigger is applied, even if subsequent triggers are specific to the business entity. Workaround: In the task configuration file, place the triggers that are specific to a business entity at the beginning of the file. Place the more general triggers at the end of the file.
MDM-8763	When you install the MDM Hub with embedded ActiveVOS in a Linux environment, the following error appears in the <code>postInstallSetup.log</code> : <pre>[exec] Unable to locate tools.jar. Expected to find it in /data/tmp/install.dir.12594/Linux/resource/lib/tools.jar</pre> You can safely ignore the error.
MDM-8622	When you import ActiveVOS tasks from version 9.7.1 and run a batch file to add presentation parameters to the tasks, an error occurs. You can safely ignore the error.
MDM-8086	The task priority set by the MDM Hub cannot be used to trigger an ActiveVOS escalation.

Services Integration Framework Known Limitations (Cumulative)

The following table describes known limitations that are carried forward from previous releases:

Reference Number	Description
MDM-30069	When you restore deleted records using the POST Update API, the BVT calculation does not trigger, and restored record values are incorrect.
MDM-19151	The DeleteMatches service does not correctly process data blocked by InteractionID.

Informatica Platform Known Limitations (Cumulative)

The following table describes known limitations that are carried forward from previous releases:

Reference Number	Description
MDM-18229	In a Linux environment, the option to install the Informatica platform is not available.