



Informatica®
10.4.0

Upgrading from Version
10.2.1 (10.4.0)

Informatica Upgrading from Version 10.2.1 (10.4.0)

10.4.0

December 2019

© Copyright Informatica LLC 2006, 2020

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

Informatica, the Informatica logo, PowerCenter, and PowerExchange are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at <https://www.informatica.com/trademarks.html>. Other company and product names may be trade names or trademarks of their respective owners.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Portions of this software and/or documentation are subject to copyright held by third parties. Required third party notices are included with the product.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2020-06-11

Table of Contents

Preface	6
Informatica Resources.	6
Informatica Network.	6
Informatica Knowledge Base.	6
Informatica Documentation.	7
Informatica Product Availability Matrices.	7
Informatica Velocity.	7
Informatica Marketplace.	7
Informatica Global Customer Support.	7
 Chapter 1: Upgrade Overview.....	8
Informatica Upgrade.	8
Informatica Upgrade Support.	8
Upgrade Process.	8
 Chapter 2: Before You Upgrade the Domain on Linux.....	10
Read the Release Notes.	10
Verify System Requirements.	10
Verify the Domain Upgrade Requirements.	10
Verify Temporary Disk Space and Permissions.	11
Verify the Distributions.	11
Review Patch Requirements on Linux.	11
Review the Environment Variables.	13
Extract the Installer Files.	14
Run the Informatica Upgrade Advisor.	14
 Chapter 3: Prepare for the Upgrade.....	16
Back Up the Data Transformation Files.	16
Prepare the Model Repository.	17
Prepare the Data Integration Service.	17
Prepare the Reference Data Directories.	17
Back Up Databases.	17
Prepare the Domain.	17
Shut Down the Domain.	18
Back Up the Domain.	18
 Chapter 4: Upgrade the Domain.....	20
Domain Upgrade Overview	20
Upgrading in Console Mode.	20
Upgrading in Silent Mode.	22

Encrypting Passwords in the Properties File.	23
Creating the Properties File.	23
Running the Silent Installer.	24
Troubleshooting the Domain Upgrade.	25
Chapter 5: Upgrade the Domain with Changes to Node Configuration.	26
Upgrade the Domain with Changes to Node Configuration Overview.	26
Migrating to a Different Database.	27
Migrating the Installation to a Different Machine.	27
Copy the Installation Directories.	28
Determine Port Availability on Windows.	28
Step 3. Create a System User Account.	28
Step 4. Configure Native Connectivity on Service Machines.	29
Step 5. Install Database Client Software.	29
Step 6. Configure Database Client Environment Variables.	30
Upgrading in Silent Mode.	30
Complete Changing the Node Configuration.	31
Clear the Browser Cache.	31
Configure Locale Environment Variables.	31
Configure Library Path Environment Variables.	32
Verify the Range of Dynamic Port Numbers.	32
Verify the Node Backup Directory.	32
Configure PowerExchange Adapters.	32
Chapter 6: Application Service Upgrade.	33
Application Service Upgrade Overview.	33
Privileges to Upgrade Services.	33
Service Upgrade from Previous Versions.	34
Running the Service Upgrade Wizard.	34
Verify the Model Repository Service Upgrade.	35
Object Dependency Graph.	35
Advanced Properties for the Model Repository Service.	36
Chapter 7: Informatica Client Upgrade.	37
Informatica Client Upgrade Overview.	37
Informatica Client Upgrade Options.	38
Upgrading in Graphical Mode.	38
Upgrading in Silent Mode.	39
Creating the Properties File.	39
Running the Silent Installer.	40
Chapter 8: After You Upgrade.	41
Migrating to PostgreSQL	41

Secure Client Connections to the Domain.	42
Update the Log Events Directory.	43
Metadata Access Service.	43
Create the Metadata Access Service.	43
Analyst Service.	44
Verify the Flat File Cache Location.	44
Verify the Temporary Export File Location.	45
Recycle the Analyst Service.	45
Appendix A: Upgrade Checklist.	46
Upgrade Checklist Overview.	46
Before You Upgrade the Domain.	46
Domain Upgrade.	47
Before You Upgrade the Application Services.	48
Application Service Upgrade.	48
Informatica Client Upgrade.	49
After You Upgrade.	49
Index.	51

Preface

Follow the instructions in this upgrade guide to upgrade the product.

In addition to upgrade steps, the guide also includes pre- and post-requisite tasks.

This guide is written for the system administrator who is responsible for upgrading the product.

Review the upgrade guide to upgrade the services and clients for the Informatica domain. Verify the database requirements and set up the databases for the domain. You can verify the distributions for the supported products in the native and non-native environments. Verify that your environment meets the minimum system requirements for the installation process, temporary disk space, port availability, databases, and application service hardware.

You can upgrade the product services and clients on one or more machines. Run the server installer to upgrade on all nodes. After you upgrade the domain, you must log into the Administrator tool and upgrade the application services. You can then upgrade the Informatica clients on all machines.

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Network

The Informatica Network is the gateway to many resources, including the Informatica Knowledge Base and Informatica Global Customer Support. To enter the Informatica Network, visit <https://network.informatica.com>.

As an Informatica Network member, you have the following options:

- Search the Knowledge Base for product resources.
- View product availability information.
- Create and review your support cases.
- Find your local Informatica User Group Network and collaborate with your peers.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit <https://search.informatica.com>. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit <https://docs.informatica.com>.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Product Availability Matrices

Product Availability Matrices (PAMs) indicate the versions of the operating systems, databases, and types of data sources and targets that a product release supports. You can browse the Informatica PAMs at <https://network.informatica.com/community/informatica-network/product-availability-matrices>.

Informatica Velocity

Informatica Velocity is a collection of tips and best practices developed by Informatica Professional Services and based on real-world experiences from hundreds of data management projects. Informatica Velocity represents the collective knowledge of Informatica consultants who work with organizations around the world to plan, develop, deploy, and maintain successful data management solutions.

You can find Informatica Velocity resources at <http://velocity.informatica.com>. If you have questions, comments, or ideas about Informatica Velocity, contact Informatica Professional Services at ips@informatica.com.

Informatica Marketplace

The Informatica Marketplace is a forum where you can find solutions that extend and enhance your Informatica implementations. Leverage any of the hundreds of solutions from Informatica developers and partners on the Marketplace to improve your productivity and speed up time to implementation on your projects. You can find the Informatica Marketplace at <https://marketplace.informatica.com>.

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through the Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:
<https://www.informatica.com/services-and-training/customer-success-services/contact-us.html>.

To find online support resources on the Informatica Network, visit <https://network.informatica.com> and select the eSupport option.

CHAPTER 1

Upgrade Overview

This chapter includes the following topics:

- [Informatica Upgrade, 8](#)
- [Informatica Upgrade Support, 8](#)
- [Upgrade Process, 8](#)

Informatica Upgrade

The Informatica platform consists of a server component and one or more client components. Informatica provides separate installers to upgrade the Informatica services and clients.

When you upgrade each node in the domain, you can choose to change the node configuration to allow changes to the node host name, port numbers, or domain configuration repository database.

Informatica Upgrade Support

You can directly upgrade to 10.4.0 from Informatica 10.0, 10.1, 10.1.1, 10.2, 10.2.1, and 10.2.2.

If the product version that is currently installed cannot be upgraded to Informatica 10.4.0, you must first upgrade to a supported version. To determine the Informatica product version that is currently installed, click **Help > About Informatica Administrator** in the Informatica Administrator header area.

Note: For information about Support EOL statements, contact Informatica Global Customer Support or see, <https://network.informatica.com/docs/DOC-16182>.

Upgrade Process

The upgrade of the Informatica services and Informatica clients consists of multiple phases.

The upgrade consists of the following phases:

1. Complete the pre-upgrade tasks for the domain to ensure that you can successfully run the installer.

2. Upgrade the domain. To upgrade the domain, run the Informatica server installer and select the upgrade option. The domain upgrade wizard installs the server files and configures the domain. If the domain has multiple nodes, you must upgrade all nodes. When you upgrade each node in the domain, you can choose to change the node configuration to allow changes to the node host name, port numbers, or domain configuration repository database.

The following table describes the actions that the installer performs when you upgrade the domain:

Tasks	Description
Runs Informatica Upgrade Advisor.	Installer runs the pre-upgrade to validate the services and checks for obsolete services, supported database, and supported operating system in the domain. Resolve the conflicts before you proceed with the upgrade.
Installs Informatica.	Installs Informatica directories and files into the new directory.
Copies infa_shared directory.	Copies the contents of the infa_shared directory from the existing installation directory into the new installation directory.
Copies the encryption key file.	Copies the domain encryption key file from the existing installation directory into the directory that you specify when you upgrade.
If the existing domain uses Kerberos authentication, copies the Kerberos configuration file and keytab files.	Copies the Kerberos configuration file from the existing installation directory into the new installation directory. Copies the keytab files from the existing installation directory into the encryption key directory that you specify when you upgrade.
Upgrades the domain.	The upgrade retains the user and administrator accounts in the domain.
Starts Informatica Services.	Starts Informatica Services on the node.

3. Upgrade the application services. After you upgrade the domain, log in to the Administrator tool and upgrade the application services. The service upgrade wizard provides a list of all application services that must be upgraded. It upgrades the services based on the order required by the dependent objects.
4. Upgrade Informatica Developer on all machines.

Note: You cannot connect to the Informatica domain using the Developer tool from a previous version.

To upgrade Informatica clients, run the Informatica client installer and select the upgrade option. If the clients are installed on multiple machines, upgrade the clients on all machines.

5. Perform the post-upgrade tasks.

Note: If you upgrade the Informatica installation on more than one machine, complete the first upgrade with the detailed instructions in this guide. You can use the upgrade checklist in the appendix to perform subsequent upgrades.

CHAPTER 2

Before You Upgrade the Domain on Linux

This chapter includes the following topics:

- [Read the Release Notes, 10](#)
- [Verify System Requirements, 10](#)
- [Extract the Installer Files, 14](#)
- [Run the Informatica Upgrade Advisor, 14](#)

Read the Release Notes

Read the Release Notes for updates to the installation and upgrade process. You can also find information about known and fixed limitations for the release.

Verify System Requirements

Verify that your environment meets the minimum system requirements for the installation process, temporary disk space, port availability, databases, and application service hardware.

For more information about product requirements and supported platforms, see the Product Availability Matrix on Informatica Network:

<https://network.informatica.com/community/informatica-network/product-availability-matrices>

Verify the Domain Upgrade Requirements

Verify that your machine meets the minimum system requirements to upgrade the Informatica domain.

Ensure that you have a minimum disk space of 13 GB and a RAM of 4 GB to upgrade the Informatica domain.

Note: When you upgrade, the installer requires an additional disk space used by the existing infa_shared directory.

For more information about product requirements and supported platforms, see the Product Availability Matrix on Informatica Network:

<https://network.informatica.com/community/informatica-network/product-availability-matrices>

Verify Temporary Disk Space and Permissions

Verify that your environment meets the minimum system requirements for the temporary disk space, permissions for the temporary files, and the Informatica client tools.

Disk space for the temporary files

The installer writes temporary files to the hard disk. Verify that you have 1 GB disk space on the machine to support the installation. When the installation completes, the installer deletes the temporary files and releases the disk space.

To install Informatica with the application services enabled, verify a minimum disk space of 18 GB and a memory of 6 GB RAM. Out of the 18 GB disk space, 14 GB disk space is required for the product installation binaries. Based on the runtime configurations that you perform, the Informatica services might use a disk space around 13,846 MB. 1 GB disk space is the temporary disk space used.

Permissions for the temporary files

Verify that you have read, write, and execute permissions on the `/tmp` directory.

For more information about product requirements and supported platforms, see the Product Availability Matrix on Informatica Network:

<https://network.informatica.com/community/informatica-network/product-availability-matrices>

Verify the Distributions

Verify the distributions for the non-native environments.

In each release, Informatica can add, defer, and drop support for the non-native distributions and distribution versions. Informatica might reinstate support for deferred versions in a future release. To see a list of the latest supported versions, see the Product Availability Matrix on the Informatica Customer Portal:

<https://network.informatica.com/community/informatica-network/product-availability-matrices>

Review Patch Requirements on Linux

Before you install the Informatica services, verify that the machine has the required operating system patches and libraries.

PowerCenter on Linux

The following table lists the patches and libraries that the Informatica services require for PowerCenter on Linux:

Platform	Operating System	Operating System Patch
zLinux	Red Hat Enterprise Linux 6.9	All of the following packages, where <version> is any version of the package: <ul style="list-style-type: none">- e2fsprogs-libs-<version>.el6.s390- keyutils-libs-<version>.el6.s390- libselinux-<version>.el6.s390- libsepol-<version>.el6.s390
AWS Linux	AWS Linux release 2 (Karoo) - 2.0.20190618	All of the following packages: <ul style="list-style-type: none">- e2fsprogs-libs-1.42.9-12.amzn2.0.2.x86_64- keyutils-libs-1.5.8-3.amzn2.0.2.x86_64- libselinux-2.5-12.amzn2.0.2.x86_64- libsepol-2.5-8.1.amzn2.0.2.x86_64

Platform	Operating System	Operating System Patch
Ubuntu	16.04.5	All of the following packages: <ul style="list-style-type: none"> - e2fsprogs-1.42.13-1ubuntu1-amd64-ext2/ext3/ext4 file system utilities - libkeyutils1:amd64-1.5.9-8ubuntu1-amd64-Linux Key Management Utilities (library) - libselinux1:amd64-2.4-3build2-amd64-SELinux runtime shared libraries - libsepol1:amd64-2.4-2-amd64-SELinux library for manipulating binary security policies.
Linux-x64	Red Hat Enterprise Linux 6.7	All of the following packages, where <version> is any version of the package: <ul style="list-style-type: none"> - e2fsprogs-libs-<version>.el6 - keyutils-libs-<version>.el6 - libselinux-<version>.el6 - libsepol-<version>.el6
Linux-x64	Red Hat Enterprise Linux 7.3	All of the following packages, where <version> is any version of the package: <ul style="list-style-type: none"> - e2fsprogs-libs-<version>.el7 - keyutils-libs-<version>.el7 - libselinux-<version>.el7 - libsepol-<version>.el7
Linux-x64	SUSE Linux Enterprise Server 11	Service Pack 4
Linux-x64	SUSE Linux Enterprise Server 12	Service Pack 2

Data Engineering on Linux

The following table lists the patches and libraries that the Informatica services require for Data Engineering on Linux:

Platform	Operating System	Operating System Patch
AWS Linux	AWS Linux release 2 (Karoo) - 2.0.20190618	All of the following packages: <ul style="list-style-type: none"> - e2fsprogs-libs-1.42.9-12.amzn2.0.2.x86_64 - keyutils-libs-1.5.8-3.amzn2.0.2.x86_64 - libselinux-2.5-12.amzn2.0.2.x86_64 - libsepol-2.5-8.1.amzn2.0.2.x86_64
Ubuntu	16.04.5	All of the following packages: <ul style="list-style-type: none"> - e2fsprogs-1.42.13-1ubuntu1-amd64-ext2/ext3/ext4 file system utilities - libkeyutils1:amd64-1.5.9-8ubuntu1-amd64-Linux Key Management Utilities (library) - libselinux1:amd64-2.4-3build2-amd64-SELinux runtime shared libraries - libsepol1:amd64-2.4-2-amd64-SELinux library for manipulating binary security policies.
Linux-x64	Red Hat Enterprise Linux 6.7	All of the following packages, where <version> is any version of the package: <ul style="list-style-type: none"> - e2fsprogs-libs-<version>.el6 - keyutils-libs-<version>.el6 - libselinux-<version>.el6 - libsepol-<version>.el6

Platform	Operating System	Operating System Patch
Linux-x64	Red Hat Enterprise Linux 7.3	All of the following packages, where <version> is any version of the package: <ul style="list-style-type: none"> - e2fsprogs-libs-<version>.el7 - keyutils-libs-<version>.el7 - libselinux-<version>.el7 - libsepol-<version>.el7
Linux-x64	SUSE Linux Enterprise Server 11	Service Pack 4
Linux-x64	SUSE Linux Enterprise Server 12	Service Pack 2

Review the Environment Variables

Configure the environment variables to work with the Informatica installation.

The following table describes the environment variables to review:

Variable	Description
IATEMPDIR	Location of the temporary files created during installation. Informatica requires 1 GB disk space for temporary files. Configure the environment variable if you do not want to create temporary files in the /tmp directory.
INFA_DOMAINS_FILE	Contains the location of the domains.infa file. Clear this variable before you start the upgrade.
INFA_HOME	Contains the location of the Informatica installation directory. Clear this variable before you start the upgrade.
LANG and LC_ALL	Change the locale to set the appropriate character encoding for the terminal session. For example, set the encoding to <code>Latin1</code> or <code>ISO-8859-1</code> for French, <code>EUC-JP</code> or <code>Shift JIS</code> for Japanese, or <code>UTF-8</code> for Chinese or Korean. The character encoding determines the types of characters that appear in the UNIX terminal.
DISPLAY	Unset the DISPLAY environment before you run the installer. Installation might fail if the DISPLAY environment variable has some value.
Library path	Verify that the library path environment variables do not contain earlier versions of Informatica.
PATH	Verify that the PATH environment variables do not contain earlier versions of Informatica.

Extract the Installer Files

The installer files are compressed and distributed as a compressed file.

You can get the installation file from the FTP link contained in your fulfillment email. Download the Informatica installation tar file from the Informatica Electronic Software Download site to a directory on your machine and then extract the installer files.

Extract the installer files to a directory on your machine. The user that runs the installer must have read and write permissions on the installer files directory and execute permissions on the executable file.

Note: Make sure that you download the file to a local directory or a shared network drive that is mapped on your machine. You can then extract the installer files. However, you cannot run the installer from a mapped file. Copy the extracted files to a local drive and then run the installer.

Run the Informatica Upgrade Advisor

Before you perform an upgrade, run the Informatica Upgrade Advisor to validate the services and check for obsolete services, supported database, and supported operating system in the domain.

1. Log in to the machine with a system user account.
2. Verify that the domain and the services are running before you run the Informatica Upgrade Advisor.
3. On a shell command line, run the `install.sh` file from the root directory.

The installer displays the message to verify that the locale environment variables are set.

4. If the environment variables are not set, press **n** to exit the installer and set them as required.
If the environment variables are set, press **y** to continue.

5. Press **2** to Upgrade Informatica.
6. Press **1** to run the Informatica Upgrade Advisor.

The **Welcome** section appears.

7. Press **Enter**.

The **Installation Directory** section appears.

8. Enter the current installation directory.
9. Press **Enter**.

The **Domain and Node Configuration** section appears.

10. Enter the following domain information:

Property	Description
Domain name	Name of the domain. The default domain name is Domain_<MachineName>. The name must not exceed 128 characters and must be 7-bit ASCII only. It cannot contain a space or any of the following characters: ` % * + ; " ? , < > \ /
Gateway node host name	Host name of the machine that hosts the gateway node for the domain.

Property	Description
Gateway node port name	Port number of the gateway node.
Domain user name	<p>User name for the domain administrator. You can use this user name to initially log in to Informatica Administrator. Use the following guidelines:</p> <p>The name is not case sensitive and cannot exceed 128 characters.</p> <p>The name cannot include a tab, newline character, or the following special characters: % * + / ? ; < > -</p> <p>The name can include an ASCII space character except for the first and last character. Other space characters are not allowed.</p>
Domain password	<p>Password for the domain administrator. The password must be more than 2 characters and must not exceed 16 characters.</p> <p>Not available if you configure the Informatica domain to run on a network with Kerberos authentication.</p>

11. Press **Enter**.
The **Informatica Upgrade Advisor Summary** section appears.
12. Review the results of the advisor in the following log file: `Summary_<timestamp>.log`
13. Press **Enter** to close the Informatica Upgrade Advisor.

CHAPTER 3

Prepare for the Upgrade

This chapter includes the following topics:

- [Back Up the Data Transformation Files, 16](#)
- [Prepare the Model Repository, 17](#)
- [Prepare the Data Integration Service, 17](#)
- [Prepare the Reference Data Directories, 17](#)
- [Back Up Databases, 17](#)
- [Prepare the Domain, 17](#)

Back Up the Data Transformation Files

Before you upgrade, you must back up the Data Transformation files that were created under previous versions. After you complete the upgrade, copy the files to the new installation directories to get the same custom global components as in the previous version.

The following table lists the files or directories that you must back up:

File or Directory	Default Location
Repository	<Informatica installation directory>\DataTransformation\ServiceDB
Custom Global Components directory (TGP files)	<Informatica installation directory>\DataTransformation\autoInclude\user
Custom Global Components directory (DLL and JAR files)	<Informatica installation directory>\DataTransformation\externLibs\user
Configuration file	<Informatica installation directory>\DataTransformation\CMConfig.xml
License file	<Informatica installation directory>\DataTransformation\CDELICENSE.cfg

Do not copy the Data Transformation Library files. Instead, install the Data Transformation Libraries again.

Prepare the Model Repository

Before you upgrade the domain, back up the Model repository.

To back up each Model repository, select the Model Repository Service in the Administrator tool. Then, on the Domain Actions menu, click **Repository Contents > Backup**.

Prepare the Data Integration Service

Before you upgrade the domain, verify that all the running jobs are complete. The Data Integration Service cannot recover a workflow that you interrupt during the upgrade process.

Prepare the Reference Data Directories

If you install or copy any reference data file to a non-default directory, back up the directory before you upgrade.

If you install or copy any reference data file to a directory outside the installation directory structure, you do not need to back up the directory.

By default, the upgrade operation preserves the contents of the following reference data directories:

- `<Informatica installation directory>/services/DQContent/INFA_Content/dictionaries/`
Parent directory for the reference dictionary files.
- `<Informatica installation directory>/services/DQContent/INFA_Content/av/`
Parent directory for the address reference data files.
- `<Informatica installation directory>/services/DQContent/INFA_Content/identity/`
Parent directory for the identity population data files.

Record the directory location, so that you can restore the directory to the directory structure after you upgrade.

Back Up Databases

Before you upgrade the domain, back up the profiling warehouse, reference data warehouse, and workflow databases.

Prepare the Domain

Before you upgrade the domain, complete the steps to prepare the domain.

Shut Down the Domain

You can stop all the application services before you shut down the domain. You must shut down the domain before you back up domain and then upgrade the domain.

To shut down the domain, stop the Informatica service process on each node in the domain.

You can stop the Informatica service process on each node using one of the following methods based on the supported environment:

- To stop the Informatica from the Windows Start menu, click **Programs > Informatica[Version] > Server > Stop Informatica Services**.
- To stop Informatica on UNIX, you use the *infaservice* command. By default, the *infaservice* executable file is installed in the following directory:

```
<Informatica installation directory>/tomcat/bin
```

Enter the following command to stop the daemon:

```
infaservice shutdown
```

You can also stop the Informatica service from the Windows control panel or from the Administrator tool based on the supported environment.

Back Up the Domain

Before you upgrade the domain, you must back up the configuration metadata for the domain.

Complete the following steps to back up the domain:

- Run the *infasetup BackupDomain* command to back up the domain configuration database tables to a file.
- Back up the metadata configuration files to any directory accessible by the machines where you install Informatica.

Informatica *infasetup* includes command line programs to back up and restore the domain. *infasetup* is located in the following directory:

```
<Informatica installation directory>/isp/bin
```

To back up the domain with *infasetup*, use the following syntax:

```
BackupDomain
<<-DatabaseAddress|-da> database_hostname:database_port|
<-DatabaseConnectionString|-cs> database_connection_string>
<-DatabaseUserName|-du> database_user_name
<-DatabasePassword|-dp> database_password
<-DatabaseType|-dt> database_type
[<-DatabaseServiceName|-ds> database_service_name]
<-BackupFile|-bf> backup_file_name
[<-Force|-f>]
<-DomainName|-dn> domain_name
[<-Tablespace|-ts> tablespace_name (used for IBM DB2 only)]
[<-SchemaName|-sc> schema_name (used for Microsoft SQL Server only)]
[<-DatabaseTlsEnabled|-dbtls> database_tls_enabled]
[<-DatabaseTruststorePassword|-dbtp> database_truststore_password]
```

```
[<-TrustedConnection|-tc> trusted_connection (used for Microsoft SQL Server only)]
```

```
[<-EncryptionKeyLocation|-kl> encryption_key_location]
```

Back up the metadata configuration files to any directory accessible by the machines where you install Informatica. The following table describes the metadata files and the locations where you can find them:

Metadata File	Description	Location
nodemeta.xml	Contains metadata for a node.	Stored in the isp/config directory on each node in the domain. If you use the same backup directory name on all the nodes, rename nodemeta.xml before copying it to the backup location. For example, you back up nodemeta.xml to the /nodebak directory on nodeA and nodeB. Rename the configuration files so that on nodeA the file is backed up to /nodebak/nodemeta_A.xml, and on nodeB the file is backed up to /nodebak/nodemeta_B.xml.
domains.infa	Contains connectivity information for the gateway nodes.	Stored in one of the following locations: <ul style="list-style-type: none">- The Informatica installation directory on the client and server machines.- The location configured through the INFA_DOMAINS_FILE environment variable.

CHAPTER 4

Upgrade the Domain

This chapter includes the following topics:

- [Domain Upgrade Overview , 20](#)
- [Upgrading in Console Mode, 20](#)
- [Upgrading in Silent Mode, 22](#)
- [Troubleshooting the Domain Upgrade, 25](#)

Domain Upgrade Overview

Use the server installer to upgrade the domain of a previous version of Informatica services. The server installer provides a domain upgrade wizard to guide you through the upgrade process.

The upgrade wizard installs Informatica in the directory you specify. It does not modify the files in the directory of the previous version.

The upgrade wizard reads the domain information from files in the previous version and uses the same settings to configure the domain and server files for the upgrade. It upgrades the tables of the domain configuration repository in the same database as the previous version.

Complete the pre-upgrade tasks before you start the upgrade. Run the installer on all machines that host previous versions of Informatica that you want to upgrade.

Note: In a multi-node domain, upgrade the master gateway node before you upgrade other nodes.

You can perform the upgrade from the root of the directory where you download the installation files.

After you upgrade the domain, upgrade the Informatica client tool to the same Informatica version.

Upgrading in Console Mode

You can upgrade in console mode to upgrade the domain on the same machine and on the same domain configuration repository database. You can upgrade the domain in console mode.

When you run the installer in console mode, the words quit, back, and help are reserved words. Do not use them as input text.

1. Log in to the machine with the same user account that you used to install the previous version.

2. Stop all processes that access the directory and subdirectories of the Informatica product to upgrade, including command prompts and tail logs.
3. On a shell command line, run the install file from the root directory.
The installer displays the message to verify that the locale environment variables are set.
4. If the environment variables are not set, press **n** to exit the installer and set them as required.
If the environment variables are set, press **y** to continue.
5. Press **2** to upgrade Informatica.
6. Optionally, run the Informatica Upgrade Advisor.

Informatica provides utilities to facilitate the Informatica services installation process. You can run the utility before you upgrade Informatica services. The Informatica Upgrade Advisor helps to validate the services and checks for obsolete services in the domain before you perform an upgrade.

The installer displays a warning to shut down the Informatica domain that you want to upgrade before you continue the upgrade.
7. Read the terms and conditions of Informatica product usage toolkit and press **2** to continue the upgrade.

Subject to your opt-out rights described below, the software will automatically transmit to Informatica in the USA information about the computing and network environment in which the Software is deployed and the data usage and system statistics of the deployment. This transmission is deemed part of the Services under the Informatica privacy policy and Informatica will use and otherwise process this information in accordance with the Informatica privacy policy available at <https://www.informatica.com/in/privacy-policy.html>. You may disable usage collection in Administrator tool.
8. The **Upgrade Prerequisites** page displays the upgrade system requirements.
Verify the requirements before you continue the upgrade.
9. At the prompt, enter the directory of the Informatica version you want to upgrade and the directory in which you want to install Informatica 10.4.0.

The following table describes the directories you must specify:

Directory	Description
Directory of the Informatica product to upgrade	Directory that contains the version of Informatica services that you want to upgrade.
Directory for Informatica 10.4.0	<p>Directory in which to install Informatica 10.4.0.</p> <p>Enter the absolute path for the installation directory. The directory cannot be the same as the directory that contains the previous version of Informatica services. The directory names in the path must not contain spaces or the following special characters: @! * \$ # ! % () { } [] , ; ' .</p> <p>Note: Informatica recommends using alphanumeric characters in the installation directory path. If you use a special character such as á or €, unexpected results might occur at run time.</p>

10. Select if you want to change the node host name, port numbers, or domain configuration repository.
Press **1** to use the same node configuration as the previous version. Press **2** to change the node configuration.
11. Press **1** to upgrade Informatica services.
12. Enter the directory for the encryption key for the Informatica domain.

Informatica uses an encryption key to secure sensitive data, such as passwords, that are stored in the Informatica domain. When you upgrade, you must enter the directory in which to store the encryption key on the node that you are upgrading.

Note: All nodes in an Informatica domain use the same keyword and encryption key. You must keep the name of the domain, the keyword for the encryption key, and the encryption key file in a secure location. The encryption key is required when you change the encryption key of the domain or move a repository to another domain.

Property	Description
Encryption key directory	Directory in which to store the encryption key for the domain. By default, the encryption key is created in the following directory: <Informatica installation directory>/isp/config/keys.

13. Enter the user name and password for the Informatica domain.

14. Review the upgrade information and press **Enter** to continue.

The installer copies the server files to the Informatica 10.4.0 installation directory.

The installer displays the database and user account information for the domain configuration repository to upgrade. It displays the database connection string for the domain configuration repository based on how the connection string of the previous version was created at installation:

- If the previous version used a JDBC URL at installation, the installer displays the JDBC connection properties, including the database address and service name.
- If the previous version used a custom JDBC connection string at installation, the installer displays the custom connection string.

15. Press **Enter**.

16. If you use a JDBC URL, you can specify additional parameters to include in the connection string.

If you use a custom connection string, you cannot specify additional parameters.

17. Press **Enter**.

The **Post-Installation** section appears.

18. Press **Enter** to complete the installation procedure and exit the installer.

Review the `upgrade.log` file to get more information about the tasks performed by the upgrade wizard and to view the configuration of installed components.

Upgrading in Silent Mode

You can upgrade in silent mode to upgrade the domain on the same machine and on the same domain configuration repository database.

To upgrade the Informatica domain services without user interaction, upgrade in silent mode. Use a properties file to specify the upgrade options. The installer reads the file to determine the upgrade options. You can use silent mode upgrade to upgrade the Informatica domain services on multiple machines on the network or to standardize the upgrade process across machines.

Copy the Informatica installation files to the machine that hosts the Informatica instance you plan to upgrade.

To upgrade in silent mode, complete the following tasks:

1. Create the upgrade properties file and specify the upgrade options.
2. Run the installer with the upgrade properties file.
3. Secure the passwords in the upgrade properties file.

Encrypting Passwords in the Properties File

The installer includes a utility that you can use to encrypt passwords you set in the properties file you use to specify options when you run the installer in silent mode. Informatica uses AES encryption with multiple 128-bit keys to encrypt passwords.

You run the utility for each password you want to encrypt. When you run the utility, you specify the value of the password in plain text at the command prompt. The utility generates the password in encrypted format as output. The output includes the following prefix: `=INSTALLER:CIPHER:AES:128=`

Copy the complete output string, including the prefix, and then paste it into the properties file as the value for the password property. When you run the installer in silent mode, the installation framework decrypts the password.

1. Go to the utility directory:

```
<Installer directory>/properties/utlils/passwd_encryption
```

2. Run the utility. Specify the plain text password you want to encrypt as the value for `<password>`.

- On Linux and UNIX, run the following command:

```
sh install.sh <password>
```

- On Windows, run the following command:

```
install.bat <password>
```

3. Copy the encrypted password string from the output, and then paste the string into the .properties file as the value for the corresponding password.

The following example shows the encrypted password set as the value for the `DOMAIN_PSSWD` property:

```
DOMAIN_PSSWD==INSTALLER:CIPHER:AES:128=mjkjmDR2kzFJiizfRWIOPg==
```

Creating the Properties File

Informatica provides two versions of the properties file. Use either file to specify options for your installation.

Silent input upgrade new config properties file

Use the silent input upgrade new configuration properties file to upgrade Informatica domain services with changes to the node configuration and without user interaction.

The silent input upgrade new configuration properties file contains the configuration properties required to upgrade the Informatica domain services in silent mode. Use the file if you want to consider the appropriate value to set for each property in the file.

Default silent input upgrade properties file

Use the silent input upgrade properties file to upgrade Informatica domain services without user interaction.

The default silent input properties file contains default values for many configuration properties. Use the file if you plan to upgrade the Informatica domain services using the default property values, and do not want to read through all of the properties in the file.

Informatica provides a sample properties file that includes the upgrade parameters that are required by the installer. You can customize the sample properties file to specify the options for your upgrade.

The sample upgrade properties file is named `SilentInput_upgrade.properties` and is located in the installer download location. After you customize the file, save it with the file name `SilentInput.properties`.

1. Go to the root of the directory that contains the installation files.
2. Find the file named `SilentInput_upgrade.properties`.
Back up the file before you modify it.
3. Use a text editor to open the file and modify the values of the upgrade parameters.

The following table describes the upgrade parameters that you can modify:

Property Name	Description
INSTALL_TYPE	Indicates whether to install or upgrade Informatica. If the value is 0, the installer performs a fresh installation of Informatica. If the value is 1, the installer upgrades a previous version of Informatica.
USER_INSTALL_DIR	Directory in which to install the new version of Informatica services. The directory cannot be the same as the directory that contains the previous version of Informatica services.
UPG_BACKUP_DIR	Directory that contains the previous version of Informatica services that you want to upgrade.
KEY_DEST_LOCATION	Directory in which to store the encryption key for the node created during the installation.
DOMAIN_USER	User name for the Informatica domain.
DOMAIN_PSSWD	Password for the Informatica domain.
ENABLE_USAGE_COLLECTION	Enables Informatica DiscoveryIQ, a product usage tool that sends routine reports on data usage and system statistics to Informatica. Informatica DiscoveryIQ uploads data to Informatica 15 minutes after you install and configure Informatica domain. Thereafter, the domain sends the data every 30 days. You can choose to not send any usage statistics to Informatica. For more information on how to disable sending usage statistics, see the <i>Informatica Administrator Guide</i> . You must set the value to 1 to upgrade.

4. Save the properties file with the name `SilentInput.properties`.

Running the Silent Installer

After you create the properties file, open a command prompt to start the silent upgrade.

1. Open a command prompt.
2. Go to the root of the server installer directory.
3. Verify that the directory contains the file `SilentInput.properties` with the upgrade options.
4. Run the `silentInstall` executable.

The silent upgrade runs in the background. The process can take a while. The silent upgrade process is complete when the `Informatica_<Version>_Services_InstallLog<timestamp>.log` is created in the installation directory.

The silent upgrade fails if you incorrectly configure the properties file or if the installation directory is not accessible. If the upgrade fails, view the silent upgrade log file and correct the errors. Then run the silent installer again. The silent upgrade log file name is `silentErrorLog.log`.

The installer creates the log file in the user home directory.

Troubleshooting the Domain Upgrade

If the upgrade does not complete successfully, review log files to determine the cause of the failure. The upgrade log files are in the root of the directory where the new version of Informatica is installed. Review the following log file: `Informatica_<Version>_Services_Upgrade.log`.

If the upgrade fails, restore the domain configuration repository database from the backup and run the installer again.

If the Administrator tool is configured for secure communication, you might receive a `404 Not Found` message when you access the Administrator tool. This issue occurs when the machine that runs the gateway node cannot access the keystore file used for the HTTPS connection to the Administrator tool. Copy the file to an accessible location, and then shut down the domain. Run the `infasetup UpdateGatewayNode` command to update the gateway node with the location of the keystore file. You must run the command on each gateway node in the domain.

CHAPTER 5

Upgrade the Domain with Changes to Node Configuration

This chapter includes the following topics:

- [Upgrade the Domain with Changes to Node Configuration Overview, 26](#)
- [Migrating to a Different Database, 27](#)
- [Migrating the Installation to a Different Machine, 27](#)
- [Upgrading in Silent Mode, 30](#)
- [Complete Changing the Node Configuration, 31](#)

Upgrade the Domain with Changes to Node Configuration Overview

Before you upgrade the domain with changes to the node configuration, you must perform steps to prepare for the upgrade. The steps that you perform depend on the kind of change that you plan to make to the node configuration. You can migrate the domain configuration repository to a different database. Or, you can migrate the Informatica services installation to a different machine.

When you upgrade the domain, you can choose to change the node configuration to allow changes to the node host name, port numbers, or domain configuration repository database.

If you migrated an Informatica services installation to a different machine, choose to change the node configuration to upgrade the domain and configure the node on the new machine. If you migrated the domain configuration repository to a different database, choose to change the node configuration to upgrade the domain and configure the new database.

Complete the pre-upgrade tasks before you run the installer.

You can run the installer in console or silent mode.

Migrating to a Different Database

If the domain configuration repository database type or version is no longer supported, you must migrate the repository to a different database. Migrate the repository in the previous Informatica instance before you upgrade the domain.

For example, if the domain configuration repository is in a Sybase ASE 15.0.3 database, migrate the repository to a Sybase ASE 15.7 database.

For more information about product requirements and supported platforms, see the Product Availability Matrix on Informatica Network:

<https://network.informatica.com/community/informatica-network/product-availability-matrices>

1. Verify that you have shut down the domain.
2. Verify that you have backed up the domain configuration database tables to a file with the `infasetup BackupDomain` command.
3. Create a database schema and a user account in a supported database.
4. Restore the domain configuration in the backup file to the specified database schema with the `infasetup RestoreDomain` command.
5. When you upgrade a gateway node, select the **Allow changes to the node host name and port number** option. When you select this option, you can configure the gateway node to connect to the new domain configuration repository database. All gateway nodes must have a connection to the domain configuration repository to retrieve and update domain configuration. When you upgrade a worker node, clear the **Allow changes to the node host name and port number** option.

Migrating the Installation to a Different Machine

If the Informatica services are installed on a machine with an operating system that is no longer supported, you must migrate the installation to a different machine before you upgrade the domain.

For more information about product requirements and supported platforms, see the Product Availability Matrix on Informatica Network:

<https://network.informatica.com/community/informatica-network/product-availability-matrices>

Before you upgrade the domain, complete the following steps on the machine where you want the new version of Informatica to run:

1. Copy the installation directory.
2. Verify port requirements.
3. Create a system user account.
4. Configure native connectivity for all services that require access to databases.

When you upgrade the migrated node, select the **Allow changes to the node host name and port number** option. When you select this option, you can update the configuration of the node on the new machine. When you upgrade other nodes in the domain that you did not migrate to different machines, clear the **Allow changes to the node host name and port number** option.

Step 1. Copy the Installation Directory

Copy the directory of the previous version of Informatica to the machine where you want the new version of Informatica to run.

For example, if the previous version of Informatica is installed in `C:\Informatica\<version>`, copy the `C:\Informatica\<version>` directory and subdirectories to the new machine.

When you run the upgrade installer, specify the Informatica installation directory on the new machine as the one that you want to upgrade.

Step 2. Verify Port Requirements

The installer sets up the ports for components in the Informatica domain, and it designates a range of dynamic ports to use for some application services.

You can specify the port numbers to use for the components and a range of dynamic port numbers to use for the application services. Or you can use the default port numbers provided by the installer. Verify that the port numbers are available on the machines where you install the Informatica services.

The following table describes the ports that you can set:

Port	Description
Service Manager port	Port number used by the Service Manager on the node. The Service Manager listens for incoming connection requests on this port. Client applications use this port to communicate with the services in the domain. The Informatica command line programs use this port to communicate to the domain. This is also the port for the SQL data service JDBC/ODBC driver. Default is 6006.
Service Manager Shutdown port	Port number that controls server shutdown for the domain Service Manager. The Service Manager listens for shutdown commands on this port. Default is 6007.
Informatica Administrator port	Port number used by Informatica Administrator. Default is 6008.
Informatica Administrator HTTPS port	No default port. Enter the required port number when you create the service. Setting this port to 0 disables an HTTPS connection to the Administrator tool.
Informatica Administrator shutdown port	Port number that controls server shutdown for Informatica Administrator. Informatica Administrator listens for shutdown commands on this port. Default is 6009.
Minimum port number	Lowest port number in the range of dynamic port numbers that can be assigned to the application service processes that run on this node. Default is 6014.
Maximum port number	Highest port number in the range of dynamic port numbers that can be assigned to the application service processes that run on this node. Default is 6114.

Note: Services and nodes can fail to start if there is a port conflict. You can update the range of ports for application services after you upgrade.

Step 3. Create a System User Account

Create a user account specifically to run the Informatica background process.

Verify that the user account you use to install Informatica has write permission on the installation directory.

Step 4. Configure Native Connectivity on Service Machines

To establish native connectivity between an application service and a database, install the database client software for the database that you want to access.

Native drivers are packaged with the database server and client software. Configure connectivity on the machines that need to access the databases. To ensure compatibility between the application service and the database, install a client software that is compatible with the database version and use the appropriate database client libraries.

The Data Integration Service uses native database drivers to connect to the following databases:

- Source and target databases. Reads data from source databases and writes data to target databases.
- Data object cache database. Stores the data object cache.
- Profiling source databases. Reads from relational source databases to run profiles against the sources.
- Profiling warehouse. Writes the profiling results to the profiling warehouse.
- Reference tables. Runs mappings to transfer data between the reference tables and the external data sources.

When the Data Integration Service runs on a single node or on primary and back-up nodes, install database client software and configure connectivity on the machines where the Data Integration Service runs.

When the Data Integration Service runs on a grid, install database client software and configure connectivity on each machine that represents a node with the compute role or a node with both the service and compute roles.

Step 5. Install Database Client Software

You must install the database clients on the required machines based on the types of databases that the application services access.

To ensure compatibility between the application service and the database, use the appropriate database client libraries and install a client software that is compatible with the database version.

When you upgrade Informatica services, ensure that you install the appropriate database client on the machine that runs the Data Integration Service.

Install the following database client software based on the type of database that the application service accesses:

IBM DB2 Client Application Enabler (CAE)

Configure connectivity on the required machines by logging in to the machine as the user who starts Informatica services.

Microsoft SQL Server 2014 Native Client

You must install the Microsoft SQL Server 2014 Native Client for the existing mappings to work.

Download the client from the following Microsoft website:

<http://www.microsoft.com/en-in/download/details.aspx?id=42295>.

Oracle client

Install compatible versions of the Oracle client and Oracle database server. You must also install the same version of the Oracle client on all machines that require it. To verify compatibility, contact Oracle.

Sybase Open Client (OCS)

Install an Open Client version that is compatible with the Sybase ASE database server. You must also install the same version of Open Client on the machines hosting the Sybase ASE database and Informatica. To verify compatibility, contact Sybase.

Step 6. Configure Database Client Environment Variables

Configure database client environment variables on the machines that run the Data Integration Service process.

After you configure the database environment variables, you can test the connection to the database from the database client.

The following table lists the database environment variables you need to set:

Database	Environment Variable Name	Database Utility	Value
Oracle	ORACLE_HOME PATH	sqlplus	Set to: <DatabasePath> Add: <DatabasePath>/bin
IBM DB2	DB2DIR DB2INSTANCE PATH	db2connect	Set to: <DatabasePath> Set to: <DB2InstanceName> Add: <DatabasePath>/bin
Sybase ASE	SYBASE15 SYBASE_ASE SYBASE_OCS PATH	isql	Set to: <DatabasePath>/sybase<version> Set to: \${SYBASE15}/ASE-<version> Set to: \${SYBASE15}/OCS-<version> Add: \${SYBASE_ASE}/bin:\${SYBASE_OCS}/bin:\$PATH

Upgrading in Silent Mode

When you upgrade in silent mode, you can change the node configuration to upgrade the domain to a different machine or to a different domain configuration repository database.

To upgrade the Informatica services without user interaction, upgrade in silent mode. Use a properties file to specify the upgrade options. The installer reads the file to determine the upgrade options. You can use silent mode upgrade to upgrade the Informatica services on multiple machines on the network or to standardize the upgrade process across machines.

Copy the Informatica installation files to the machine that hosts the Informatica instance you plan to upgrade.

To upgrade in silent mode, complete the following tasks:

1. Create the upgrade properties file and specify the upgrade options.
2. Run the installer with the upgrade properties file.
3. Secure the passwords in the upgrade properties file.

Complete Changing the Node Configuration

If you chose to change the node configuration during the domain upgrade because you migrated the Informatica services installation to a different machine, you must perform additional tasks before you upgrade the application services.

Note: If you chose to change the node configuration during the domain upgrade because you migrated the domain configuration repository to a different database, you do not need to perform additional tasks.

You must perform the following additional tasks:

1. Configure the environment variables.
2. Verify the range of dynamic port numbers.
3. Verify the location of the node backup directory.
4. Configure PowerExchange® adapters.

Clear the Browser Cache

Before you access the Administrator tool, clear the browser cache.

On Windows Internet Explorer, delete the browsing history, including temporary files, cookies, and history.

If you do not clear the browser cache, the previous Administrator tool URL is not redirected to the latest URL and some menu options may not appear.

Configure Locale Environment Variables

Use LANG, LC_CTYPE, or LC_ALL to set the UNIX code page.

Different UNIX operating systems require different values for the same locale. The value for the locale variable is case sensitive.

Use the following command to verify that the value for the locale environment variable is compatible with the language settings for the machine and the type of code page you want to use for the repository:

```
locale -a
```

The command returns the languages installed on the UNIX operating system and the existing locale settings.

Locale on Linux

All UNIX operating systems except Linux have a unique value for each locale. Linux allows different values to represent the same locale. For example, "utf8," "UTF-8," "UTF8," and "utf-8" represent the same locale on a Linux machine. Informatica requires that you use a specific value for each locale on a Linux machine. Make sure that you set the LANG environment variable appropriately for all Linux machines.

Locale for Oracle database clients

For Oracle database clients, set NLS_LANG to the locale that you want the database client and server to use with the login. A locale setting consists of the language, territory, and character set. The value of NLS_LANG depends on the configuration.

For example, if the value is american_america.UTF8, set the variable in a C shell with the following command:

```
setenv NLS_LANG american_america.UTF8
```

To read multibyte characters from the database, set the variable with the following command:

```
setenv NLS_LANG=american_america.AL32UTF8
```

You must set the correct variable on the Data Integration Service machine so that the Data Integration Service can read the Oracle data correctly.

Configure Library Path Environment Variables

Configure library path environment variables on the machines that run the Data Integration Service processes. The variable name and requirements depend on the platform and database.

Configure the LD_LIBRARY_PATH environment variable.

The following table describes the values that you set for the LD_LIBRARY_PATH for the different databases:

Database	Value
Oracle	<Database path>/lib
IBM DB2	<Database path>/lib
Sybase ASE	"\${SYBASE_OCS}/lib:\${SYBASE_ASE}/lib:\${LD_LIBRARY_PATH}"
Informix	<Database path>/lib
Teradata	<Database path>/lib
ODBC	<CLOSEDODBCHOME>/lib
PostgreSQL	\$PGHOME/lib:\${LD_LIBRARY_PATH}

Verify the Range of Dynamic Port Numbers

When you upgrade a migrated node, the upgrade wizard assigns a default range of port numbers that can be dynamically assigned to application service processes that run on the node.

The default range of dynamic port numbers is 6013 to 6113. Verify that the default range of port numbers are available on the machine that runs the new version of Informatica. If the range of port numbers are not available, use the Administrator tool to update the range. Configure the minimum and maximum dynamic port numbers for service processes in the **Advanced Properties** section of the node **Properties** view.

Verify the Node Backup Directory

Verify that the backup directory for the node is accessible by the machine that runs the new version of Informatica. In the Administrator tool, view the **Backup Directory** property in the **Advanced Properties** section of the node **Properties** view.

Configure PowerExchange Adapters

If your previous installation included PowerExchange adapters, configure the PowerExchange adapters on the machine that runs the upgraded version of Informatica. If the PowerExchange adapter has an installer, re-install the PowerExchange adapter.

CHAPTER 6

Application Service Upgrade

This chapter includes the following topics:

- [Application Service Upgrade Overview, 33](#)
- [Running the Service Upgrade Wizard, 34](#)
- [Verify the Model Repository Service Upgrade, 35](#)

Application Service Upgrade Overview

Informatica services version that you upgrade from determines the application service upgrade process.

Some Informatica services versions require that you upgrade the application services. When you upgrade an application service, you must also upgrade the dependent services. When you upgrade an application service, the upgrade process upgrades the database contents of the databases associated with the service.

Use the service upgrade wizard, the actions menu of each service, or the command line to upgrade application services. The service upgrade wizard upgrades multiple services in the appropriate order and checks for dependencies. If you use the actions menu of each service or the command line to upgrade application services, you must upgrade the application services in the correct order and verify that you upgrade dependent services.

The privileges required to upgrade application services depend on the service.

Privileges to Upgrade Services

The privileges required to upgrade application services depend on the application service.

A user with the Administrator role on the domain can access the service upgrade wizard.

A user must have these roles, privileges, and permissions to upgrade the following application services:

Model Repository Service

To upgrade the Model Repository Service using the service upgrade wizard, a user must have the following credentials:

- Administrator role on the domain.
- Create, Edit, and Delete Projects privilege for the Model Repository Service and write permission on projects.

To upgrade the Model Repository Service from the Actions menu or from the command line, a user must have the following credentials:

- Manage Services privilege for the domain and permission on the Model Repository Service.
- Create, Edit, and Delete Projects privilege for the Model Repository Service and write permission on projects.

Data Integration Service

To upgrade the Data Integration Service, a user must have the Administrator role on the Data Integration Service.

Content Management Service

To upgrade the Content Management Service, a user must have the Administrator role on the Content Management Service.

Service Upgrade from Previous Versions

When you upgrade from a previous version, some application services require an upgrade. Upgrade the application services that you used in the previous version.

Verify that all application services are enabled.

To upgrade application services, upgrade the following services and associated databases in this order:

1. Model Repository Service
2. Data Integration Service
3. Profiling warehouse for the Data Integration Service

Note: When you upgrade all other application services, the upgrade process upgrades the database contents of the databases associated with the service.

Running the Service Upgrade Wizard

Use the service upgrade wizard to upgrade application services and the database contents of the databases associated with the services. The service upgrade wizard displays upgraded services in a list along with services and associated databases that require an upgrade. You can also save the current or previous upgrade report.

1. In the Informatica Administrator header area click **Manage > Upgrade**.
2. Select the application services and associated databases to upgrade.
3. Optionally, specify if you want to **Automatically recycle services after upgrade**.

If you choose to automatically recycle application services after the upgrade, the upgrade wizard restarts the services after they have been upgraded.

4. Click **Next**.
5. If dependency errors exist, the **Dependency Errors** dialog box appears. Review the dependency errors and click **OK**. Then, resolve dependency errors and click **Next**.
6. Enter the repository login information.
7. Click **Next**.

The service upgrade wizard upgrades each application service and associated database and displays the status and processing details.

8. When the upgrade completes, the **Summary** section displays the list of application services and their upgrade status. Click each service to view the upgrade details in the **Service Details** section.
9. Optionally, click **Save Report** to save the upgrade details to a file.
If you choose not to save the report, you can click **Save Previous Report** the next time you launch the service upgrade wizard.
10. Click **Close**.
11. If you did not choose to automatically recycle application services after the upgrade, restart the upgraded services.

You can view the upgrade report and save the upgrade report. The second time you run the service upgrade wizard, the Save Previous Report option appears in the service upgrade wizard. If you did not save the upgrade report after upgrading services, you can select this option to view or save the previous upgrade report.

Verify the Model Repository Service Upgrade

After you upgrade the Model Repository Service, check the Model Repository Service log to verify that the upgrade completed successfully.

Object Dependency Graph

When you upgrade a Model Repository Service, the upgrade process upgrades the contents of the Model repository and rebuilds the object dependency graph.

If the upgrade process encounters a fatal error while upgrading the Model repository contents, then the service upgrade fails. The Administrator tool or the command line program informs you that you must perform the upgrade again.

If the upgrade process encounters a fatal error while rebuilding the object dependency graph, then the upgrade of the service succeeds. You cannot view object dependencies in the Developer tool until you rebuild the object dependency graph.

After you upgrade the Model Repository Service, verify that the Model Repository Service log includes the following message:

```
MRS_50431 "Finished rebuilding the object dependency graph for project group '<project group>'."
```

If the message does not exist in the log, run the `infacmd mrs rebuildDependencyGraph` command to rebuild the object dependency graph. Users must not access Model repository objects until the rebuild process completes, or the object dependency graph might not be accurate. Ask the users to log out of the Model Repository Service before service upgrade.

The `infacmd mrs rebuildDependencyGraph` command uses the following syntax:

```
rebuildDependencyGraph
<-DomainName|-dn> domain_name
[<-SecurityDomain|-sdn> security_domain]
<-UserName|-un> user_name
<-Password|-pd> password
<-ServiceName|-sn> service_name
[<-ResilienceTimeout|-re> timeout_period_in_seconds]
```

Advanced Properties for the Model Repository Service

You can configure the Maximum Heap Size and MaxMetaspaceSize values after Model Repository Service upgrade. Set the **-Xss** value before you upgrade the service. You need to reset the **-Xss** value after you upgrade the service.

Configure the following advanced properties for the Model Repository Service:

Maximum Heap Size

Before the upgrade process, you can configure the **Maximum Heap Size** property value for the Model Repository Service to 4GB if the property value is lower than 4GB. After the upgrade, reset the property value to the previous value before the upgrade or to a value that Global Customer Support recommends for your environment.

JVM Command Line Options

Configure the following JVM command line options:

- **-Xss**. Configure the **-Xss** value to 1m before you upgrade the Model Repository Service upgrade. After the upgrade, reset the **-Xss** option back to the value before upgrade. The default value is 512k.

To configure the advanced properties for a Model Repository Service, navigate to **Manage > Services and Nodes**, select a Model Repository Service, and edit the **Properties > Advanced Properties** section.

CHAPTER 7

Informatica Client Upgrade

This chapter includes the following topics:

- [Informatica Client Upgrade Overview, 37](#)
- [Informatica Client Upgrade Options, 38](#)
- [Upgrading in Graphical Mode, 38](#)
- [Upgrading in Silent Mode, 39](#)

Informatica Client Upgrade Overview

Use the client installer to upgrade a previous version of Informatica Developer. Informatica Developer is installed on the installation directory you specify. The client installer configures the newly installed Informatica Developer with the same settings as the previous version. The client installer does not modify the files of the previous version of the client tools.

Complete the pre-upgrade tasks before you start the upgrade. Run the installer on all machines that host previous versions of Informatica Developer that you want to upgrade. You can upgrade the Informatica clients in graphical or silent mode.

Informatica Developer

Informatica Developer is a client application that you use to create and run mappings, data objects, and virtual databases. Objects created in Informatica Developer are stored in a Model repository and are run by a Data Integration Service. If you upgrade Informatica Developer, verify that the Informatica version, including the hotfix version, matches the version of the domain upgrade.

When you run the client installer, you can upgrade Informatica Developer.

The following entries describe the minimum system requirements to run the Informatica Developer:

Processor

Requires at least 1 CPU.

RAM

Requires at least 1 GB.

Disk Space

Requires at least 6 GB.

If you upgrade Informatica Developer, verify that the Informatica version exactly matches the version of the domain upgrade.

When you upgrade the Informatica client tools, the following components are also upgraded:

- DataDirect ODBC drivers
- Java Runtime Environment libraries

You can perform the upgrade from the root of the directory where you download the installation files.

On Windows, the length of the entire installation directory path, including the zip file name, must be 60 characters or less. Verify that the zip utility version is compatible with the Windows operating system version. When you unzip the file, verify that the zip utility also extracts empty folders.

Informatica Client Upgrade Options

You can upgrade the Informatica client tools in one of the following ways:

- Upgrade in graphical mode. Upgrades the Informatica client tools in graphical mode. The installer guides you through the upgrade process.
- Upgrade in silent mode. Upgrades the Informatica client tools using a properties file that contains the upgrade options.

Upgrading in Graphical Mode

If you encounter problems when you run the install.bat file from the root directory, run the following file:

```
<Informatica installation directory>\client\install.exe
```

1. Close all applications.
2. Run install.bat from the root directory.
3. On the **Installation Type** page, select **Upgrade to Informatica 10.4.0 Clients** and click **Next**.
4. Read the terms and conditions for Informatica installation and the product usage toolkit and select **I agree to the terms and conditions**.

Subject to your opt-out rights described below, the software will automatically transmit to Informatica in the USA information about the computing and network environment in which the Software is deployed and the data usage and system statistics of the deployment. This transmission is deemed part of the Services under the Informatica privacy policy and Informatica will use and otherwise process this information in accordance with the Informatica privacy policy available at <https://www.informatica.com/in/privacy-policy.html>. You may disable usage collection in Administrator tool.

- a. Press **1** if you do not want to accept the terms and conditions.
 - b. Press **2** to accept the terms and conditions.
5. On the **Upgrade Pre-Requisites** page, verify the system requirements before you continue the installation and click **Next**.
 6. Click **Next**.
 7. On the **Select Directory** page, enter the directory of the Informatica version you want to upgrade and the directory in which you want to install Informatica 10.4.0.

The following table describes the directories you must specify:

Directory	Description
Directory of the Informatica client to upgrade	Directory that contains the previous version of the Informatica client tool that you want to upgrade.
Directory for the Informatica 10.4 client tools	<p>Directory in which to install the Informatica 10.4 client tools.</p> <p>Enter the absolute path for the installation directory. The installation directory must be on the current machine. The directory names in the path must not contain spaces or the following special characters: @ * \$ # ! % () { } [] , ; ' .</p> <p>Note: Informatica recommends using alphanumeric characters in the installation directory path. If you use a special character such as á or €, unexpected results might occur at run time.</p>

8. Click **Next**.
9. On the **Pre-Installation Summary** page, review the installation information and click **Install**.
The installer copies the Informatica client files to the installation directory.
10. On the **Post-installation Summary** page, verify whether the upgrade completed successfully and click **Done** to close the installer.
11. After you complete an upgrade of Informatica Developer, log off the Windows machine and then log back on to complete the system configurations.

You can view the installation log files to get more information about the upgrade tasks performed by the installer.

Upgrading in Silent Mode

To upgrade the Informatica client tools without user interaction, upgrade in silent mode. Use a properties file to specify the upgrade options. The installer reads the file to determine the upgrade options. You can use silent mode upgrade to upgrade the Informatica client tools on multiple machines on the network or to standardize the upgrade process across machines.

Copy the Informatica installation files to the hard disk on the machine that hosts the Informatica client you plan to upgrade.

To upgrade in silent mode, complete the following tasks:

1. Create the upgrade properties file and specify the upgrade options.
2. Run the installer with the upgrade properties file.

Creating the Properties File

Informatica provides a sample properties file that includes the upgrade parameters that are required by the installer. You can customize the sample properties file to specify the options for your upgrade.

The sample properties file is named `SilentInput.properties` and is located in the root of the client installer directory.

1. Go to the root of the directory that contains the client installation files.

2. Locate the file named SilentInput.properties.
Back up the file before you modify it.
3. Use a text editor to open the file and modify the values of the upgrade parameters.
The following table describes the upgrade parameters you can modify:

Property Name	Description
INSTALL_TYPE	Indicates whether to install or upgrade the Informatica client tools. To upgrade from a previous version of Informatica, set the value to 1.
USER_INSTALL_DIR	Directory in which to install the new version of the Informatica client tools.
UPG_BACKUP_DIR	Directory of the previous version of the Informatica tools that you want to upgrade.

4. Save the properties file.

Running the Silent Installer

After you create the properties file, open a command prompt to start the silent upgrade.

1. Open a command prompt.
2. Go to root of the client installer directory.
3. Verify that the directory contains the file SilentInput.properties with the upgrade options.
4. To start the silent upgrade process, run silentInstall.bat.

The silent upgrade runs in the background. The process can take a while. The silent upgrade process is complete when the Informatica_<Version>_Client_InstallLog.log is created in the installation directory.

The silent upgrade fails if you incorrectly configure the properties file or if the installation directory is not accessible. If the upgrade fails, view the installation log files and correct the errors. Then run the silent installer again.

5. After you complete an upgrade of Informatica Developer, log off the Windows machine and then log back on to complete the system configurations.

CHAPTER 8

After You Upgrade

This chapter includes the following topics:

- [Migrating to PostgreSQL , 41](#)
- [Secure Client Connections to the Domain, 42](#)
- [Update the Log Events Directory, 43](#)
- [Metadata Access Service, 43](#)
- [Analyst Service, 44](#)

Migrating to PostgreSQL

Effective in version 10.4.0, you can use PostgreSQL for the domain configuration repository database, PowerCenter repository database, the monitoring Model repository database, or for the Model repository database.

To use the PostgreSQL database for the existing services, complete the following tasks after you upgrade the domain and services to version 10.4.0:

1. Create a PostgreSQL database. For more information about creating a database, see the *Informatica 10.4.0 Application Service Guide*.
2. Enter the required commands to configure the domain and repositories:

Domain

To back up the domain, enter the following command:

```
infasetup BackupDomain
```

To update the domain with PostgreSQL database, enter the following command:

```
infacmd isp UpdateRepositoryService
```

To restore the domain to PostgreSQL, enter the following command and set the database type and schema name to PostgreSQL :

```
infasetup RestoreDomain
```

PowerCenter Repository

To back up the PowerCenter repository, enter the following command:

```
pmrep backup
```

To update the PowerCenter Repository Service with PostgreSQL database, enter the following command:

```
infacmd isp UpdateRepositoryService
```

To recycle the service, enter the following command:

```
infacmd isp EnableService
```

To restore the PowerCenter repository with PostgreSQL database type, enter the following command:

```
pmrep restore
```

Model Repository

To back up the Model Repository Service, enter the following command:

```
infacmd mrs BackupContents
```

To update the Model Repository Service with PostgreSQL database, enter the following command:

```
infacmd mrs UpdateServiceOptions
```

To recycle the service, enter the following command:

```
infacmd isp EnableService
```

To restore the Model Repository Service with PostgreSQL database type, enter the following command:

```
infacmd mrs restoreContents
```

3. Set the following environment variable for PostgreSQL for the PowerCenter Repository Service:

```
PGSERVICE: Set to the location of the pg_service.conf file:  
<pg_service.conf file directory>/pg_service.conf  
PGHOME: Set to PostgreSQL client install location. For example, /usr/pgsql -10  
Add to PATH: $PGHOME:${PATH}  
Add to LD_LIBRARY_PATH: $PGHOME/lib:${LD_LIBRARY_PATH}
```

Secure Client Connections to the Domain

If you used a keystore file that you created to secure communication between client applications and the Informatica domain, you must verify the keystore location. If you used the default keystore file generated by the installer, you do not need to verify the keystore location.

Note: If you used RSA encryption with fewer than 512 bits to create the private key and SSL certificate, you must create new SSL certificate files. Due to the FREAK vulnerability, Informatica does not support RSA encryption with fewer than 512 bits.

The tasks that you must perform depend on which client applications you use.

If you use other web client applications, the tasks that you must perform depend on the following locations where you previously stored the keystore files:

A location inside the previous Informatica installation directory structure

If you stored the keystore file in a location inside the previous Informatica installation directory structure, perform the following steps:

1. Copy the file to another location.
2. Update the gateway node with the copied keystore file location.
Run the `infasetup UpdateGatewayNode` command on all gateway nodes update the gateway nodes with the location of the keystore file.

3. Update the application service with the copied keystore file location.

Use the Administrator tool to update the location of the keystore file for the appropriate application service. For example, if the keystore file is used for Analyst tool security, update the keystore file location in the Analyst Service properties.

A location outside the previous Informatica installation directory structure

If you stored the keystore file in a location outside the previous Informatica installation directory structure, verify all nodes in the domain can access the keystore file.

Update the Log Events Directory

After you upgrade, you might want to update the log events directory for the domain.

The default value of the log events directory after an upgrade depends on the following upgrade types:

Upgrade the domain without changes to the node configuration.

The log events directory points to the location that you specified in the previous version.

Upgrade the domain with changes to the node configuration.

The log events directory points to the `isp/logs` directory in the new installation directory.

To use a different directory for the logs, update the Log Directory Path property for the domain in the Administrator tool. You can also use the `infasetup updateGatewaynode` command to update the directory. For example, you can configure the log events directory as the `server/infa_shared/logs` directory in the new installation directory.

Metadata Access Service

After you upgrade, you can create a Metadata Access Service for Data Engineering Integration. The Metadata Access Service is an application service that allows the Developer tool to access Hadoop connection information to import and preview metadata.

The Metadata Access Service contains information about the Service Principal Name (SPN) and keytab information if the Hadoop cluster uses Kerberos authentication.

The Metadata Access Service is not dependent on other services. You can create a Metadata Access Service in any order. When you import an object from a Hadoop cluster, the HBase, the Hive, and the HDFS connections use Metadata Access Service to extract the object metadata at design time.

Create the Metadata Access Service

The Metadata Access Service allows the Developer tool to access Hadoop connection information to import and preview metadata from the Hadoop environment. The Metadata Access Service is required for design-time access to the Hadoop environment.

1. In the Administrator tool, click the **Manage** tab.
2. Click the **Services and Nodes** view.
3. In the Domain Navigator, select the domain.

4. Click **Actions > New > Metadata Access Service**.

The **New Metadata Access Service** wizard appears.

5. On the **New Metadata Access Service - Step 1 of 3** page, enter the following properties:

Property	Description
Name	Name of the service. The name is not case sensitive and must be unique within the domain. It cannot exceed 128 characters or begin with @. It also cannot contain spaces or the following special characters: ` ~ % ^ * + = { } \ ; : ' " / ? . , < > ! ()] [
Description	Description of the service. The description cannot exceed 765 characters.
Location	Domain and folder where the service is created. Click Browse to choose a different folder. You can move the service after you create it.
License	License object that allows use of the service.
Node	Node on which the service runs.
Backup Nodes	If your license includes high availability, nodes on which the service can run if the primary node is unavailable.

6. Click **Next**.

The **New Metadata Access Service - Step 2 of 3** page appears.

7. Select the HTTP Protocol Type and enter the respective port number to use for the Metadata Access Service.

8. Accept the default values for the remaining security properties. You can configure the security properties after you create the Metadata Access Service.

9. Select **Enable Service**.

The Metadata Access Service does not have any other service dependency.

10. Click **Next**.

The **New Metadata Access Service - Step 3 of 3** page appears.

11. If applicable, specify the execution options for impersonation user, Kerberos cluster, logging options, and click **Next**.

12. Click **Finish**.

The domain creates and enables the Metadata Access Service.

Analyst Service

After you upgrade, complete the post-upgrade tasks for each Analyst Service.

Verify the Flat File Cache Location

You must verify the location of the flat file cache directory after you upgrade. The upgrade process does not update this location.

If you created the flat file cache directory within the previous Informatica installation directory, copy the directory to the upgraded Informatica installation directory and update the Analyst Service property with the new location.

If you created the directory outside of the previous Informatica installation directory, verify that both the Analyst Service and the Data Integration Service can access the directory.

If the Analyst Service and the Data Integration Service run on different nodes, configure the flat file directory to use a shared directory. If the Data Integration Service runs on primary and back-up nodes or on a grid, each Data Integration Service process must be able to access the files in the shared directory.

To verify the location of the flat file cache directory, view the **Flat File Cache Location** property in the run-time properties for the Analyst Service.

Verify the Temporary Export File Location

You must verify or provide the location of the temporary export file directory after you upgrade. The Analyst tool uses this location to store business glossaries that you export. The upgrade process does not update this location.

If you created the temporary export file directory within the previous Informatica installation directory, copy the directory to the upgraded Informatica installation directory and update the Analyst Service property with the new location. If you created the directory outside of the previous Informatica installation directory, verify that the machine that runs the Analyst Service can access the directory. If you have not configured the location of the temporary export file directory, provide a location where the Analyst tool can store glossaries during export.

To verify or provide the location of the temporary export file directory, view the **Temporary Export File Directory** property in the Business Glossary properties for the Analyst Service.

Recycle the Analyst Service

To access the Analyst tool after you upgrade, recycle the Analyst Service. Before you recycle the Analyst Service, complete the upgrade and post-upgrade steps for the Model Repository Service and Data Integration Service.

After you recycle the Analyst Service, wait for at least 10 minutes before you access the **Glossary** workspace.

Before you recycle the Analyst Service, verify that you have performed the following tasks:

- Upgrade the Model Repository Service.
- Upgrade the Data Integration Service.

Note: The Model Repository Service and the Data Integration Service must be running before you recycle the Analyst Service.

APPENDIX A

Upgrade Checklist

This appendix includes the following topics:

- [Upgrade Checklist Overview, 46](#)
- [Before You Upgrade the Domain, 46](#)
- [Domain Upgrade, 47](#)
- [Before You Upgrade the Application Services, 48](#)
- [Application Service Upgrade, 48](#)
- [Informatica Client Upgrade, 49](#)
- [After You Upgrade, 49](#)

Upgrade Checklist Overview

The upgrade checklist summarizes the tasks that you must perform to complete an upgrade. If you upgrade the Informatica product on more than one machine, complete the first upgrade using the detailed instructions in this guide. You can use this checklist to perform subsequent upgrades.

Before You Upgrade the Domain

Before you upgrade the domain, perform the following pre-upgrade tasks:

- ☐ Read the Informatica Release Notes.
- ☐ Split the Domain.
- ☐ Perform the following tasks to set up the machine to meet the requirements on UNIX:
 - Verify that the machine has the required operating system patches and libraries.
 - Verify that the machine meets the minimum system requirements to upgrade the domain.
 - Verify that the machine meets the hardware requirements to upgrade the application services.
 - Review the environment variables.
 - Verify that the operating system meets the file descriptor requirement.
 - Review the maximum heap size setting.

- Extract the installer files.
- Run the pre-installation (i10Pi) system check tool.
- Run the Informatica Upgrade Advisor.
- ☐ Back up the Data Transformation Files.
- ☐ Disable the Analyst Service through Administrator tool or through infacmd DisableService.
- ☐ Perform the following tasks to prepare the Model repository:
 - Back up the Model repository.
 - Verify the user account requirements for the Model repository database.
- ☐ Perform the following tasks to prepare the Data Integration Service:
 - Record the execution options for each Data Integration Service process.
 - Verify that all workflows are complete.
- ☐ Perform the following tasks to prepare the profiling warehouse:
 - Use the native database back up option to back up the profiling warehouse.
 - Verify the user account permissions for the database.
- ☐ Use the native database back-up option to back up profiling warehouse, reference data warehouse, and workflow database.
- ☐ Back Up the odbc.ini File for Informatica Cassandra ODBC Driver.
- ☐ Perform the following tasks to prepare the domain:
 - Shut down the domain. To shut down the domain, stop the Informatica service process on each node in the domain.
 - Back up the domain.
- ☐ Prepare to change the node configuration.
Perform the additional pre-upgrade tasks if you choose to change the node configuration for the following reasons:

Domain Upgrade

Use the server installer to upgrade the domain. The server installer provides a domain upgrade wizard to guide you through the upgrade process.

The upgrade wizard installs the Informatica files in the installation directory that you specify. It does not modify the files in the directory of the previous version.

When you run the upgrade wizard, select the option to change the node configuration if you upgrade the domain to a different machine or to a different domain configuration repository database.

Before You Upgrade the Application Services

Before you upgrade application services, perform the following pre-upgrade tasks:

- ☐ Configure locale environment variables.
Verify that the locale setting is compatible with the code page for the repository.
- ☐ Clear the browser cache.
- ☐ If you chose the option to change the node configuration to migrate the Informatica installation to a different machine, perform the following tasks:
 - Configure the environment variables.
 - Configure Library Path Environment Variables.
 - Verify the range of port numbers that can be dynamically assigned to application service processes that run on the node.
 - Verify that the backup directory for the node is accessible by the node.
 - Configure PowerExchange adapters. If the PowerExchange adapter has an installer, re-install the PowerExchange adapter.

Application Service Upgrade

Some service versions require a service upgrade. You can use the service upgrade wizard to upgrade services.

- ☐ Verify the privileges required to upgrade for the following application services:
 - Model Repository Service
 - Data Integration Service
 - Content Management Service
- ☐ Upgrade the following services and associated databases:
 - Model Repository Service
 - Data Integration Service
 - Profiling warehouse for the Data Integration Service
- ☐ Run the Service Upgrade Wizard to upgrade application services and the database contents of the databases associated with the services.
- ☐ Verify the Model Repository Service Upgrade.
 - Object dependency graph.
 - Maximum heap size

Informatica Client Upgrade

Use the client installer to upgrade the client tools. The client tools are installed in the installation directory you specify. The client installer configures the newly installed client tools with the same settings as the previous version.

After You Upgrade

After you upgrade the domain, application services, and client files, perform the following post-upgrade tasks:

- ☐ Perform the following tasks for the domain:
 - If you used your SSL certificate files to enable secure communication in the previous domain, verify the keystore and truststore file locations. The upgrade process does not update these locations.
 - You can optionally configure the domain configuration repository on a database that is secured with the SSL protocol.
- ☐ Create the Metadata Access Service to access Hadoop connection information to import and preview metadata from the Hadoop environment.
- ☐ Perform the following tasks for each Data Integration Service:
 - Reset the HTTP proxy server password.
If the Data Integration Service runs Web Service Consumer transformations and is configured to use an HTTP proxy server with authentication, reset the HTTP proxy server password.
 - If the Data Integration Service runs on multiple nodes and you configured the execution options differently for each service process, verify that the Execution Options on the Properties view use the correct values.
 - If you work with rule specifications in the Analyst tool or the Developer tool, verify the Maximum Heap Size value.
 - Verify that the Maximum Memory Per Request property uses the correct value for each Data Integration Service module.
- ☐ Perform the following tasks for each Analyst Service:
 - If you use Business Glossary approval workflow in a domain with Kerberos authentication, enter the user name and password for the Model Repository Service.
 - Verify the location of the flat file cache directory. The upgrade process does not update this location.
 - Verify or configure the location of the temporary export file directory for Business Glossary files. The upgrade process does not update this location.
 - Verify or configure the location of the asset attachment directory for Business Glossary files. The upgrade process does not update this location.
 - Recycle the Analyst Service.
Before you recycle the Analyst Service, complete the upgrade and post-upgrade steps for the Model Repository Service, Data Integration Service, and Content Management Service.

- ☐ Perform the following tasks for profiles and scorecards:
 - Import data domain groups and related data domains to the data domain glossary. If you want to add predefined data domain groups and their related data domains to the data domain glossary, import the `Informatica_IDE_DataDomain.xml` file.
 - Run `infacmd ps restoreProfilesAndScorecards` command to restore the profiles and scorecards from a previous version to the current version.
 - Run the scorecards to view the statistics in the Cumulative Metrics Trend pane for the scorecards that you had created.
- ☐ Upgrade all your Microsoft SQL Server connections to use the ODBC provider type.
- ☐ Upgrade the Informatica Drivers for SQL Data Service.
- ☐ Upgrade the Informatica Cassandra ODBC Data Sources.
- ☐ Copy the Data Transformation files from the previous installation directories to the new installation directories, to get the same workspace, repository, and custom global components as in the previous version.
- ☐ Read the *Informatica Release Guide* to view the list of new functionality that you might want to implement or new options that you might want to enable.

INDEX

A

- application service upgrade
 - privileges [33](#)
- application services
 - ports [28](#)

B

- back up files
 - before installing [16](#)
 - before upgrading [16](#)

C

- configuration
 - environment variables on UNIX [32](#)
- console mode
 - upgrading Informatica services [20](#)

D

- database clients
 - configuring [30](#)
 - environment variables [30](#)
 - IBM DB2 client application enabler [29](#)
 - Microsoft SQL Server native clients [29](#)
 - Oracle clients [29](#)
 - Sybase open clients [29](#)
- databases
 - testing connections [30](#)
- dbs2 connect
 - testing database connections [30](#)
- dependency graph
 - rebuilding [35](#)
- domains
 - ports [28](#)

E

- environment variables
 - configuring on UNIX [32](#)
 - database clients [30](#)
 - installation [13](#)
 - library paths on UNIX [32](#)
 - UNIX database clients [30](#)

I

- IATEMPDIR
 - environment variables [13](#)

- Informatica process
 - user accounts [28](#)
- Informatica services
 - upgrading in console mode [20](#)
 - upgrading in silent mode [22](#)
- installation
 - backing up files before [16](#)
- installation requirements
 - environment variables [13](#)
 - minimum system requirements [10](#)
 - port requirements [28](#)
- isql
 - testing database connections [30](#)

J

- JRE_HOME
 - environment variables [13](#)

L

- LANG
 - locale environment variables [13](#)
- LC_ALL
 - locale environment variables [13](#)
- library paths
 - environment variables [13](#)
- Linux
 - database client environment variables [30](#)

M

- Metadat Access Service
 - creating [43](#)
- Metadata Access Service
 - configuring [43](#)
 - creating [43](#)
- Model Repository Service
 - upgrade error [35](#)

N

- node
 - migrating during upgrade [31](#)
- node configuration
 - completing the change process [31](#)

O

- object dependency graph
 - rebuilding [35](#)

operating system
dropped support [27](#)

P

patch requirements
installation [11](#)
PATH
environment variables [13](#)
port requirements
installation requirements [28](#)
ports
application services [28](#)
domains [28](#)
requirements [28](#)

R

repositories
installing database clients [29](#)

S

silent mode
upgrading Informatica services [22](#)

sqlplus
testing database connections [30](#)
system requirements
minimum [10](#), [11](#)
minimum installation requirements [10](#)

U

UNIX
database client environment variables [30](#)
database client variables [30](#)
library paths [32](#)
upgrading Informatica services in console mode [20](#)
upgrade error
Model Repository Service [35](#)
upgrade paths [8](#)
upgrades
backing up files before [16](#)
user accounts
Informatica process [28](#)