



Informatica® Address Verification (On-Premises)

6.1.0

Release Guide

© Copyright Informatica LLC 2013, 2021

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation is subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License.

Informatica, the Informatica logo, and any other Informatica-owned trademarks that appear in the document are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at <https://www.informatica.com/trademarks.html>. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jQWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright © MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at <http://www.apache.org/licenses/>. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (<http://www.mozilla.org/>), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at <http://www.gnu.org/licenses/lgpl.html>. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at <http://www.openssl.org> and <http://www.openssl.org/source/license.html>.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at <http://curl.haxx.se/docs/copyright.html>. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at <http://www.dom4j.org/license.html>.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at <http://dojotoolkit.org/license>.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at <http://source.icu-project.org/repos/icu/icu/trunk/license.html>.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at <http://www.gnu.org/software/kawa/Software-License.html>.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at <http://www.opensource.org/licenses/mit-license.php>.

This product includes software developed by Boost (<http://www.boost.org/>) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http://www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at <http://www.pcre.org/license.txt>.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at <http://www.eclipse.org/org/documents/epl-v10.php> and at <http://www.eclipse.org/org/documents/edl-v10.php>.

This product includes software licensed under the terms at <http://www.tcl.tk/software/tcltk/license.html>, <http://www.bosrup.com/web/overlib/?License>, <http://www.stlport.org/doc/license.html>, <http://asm.ow2.org/license.html>, <http://www.cryptix.org/LICENSE.TXT>, <http://hsqldb.org/web/hsqldbLicense.html>, <http://httpunit.sourceforge.net/doc/license.html>, <http://jung.sourceforge.net/license.txt>, http://www.gzip.org/zlib/zlib_license.html, <http://www.openldap.org/software/release/license.html>, <http://www.libssh2.org>, <http://slf4j.org/license.html>, <http://www.sente.ch/software/OpenSourceLicense.html>, <http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3-license-agreement>, <http://antlr.org/license.html>, <http://aopalliance.sourceforge.net/>, <http://www.bouncycastle.org/licence.html>, <http://www.jgraph.com/jgraphdownload.html>, <http://www.jcraft.com/jsch/LICENSE.txt>, http://jotm.objectweb.org/bsd_license.html, <http://www.w3.org/>

Consortium/Legal/2002/copyright-software-20021231; <http://www.slf4j.org/license.html>; <http://nanoxml.sourceforge.net/orig/copyright.html>; <http://www.json.org/license.html>; <http://forge.ow2.org/projects/javaservice/>; <http://www.postgresql.org/about/license.html>; <http://www.sqlite.org/copyright.html>; <http://www.tcl.tk/software/tcltk/license.html>; <http://www.jaxen.org/faq.html>; <http://www.jdom.org/docs/faq.html>; <http://www.slf4j.org/license.html>; <http://www.iodbc.org/dataspace/iodbc/wiki/IODBC/License>; <http://www.keplerproject.org/md5/license.html>; <http://www.toedter.com/en/jcalendar/license.html>; <http://www.edankert.com/bounce/index.html>; <http://www.net-snmp.org/about/license.html>; <http://www.openmdx.org/#FAQ>; http://www.php.net/license/3_01.txt; <http://srp.stanford.edu/license.txt>; <http://www.schneider.com/blowfish.html>; <http://www.jmock.org/license.html>; <http://xsom.java.net>; <http://benalman.com/about/license/>; <https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js>; <http://www.h2database.com/html/license.html#summary>; <http://jsoncpp.sourceforge.net/LICENSE>; <http://jdbc.postgresql.org/license.html>; <http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto>; <https://github.com/rantav/hector/blob/master/LICENSE>; <http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html>; <http://jibx.sourceforge.net/jibx-license.html>; <https://github.com/lyokato/libgeohash/blob/master/LICENSE>; <https://github.com/hjiang/jsonxx/blob/master/LICENSE>; <https://code.google.com/p/lz4/>; <https://github.com/jedisct1/libsodium/blob/master/LICENSE>; <http://one-jar.sourceforge.net/index.php?page=documents&file=license>; <https://github.com/EsotericSoftware/kryo/blob/master/license.txt>; <http://www.scala-lang.org/license.html>; <https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt>; <http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html>; <https://aws.amazon.com/asl/>; <https://github.com/twbs/bootstrap/blob/master/LICENSE>; <https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt>; <https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE>, and <https://github.com/apache/hbase/blob/master/LICENSE.txt>.

This product includes software licensed under the Academic Free License (<http://www.opensource.org/licenses/afl-3.0.php>), the Common Development and Distribution License (<http://www.opensource.org/licenses/cddl1.php>), the Common Public License (<http://www.opensource.org/licenses/cpl1.0.php>), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (<http://www.opensource.org/licenses/bsd-license.php>), the new BSD License (<http://opensource.org/licenses/BSD-3-Clause>), the MIT License (<http://www.opensource.org/licenses/mit-license.php>), the Artistic License (<http://www.opensource.org/licenses/artistic-license-1.0>) and the Initial Developer's Public License Version 1.0 (<http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/>).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at <http://xstream.codehaus.org/license.html>. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit <http://www.extreme.indiana.edu/>.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at <https://www.informatica.com/legal/patents.html>.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at infa_documentation@informatica.com.

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2021-04-29

Table of Contents

Preface	5
Informatica Resources.	5
Informatica Network.	5
Informatica Knowledge Base.	5
Informatica Documentation.	5
Informatica Product Availability Matrices.	6
Informatica Velocity.	6
Informatica Marketplace.	6
Informatica Global Customer Support.	6
 Chapter 1: Version 6.1.0.....	 7
New Features and Enhancements (Version 6.1.0).	7
All Countries.	7
Australia.	8
Canada.	9
United States.	9
Changes in Nomenclature in Address Verification 6.1.0.	10
 Chapter 2: Version 6.0.0.....	 12
Main Features of Informatica Address Verification 6.0.0.	12
Feature Enhancements in Address Verification 6.0.0.	13
Changes in Nomenclature in Address Verification 6.0.0.	15

Preface

Read the Informatica Address Verification (On-Premises) Release Guide to learn about the new features and enhancements in Informatica Address Verification (On-Premises).

Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

Informatica Network

The Informatica Network is the gateway to many resources, including the Informatica Knowledge Base and Informatica Global Customer Support. To enter the Informatica Network, visit <https://network.informatica.com>.

As an Informatica Network member, you have the following options:

- Search the Knowledge Base for product resources.
- View product availability information.
- Create and review your support cases.
- Find your local Informatica User Group Network and collaborate with your peers.

Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit <https://search.informatica.com>. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit <https://docs.informatica.com>.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at infa_documentation@informatica.com.

Informatica Product Availability Matrices

Product Availability Matrices (PAMs) indicate the versions of the operating systems, databases, and types of data sources and targets that a product release supports. You can browse the Informatica PAMs at <https://network.informatica.com/community/informatica-network/product-availability-matrices>.

Informatica Velocity

Informatica Velocity is a collection of tips and best practices developed by Informatica Professional Services and based on real-world experiences from hundreds of data management projects. Informatica Velocity represents the collective knowledge of Informatica consultants who work with organizations around the world to plan, develop, deploy, and maintain successful data management solutions.

You can find Informatica Velocity resources at <http://velocity.informatica.com>. If you have questions, comments, or ideas about Informatica Velocity, contact Informatica Professional Services at ips@informatica.com.

Informatica Marketplace

The Informatica Marketplace is a forum where you can find solutions that extend and enhance your Informatica implementations. Leverage any of the hundreds of solutions from Informatica developers and partners on the Marketplace to improve your productivity and speed up time to implementation on your projects. You can find the Informatica Marketplace at <https://marketplace.informatica.com>.

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through the Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:

<https://www.informatica.com/services-and-training/customer-success-services/contact-us.html>.

To find online support resources on the Informatica Network, visit <https://network.informatica.com> and select the eSupport option.

CHAPTER 1

Version 6.1.0

This chapter includes the following topic:

- [New Features and Enhancements \(Version 6.1.0\), 7](#)

New Features and Enhancements (Version 6.1.0)

All Countries

The following new features in Informatica Address Verification 6.1.0 apply to multiple countries.

CAMEO Social and Demographic Profiles

Effective in version 6.1.0, Address Verification returns CAMEO information for addresses in multiple countries.

CAMEO is a consumer classification system that can create socio-economic and demographic profiles of households and neighborhoods in many countries across the world.

Contact Elements

Effective in version 6.1.0, the Salutation property appears as a sub-item of the Name item under ContactElements in the AVJob.schema.json file. Previously, the Salutation property appeared as an item on the same level as Name under ContactElements.

Database Improvements

Effective in version 6.1.0, Informatica implements improvements in address reference databases that enable faster processing of address jobs. Informatica also delivers general improvements in the quality of the reference data.

Note: To run address jobs in version 6.1.0, you must download and use the current file versions. The current address reference data files include the version number 6_1_0. The previous files include the version number 6_0_0.

Language ISO3 Codes

Effective in version 6.1.0, Informatica Address Verification returns the ISO 639 3-letter code of the language that a reference database uses in the LanguageISO3 property. If the reference database does not contain language information, Address Verification returns a value of ??? in the property.

Previously, Address Verification returned a value of XXX in the property when the reference database did not contain language information,

Reverse Geocoding

Effective in version 6.1.0, you can submit latitude and longitude coordinates as input in an address verification process. Address Verification returns the closest address or addresses to the coordinates that you submit, based on criteria that you define.

To facilitate reverse geocoding, Address Verification introduces the GeocodeToAddress process mode. GeocodeToAddress mode requires arrival point reference data and returns addresses with arrival point precision.

Support for Address Count in Quick Capture Mode

Effective in version 6.1.0, Address Verification can return the number of addresses in the reference data that match an address that you submit in quick capture mode. Address Verification returns the number on the AddressCount property.

Find the AddressCount property under **Outputs > Results > Variants > StatusValues**.

Note: The address count capability adds the code value P to the ProcessStatus property. The code value indicates that the verification process is incomplete and that the available suggestions from the reference data are not fully extended in the address output.

Support for Microsoft .NET-based Installation Package

Effective in version 6.1.0, Informatica provides an Address Verification package in .NET in addition to the C/C++ and Java-based packages.

Australia

Informatica Address Verification introduces the following features and enhancements for Australia:

Primary and Secondary Indicators in GNAF Data

Effective in version 6.1.0, Address Verification can indicate whether an Australia address is a primary or secondary address. Address Verification can also return the corresponding primary address identifier from the Geocoded National Address File (GNAF) for any valid input address.

Address Verification returns the primary or secondary address indicator in the PrimarySecondaryIndicator field. Address Verification returns the primary address identifier in the PrimaryGNAFID field.

Primary and Secondary Address Indicators

Effective in version 6.1.0, Address Verification can indicate whether an input address is a primary address or a secondary address. A primary address includes house number or building-level information without sub-building data. A secondary address includes sub-building level information.

Address Verification adds the PrimarySecondaryIndicator field to indicate whether an input address is a primary or a secondary address. The PrimarySecondaryIndicator value can be P for primary, or S for secondary, or the field can be empty when the input address is not a multi-resident dwelling.

Primary Address Identifiers

Effective in version 6.1.0, Address Verification can return the GNAF ID value for the corresponding primary address when you submit a valid address as input. Address Verification returns the identifier for the primary address in the PrimaryGNAFID field.

Address Verification returns the GNAF identifier for the input address, including any sub-building that the address identifies, in the GNAFID field. If the input address does not identify a sub-building, the PrimaryGNAFID field and the GNAFID field contain the same value.

Previously, Address Verification returned the GNAF identifier of the input address only, regardless the primary or secondary status of the address.

For example, consider the following address:

```
U 302 241 NORTHBOURNE AVE  
LYNEHAM ACT 2602  
AUS
```

Address Verification returns a value of GAACT718833167 for the address in the GNAFID field and returns a value of GAACT714869504 in the PrimaryGNAFID field. The first value is the GNAF identifier of the complete address, including Unit 302. The second value is the GNAF identifier of the building at 241 NORTHBOURNE AVE.

Support for Delivery Identifiers

Effective in version 6.1.0, Address Verification adds a delivery identifier as a certification value for all valid Australia addresses. The delivery identifier is an eight-digit number that Australia Post assigns to an entire street or locality. The identifier represents all of the addresses in the street or locality.

Address Verification returns the delivery identifier in the DeliveryID field.

Australia Post creates street identifiers in a range from 26,000,000 through 27,999,999 and creates locality identifiers in a range from 28,000,000 through 28,999,999.

Use delivery identifiers to find address suggestions for a partial address. All addresses that correctly identify a given street or locality will share the delivery identifier for that street or locality.

Note: A delivery identifier does not indicate or confirm that an address is valid.

Canada

Effective in version 6.1.0, you can configure Informatica Address Verification to return rooftop-level geocoordinates for addresses in Canada.

Rooftop geocoordinates map to the center of the roof of the primary building on a parcel of land. Rooftop geocoordinates help you to pinpoint an address with the highest level of precision.

To include the rooftop geocoordinates in Canada addresses, install the `CAN_ADV_ENR_GRT_000_6_1_0.MD6` database file and set the Geocoding property of the Enrichments element to *Rooftop*.

Find the Geocoding element under **CountrySets > Process > Enrichments** in the AVJob.schema.json file.

United States

The following new features in Informatica Address Verification 6.1.0 apply to the United States.

County Information from Census Data

Effective in version 6.1.0, Informatica Address Verification returns county information that the United States Census Bureau provides in addition to the county codes that the United States Postal Service (USPS) provides.

Address Verification introduces the following fields for the Census Bureau data:

- **CensusCountyFips.** Returns the county FIPS code that the United States Census stores for a county.
- **CensusCountyName.** Returns the name that the United States Census stores for a county.

Previously, Address Verification returned the Federal Information Processing Standards (FIPS) county identifier that the USPS provided only. Address Verification returns the USPS identifier in the CountyFipsCode field.

For example, consider the following address:

330 HARBOR GLEN DR SW
MADISON, AL, 35756
USA

Address Verification returns a CensusCountyFips value of 089 and a CountyFipsCode value of 083. The Census Bureau returns the county name of Madison in the CensusCountyName field.

Note: The county codes from the United States Census Bureau and from the USPS differ in approximately 5% of cases.

Rooftop Geocoding

Effective in version 6.1.0, you can configure Informatica Address Verification to return rooftop-level geocoordinates for addresses in the United States.

Rooftop geocoordinates map to the center of the roof of the primary building on a parcel of land. Rooftop geocoordinates help you to pinpoint an address with the highest level of precision.

To include the rooftop geocoordinates for United States addresses, install the `USA_ADV_ENR_GRT_000_6_1_0.MD6` database file and set the Geocoding property of the Enrichments element to *Rooftop*.

Find the Geocoding element under **CountrySets > Process > Enrichments** in the AVJob.schema.json file.

Changes in Nomenclature in Address Verification 6.1.0

Informatica Address Verification 6.1.0 changes the names of several parameters, status codes, and options.

Address Elements

The following table lists the address element name changes:

Informatica Address Verification 6.0.0	Informatica Address Verification 6.1.0
SurName	Surname
TrashNecessary	Necessary
TrashSuperfluous	Superfluous
TrashUnrecognized	Unrecognized

CASS Certification Values

The following table lists the CASS Certification Values changes:

Informatica Address Verification 6.0.0	Informatica Address Verification 6.1.0
Lacs	LACSIndicator
LacsLinkIndicator	LACSLinkIndicator
LacsLinkReturncode	LACSLinkReturnCode
SuiteLinkReturncode	SuiteLinkReturnCode

Informatica Address Verification 6.0.0	Informatica Address Verification 6.1.0
DSF2NoStatsIndicator	DPVNoStatIndicator
DSF2NoStatsReason	DPVNoStatReason
DSF2VacantIndicator	DPVVacantIndicator
NDD	DPVNDD

Enrichments

The following table lists the enrichment name changes:

Informatica Address Verification 6.0.0	Informatica Address Verification 6.1.0
ChomeiAzaCode	ChoumeiAzaCode
NewChomeiAzaCode	NewChoumeiAzaCode
CurrentChomeAzaCode	CurrentChoumeiAzaCode

Parameters

The following table lists the parameter name changes:

Informatica Address Verification 6.0.0	Informatica Address Verification 6.1.0
CountryNameType	CountryNameLanguage

Note: Effective in version 6.1.0 the default property on the CountryNameLanguage element accepts the ISO 639-3 code value as the country identifier. Previously, the default property accepted a string in the form Name[XX] where [XX] is the ISO 639-2 code value.

Status Codes

The following table lists the status code name changes:

Informatica Address Verification 6.0.0	Informatica Address Verification 6.1.0
ResultPercentage	MatchPercentage

CHAPTER 2

Version 6.0.0

This chapter includes the following topics:

- [Main Features of Informatica Address Verification 6.0.0, 12](#)
- [Feature Enhancements in Address Verification 6.0.0, 13](#)
- [Changes in Nomenclature in Address Verification 6.0.0, 15](#)

Main Features of Informatica Address Verification 6.0.0

Informatica Address Verification 6.0.0 includes the following features:

Support for JSON

In version 6.0.0, Address Verification defines address requests and responses in JSON and defines the engine configuration in JSON.

Address Verification 5.x used XML to configure the engine and to define address requests and responses.

RESTful interface design

The interface is modelled according to REST principles, using JSON as the data format. Data is submitted to the engine via Put functions, retrieved from the engine via Get functions, and deleted via the Delete function. Data is processed via the Post function.

Support for hot swapping of file sets

Address Verification supports hot swapping of file sets. Hot swapping allows you to switch from one file set to another in seconds without deinitializing the process.

Fail-safe architecture

The main address processing functionality is encapsulated in one or more function servers. Each function server runs as a separate process, isolating the main process from any issues related to the address processing. If a function server fails, the event is reported back to the caller as an error and a new function server is started.

Support for UTF-8 and UTF-16

Address Verification 6.0.0 supports UTF-8 and UTF-16 encoding for input and output. Address Verification sets the encoding to UTF-8 or UTF-16 based on your use of 8-bit or 16-bit API functions.

When you use a function to submit or return a string value with UTF-16 characters, append W to the function name. For example, submit IDVE_PutStringW(). For functions that do not pass a string value, such as IDVE_Delete() and IDVE_Deinitialize(), use the function without W.

Feature Enhancements in Address Verification 6.0.0

Informatica Address Verification 6.0.0 includes the following feature enhancements:

Bulk processing of addresses

Effective in version 6.0.0, you can submit 1000 addresses in a single call in batch and certified modes. The Address Verification engine can operate on an array of inputs, which enables automatic multi-threaded processing of the inputs and also enables the functions that require multiple inputs.

In Address Verification 5.x, Address Verification read and wrote a single address per call in all processing modes.

Country-specific application of properties

Effective in version 6.0.0, you can set address verification properties at the country level in addition to setting the properties at the element level and at the global level.

In Address Verification 5.x, you set properties at the element level and at the global level only.

Country-specific specification of enrichments

Effective in version 6.0.0, you can configure Address Verification to add enrichments globally to all addresses, and you can configure Address Verification to add enrichments on a country-specific basis.

In Address Verification 5.x, Address Verification returned enrichments on a country-specific basis only.

Support for QuickCapture mode

Effective in version 6.0.0, QuickCapture mode replaces fast completion mode. You can use quick capture mode to receive address suggestions as you type. In quick capture mode, you submit an address in a single line. You can receive up to 100 suggestions for an input address in quick capture mode.

Quick capture mode does not support South Korea and North Korea addresses. Quick capture mode does not support input in Latin character sets for Japan and China addresses.

Enhanced validation status code options

Effective in version 6.0.0, Address Verification overhauls the validation status codes to provide greater clarity.

Enhanced preferred language options

Effective in version 6.0.0, you can include a list of preferred languages when you submit addresses for verification. Address Verification searches the reference data and returns each address in the first available language based on the order that you specify in the input list.

You can also configure Address Verification to return each address in multiple languages.

In Address Verification 5.x, you specified a single address when you submitted addresses for verification. If the address was unavailable in the preferred language, Address Verification returned the address in the default language.

Enhanced preferred script options

Effective in version 6.0.0, Address Verification provides separate options to specify the output script, transliteration standard, and the depth of the Latin character sets for an address in the PreferredScript element.

In Address Verification 5.x, Address Verification preset the options when you configured the PreferredScript parameter.

Enhanced geocoding options

Effective in version 6.0.0, you can submit a list of preferred geocoding levels to Address Verification. Address Verification returns the specified geocoordinates based on the order of the geocoding levels that you specify in the input list.

You can also configure Address Verification to return more than one set of geocoordinates in a single request.

In Address Verification 5.x, Address Verification returned a single set of geocoordinates.

Enhanced country determination options

Effective in version 6.0.0, you can specify the input fields that you want Address Verification to consider when it searches for country information.

In Address Verification 5.x, Address Verification read a preset group of fields to determine the country. The country determination options in version 6.0.0 replace the Force Country and Default Country options in version 5.x.

Enhanced casing options

Effective in version 6.0.0, you can configure Address Verification to preserve the casing style of an input address.

Enhanced verification level options

Effective in version 6.0.0, you can specify the desired level and the minimum level to which Address Verification verifies an address.

In Address Verification 5.x, you specified a single desired verification level on the MatchingScope parameter.

Enhanced alias handling options

Effective in version 6.0.0, you can configure Address Verification to return the official name or the alias for all address elements that support alias names.

In Address Verification 5.x, Address Verification provided options to return the official or alias name for street and locality elements only.

Enhanced alternative handling options

Effective in version 6.0.0, Address Verification combines the operations of the MatchingExtendedArchive and MatchingAlternatives parameters into the AlternativeHandling element.

Changes in Nomenclature in Address Verification 6.0.0

Informatica Address Verification 6.0.0 changes the names of several parameters, status codes, and options.

Data Structure

In version 5.x, an `AddressObject` is a data structure that stores an input address, validation parameters, and the result addresses, along with enrichment and status code values. In version 6.0.0, this data structure is called a `Job`.

Processing Modes

The following table lists the name changes for address processing modes:

Informatica Address Verification 5.x	Informatica Address Verification 6.0.0
BATCH	BATCH (no change)
COUNTRY RECOGNITION	Country recognition mode is deprecated
GEOCODING	GEOCODING (no change)
FAST COMPLETION	Fast completion is deprecated in favor of QuickCapture mode
PARSE-ONLY	Parse-only mode is deprecated
INTERACTIVE	INTERACTIVE (no change)

Parameters

The following table lists the parameter name changes:

Informatica Address Verification 5.x	Informatica Address Verification 6.0.0
GlobalPreferredDescriptor	DescriptorLength
MatchingScope	VerificationLevel
MaxLength	MaxItemLength
FlexibleRangeExpansion	RangeExpansionType

Status Codes

The following table lists the status code name changes:

Informatica Address Verification 5.x	Informatica Address Verification 6.0.0
ElementInputStatus	MatchStatus
ElementResultStatus	ResultStatus

Informatica Address Verification 5.x	Informatica Address Verification 6.0.0
ExtElementStatus	ExtendedResultStatus
MailabilityScore	ResultQuality

Address Elements

The following table lists the address element name changes:

Informatica Address Verification 5.x	Informatica Address Verification 6.0.0
Province	AdministrativeDivision
AddressLines	PreformattedData
ReceipientLine	PostalReceipientLine
DeliveryAddressLine	PostalDeliveryAddressLine
FormattedAddressLine	PostalFormattedAddressLine

Geocoding Status Values

The following table lists the geocoding status value name changes:

Informatica Address Verification 5.x	Informatica Address Verification 6.0.0
EGCN	ER_DATA_NOT_AVAILABLE
EGCU	ER_NOT_UNLOCKED
EGCC	ER_DATA_CORRUPT
EGC0	NOTHING_FOUND
EGC4	POCO_BASE_CENTER
EGC5	POCO_CENTER
EGC6	LOCALITY_CENTER
EGC7	STREET_CENTER
EGC8	INTERPOLATED
EGC9	POINT_ARRIVAL_POINT
EGCA	Deprecated
EGCB	POINT_ROOFTOP