



Informatica® B2B Data Transformation  
10.2.2

# Administrator Guide

© Copyright Informatica LLC 2008, 2021

This software and documentation are provided only under a separate license agreement containing restrictions on use and disclosure. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC.

Informatica, the Informatica logo, and PowerCenter, are trademarks or registered trademarks of Informatica LLC in the United States and many jurisdictions throughout the world. A current list of Informatica trademarks is available on the web at <https://www.informatica.com/trademarks.html>. Other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jqWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright © MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at <http://www.apache.org/licenses/>. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (<http://www.mozilla.org/>), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at <http://www.gnu.org/licenses/lgpl.html>. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at <http://www.openssl.org> and <http://www.openssl.org/source/license.html>.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at <http://curl.haxx.se/docs/copyright.html>. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at <http://www.dom4j.org/license.html>.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at <http://dojotoolkit.org/license>.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at <http://source.icu-project.org/repos/icu/icu/trunk/license.html>.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at <http://www.gnu.org/software/kawa/Software-License.html>.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at <http://www.opensource.org/licenses/mit-license.php>.

This product includes software developed by Boost (<http://www.boost.org/>) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at [http://www.boost.org/LICENSE\\_1\\_0.txt](http://www.boost.org/LICENSE_1_0.txt).

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at <http://www.pcre.org/license.txt>.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at <http://www.eclipse.org/org/documents/epl-v10.php> and at <http://www.eclipse.org/org/documents/edl-v10.php>.

This product includes software licensed under the terms at <http://www.tcl.tk/software/tcltk/license.html>, <http://www.bosrup.com/web/overlib/?License>, <http://www.stlport.org/doc/license.html>, <http://asm.ow2.org/license.html>, <http://www.cryptix.org/LICENSE.TXT>, <http://hsqldb.org/web/hsqLicense.html>, <http://httpunit.sourceforge.net/doc/license.html>, <http://jung.sourceforge.net/license.txt>, [http://www.gzip.org/zlib/zlib\\_license.html](http://www.gzip.org/zlib/zlib_license.html), <http://www.openldap.org/software/release/license.html>, <http://www.libssh2.org>, <http://slf4j.org/license.html>, <http://www.sente.ch/software/OpenSourceLicense.html>, <http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3-license-agreement>, <http://antlr.org/license.html>, <http://aopalliance.sourceforge.net/>, <http://www.bouncycastle.org/license.html>, <http://www.jgraph.com/jgraphdownload.html>, <http://www.jcraft.com/jsch/LICENSE.txt>, [http://jotm.objectweb.org/bsd\\_license.html](http://jotm.objectweb.org/bsd_license.html), <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>, <http://www.slf4j.org/license.html>, <http://nanoxml.sourceforge.net/orig/copyright.html>, <http://www.json.org/license.html>, <http://forge.ow2.org/projects/javaservice/>, <http://www.postgresql.org/about/license.html>, <http://www.sqlite.org/copyright.html>, <http://www.tcl.tk/software/tcltk/license.html>, <http://www.jaxen.org/faq.html>, <http://www.jdom.org/docs/faq.html>, <http://www.slf4j.org/license.html>, <http://www.iodbc.org/dataspace/iodbc/wiki/IODBC/License>, <http://www.keplerproject.org/md5/license.html>, <http://www.toedter.com/en/jcalendar/license.html>, <http://www.edankert.com/bounce/index.html>, <http://www.net-snmp.org/about/license.html>, <http://www.openmdx.org/#FAQ>, [http://www.php.net/license/3\\_01.txt](http://www.php.net/license/3_01.txt), <http://srp.stanford.edu/license.txt>;

<http://www.schneider.com/blowfish.html>; <http://www.jmock.org/license.html>; <http://xsom.java.net>; <http://benalman.com/about/license/>; <https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js>; <http://www.h2database.com/html/license.html#summary>; <http://jsoncpp.sourceforge.net/LICENSE>; <http://jdbc.postgresql.org/license.html>; <http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto>; <https://github.com/rantav/hector/blob/master/LICENSE>; <http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html>; <http://jibx.sourceforge.net/jibx-license.html>; <https://github.com/lyokato/libgeohash/blob/master/LICENSE>; <https://github.com/hjiang/jsonxx/blob/master/LICENSE>; <https://code.google.com/p/lz4/>; <https://github.com/jedisct1/libsodium/blob/master/LICENSE>; <http://one-jar.sourceforge.net/index.php?page=documents&file=license>; <https://github.com/EsotericSoftware/kryo/blob/master/license.txt>; <http://www.scala-lang.org/license.html>; <https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt>; <http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html>; <https://aws.amazon.com/asl/>; <https://github.com/twbs/bootstrap/blob/master/LICENSE>; <https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt>; <https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE>, and <https://github.com/apache/hbase/blob/master/LICENSE.txt>.

This product includes software licensed under the Academic Free License (<http://www.opensource.org/licenses/afl-3.0.php>), the Common Development and Distribution License (<http://www.opensource.org/licenses/cddl1.php>), the Common Public License (<http://www.opensource.org/licenses/cpl1.0.php>), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (<http://www.opensource.org/licenses/bsd-license.php>), the new BSD License (<http://opensource.org/licenses/BSD-3-Clause>), the MIT License (<http://www.opensource.org/licenses/mit-license.php>), the Artistic License (<http://www.opensource.org/licenses/artistic-license-1.0>) and the Initial Developer's Public License Version 1.0 (<http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/>).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at <http://xstream.codehaus.org/license.html>. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit <http://www.extreme.indiana.edu/>.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at <https://www.informatica.com/legal/patents.html>.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

#### NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

The information in this documentation is subject to change without notice. If you find any problems in this documentation, report them to us at [infa\\_documentation@informatica.com](mailto:infa_documentation@informatica.com).

Informatica products are warranted according to the terms and conditions of the agreements under which they are provided. INFORMATICA PROVIDES THE INFORMATION IN THIS DOCUMENT "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND ANY WARRANTY OR CONDITION OF NON-INFRINGEMENT.

Publication Date: 2021-09-14

# Table of Contents

|   |               |
|---|---------------|
| <b>Preface .....</b>  | <b>5</b>      |
| Informatica Resources. ....   | 5             |
| Informatica Network. ....   | 5             |
| Informatica Knowledge Base. ....                                      | 5             |
| Informatica Documentation. ....                                       | 5             |
| Informatica Product Availability Matrices. ....                       | 6             |
| Informatica Velocity. ....  | 6             |
| Informatica Marketplace. ....   | 6             |
| Informatica Global Customer Support. ....                             | 6             |
| <br><b>Chapter 1: System Administration.....</b>                      | <br><b>7</b>  |
| System Administration Overview. ....                                  | 7             |
| Data Transformation Directory Locations. ....                         | 8             |
| User Permissions for Data Transformation Production Environment. .... | 9             |
| User Permissions for Data Transformation Design Environment. ....     | 10            |
| <br><b>Chapter 2: Data Transformation System Configuration.....</b>   | <br><b>11</b> |
| System Configuration Overview. ....                                   | 11            |
| Using the Configuration Editor. ....                                  | 11            |
| Configuration Settings Reference. ....                                | 12            |
| <br><b>Chapter 3: Event Logs.....</b>                                 | <br><b>17</b> |
| Using the Event Log for Troubleshooting. ....                         | 17            |
| Log Generation. ....  | 17            |
| Log Configuration. ....   | 18            |
| Engine Initialization Event Log. ....                                 | 18            |
| User Logs. ....   | 19            |
| <br><b>Index.....</b>   | <br><b>20</b> |

# Preface

The *Data Transformation Administrator Guide* is written for system administrators and users who are responsible for installing the Data Transformation software and maintaining or configuring its operation. It contains instructions and information for Linux, UNIX, and Windows platforms.

## Informatica Resources

Informatica provides you with a range of product resources through the Informatica Network and other online portals. Use the resources to get the most from your Informatica products and solutions and to learn from other Informatica users and subject matter experts.

### Informatica Network

The Informatica Network is the gateway to many resources, including the Informatica Knowledge Base and Informatica Global Customer Support. To enter the Informatica Network, visit <https://network.informatica.com>.

As an Informatica Network member, you have the following options:

- Search the Knowledge Base for product resources.
- View product availability information.
- Create and review your support cases.
- Find your local Informatica User Group Network and collaborate with your peers.

### Informatica Knowledge Base

Use the Informatica Knowledge Base to find product resources such as how-to articles, best practices, video tutorials, and answers to frequently asked questions.

To search the Knowledge Base, visit <https://search.informatica.com>. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at [KB\\_Feedback@informatica.com](mailto:KB_Feedback@informatica.com).

### Informatica Documentation

Use the Informatica Documentation Portal to explore an extensive library of documentation for current and recent product releases. To explore the Documentation Portal, visit <https://docs.informatica.com>.

Informatica maintains documentation for many products on the Informatica Knowledge Base in addition to the Documentation Portal. If you cannot find documentation for your product or product version on the Documentation Portal, search the Knowledge Base at <https://search.informatica.com>.

If you have questions, comments, or ideas about the product documentation, contact the Informatica Documentation team at [infa\\_documentation@informatica.com](mailto:infa_documentation@informatica.com).

## Informatica Product Availability Matrices

Product Availability Matrices (PAMs) indicate the versions of the operating systems, databases, and types of data sources and targets that a product release supports. You can browse the Informatica PAMs at <https://network.informatica.com/community/informatica-network/product-availability-matrices>.

## Informatica Velocity

Informatica Velocity is a collection of tips and best practices developed by Informatica Professional Services and based on real-world experiences from hundreds of data management projects. Informatica Velocity represents the collective knowledge of Informatica consultants who work with organizations around the world to plan, develop, deploy, and maintain successful data management solutions.

You can find Informatica Velocity resources at <http://velocity.informatica.com>. If you have questions, comments, or ideas about Informatica Velocity, contact Informatica Professional Services at [ips@informatica.com](mailto:ips@informatica.com).

## Informatica Marketplace

The Informatica Marketplace is a forum where you can find solutions that extend and enhance your Informatica implementations. Leverage any of the hundreds of solutions from Informatica developers and partners on the Marketplace to improve your productivity and speed up time to implementation on your projects. You can find the Informatica Marketplace at <https://marketplace.informatica.com>.

## Informatica Global Customer Support

You can contact a Global Support Center by telephone or through the Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:

<https://www.informatica.com/services-and-training/customer-success-services/contact-us.html>.

To find online support resources on the Informatica Network, visit <https://network.informatica.com> and select the eSupport option.

# CHAPTER 1

## System Administration

This chapter includes the following topics:

- [System Administration Overview, 7](#)
- [Data Transformation Directory Locations, 8](#)
- [User Permissions for Data Transformation Production Environment, 9](#)
- [User Permissions for Data Transformation Design Environment, 10](#)

### System Administration Overview

The Data Transformation system consists of a design environment for designers and a production environment where applications run transformation services. Use the Informatica Developer tool to design and implement data integration solutions.

You can use the Developer tool to extract data from multiple sources, transform the data according to business logic that you build in the client application, and load the transformed data to targets. You can also run a profile to analyze the structure and content of your data, and to determine the quality of your data.

You can access data in relational databases, flat files, web services, and social media web sites.

Administrative tools include the Informatica domain, application services that process data, repositories to store metadata, Informatica Administrator (the Administrator tool), and Informatica Developer (the Developer tool).

The Administrator tool, the repositories, and application services run on a single machine. The Developer tool can run on one or more machines.

# Data Transformation Directory Locations

The following table describes directories that are used by Data Transformation:

| Location  | Description   |
|---|---|
| <INSTALL_DIR>                                     | The directory where Data Transformation is installed. The user chooses this directory at the time of installation. The default is: <ul style="list-style-type: none"><li>- Windows. c:\Informatica\&lt;version&gt;</li><li>- Linux and UNIX (root user). /root/Informatica/&lt;version&gt;</li><li>- Linux and UNIX (other user). /home/&lt;user_name&gt;/Informatica/&lt;version&gt;</li></ul> |
| <INSTALL_DIR>/DataTransformation/                 | The Data Transformation home directory, which contains the following files: <ul style="list-style-type: none"><li>- CMConfig.xml</li><li>- CMConfig.xsd</li><li>- CDELicense.cfg</li><li>- setEnv.sh (Linux and UNIX)</li><li>- setEnv.csh (Linux and UNIX)</li></ul> This value is stored in the <i>IFCONTENTMASTER_HOME</i> environment variable.   |
| <INSTALL_DIR>/DataTransformation/bin/             | Data Transformation executables.  |
| <INSTALL_DIR>/DataTransformation/ServiceDB        | Repository where transformation services are stored. This value is stored in CMConfig.xml and can be changed using the configuration editor or a text editor.   |
| <INSTALL_DIR>/DataTransformation/CMReports        | Engine logs. This value is stored in CMConfig.xml and can be changed using the configuration editor or a text editor.   |
| <INSTALL_DIR>/DataTransformation/CMUserLogs       | Application logs and user logs. This value is stored in CMConfig.xml and can be changed using the configuration editor or a text editor.  |
| <INSTALL_DIR>/DataTransformation/autoInclude/user | The directory that holds custom global components (TGP files).  |
| <INSTALL_DIR>/DataTransformation/externLibs/user  | The directory that holds custom global components (DLL and JAR files).  |
| <INSTALL_DIR>\clients\java\bin                    | Java home directory (design environment).   |
| <INSTALL_DIR>/java/bin                            | Java home directory (production environment).   |
| <INSTALL_DIR>\clients\java\jre\bin\client         | JRE directory (design environment).   |



| Location  | Description  |
|---|--|
| <INSTALL_DIR>/<br>java/jre/bin/client   | JRE directory (production environment).  |
| <INSTALL_DIR>/<br>java/jre/lib/<processor><br><INSTALL_DIR>/<br>java/jre/lib/<processor>/<br>server | JRE directories (Linux and UNIX only). These values are stored in environment variables. |

There is also an optional, user-defined directory for diagnostic logs for the Server component that calls the Engine out of process. This path is stored in `CMConfig.xml` and can be changed using the configuration editor or a text editor.

Run the following command to determine the installation directory:

```
CM_console -v
```

The installation directory appears after `Configuration file:` and before `/DataTransformation/`.

For more information about environment variables and the configuration editor, see the *Informatica Installation and Configuration Guide*.

## User Permissions for Data Transformation Production Environment

Windows administrator users have all permissions that are required for the Data Transformation production environment.

The following table describes the permissions required for Linux and UNIX users and Windows limited users to run the Engine in the production environment:

| Directory                      | Permissions   |
|--------------------------------|---------------|
| Installation directory         | Read, Execute |
| Repository                     | Read          |
| Engine logs                    | Read, Write   |
| Application logs and user logs | Read, Write   |

For more information about the locations of these directories, see [“Data Transformation Directory Locations” on page 8](#).

# User Permissions for Data Transformation Design Environment

Windows administrator users have all permissions that are required for the Data Transformation design environment.

The following table describes the permissions that limited users require to design and test projects:

| Directory              | Permissions   |
|------------------------|---------------|
| Installation directory | Read, Execute |
| Repository             | Read, Write   |
| Eclipse location       | Read, Write   |
| Engine logs            | Read, Write   |

To deploy projects to the repository on a remote computer, the limited user must have read and write permissions for the repository on that machine.

The following tasks require administrator permissions:

- Installing and uninstalling Data Transformation
- Installing libraries
- Changing Data Transformation configuration settings

For more information about the locations of these directories, see [“Data Transformation Directory Locations” on page 8](#).

## CHAPTER 2

# Data Transformation System Configuration

This chapter includes the following topics:

- [System Configuration Overview, 11](#)
- [Using the Configuration Editor, 11](#)
- [Configuration Settings Reference, 12](#)

## System Configuration Overview

Data Transformation stores the current configuration settings in the `CMConfig.xml` file. You can find the original configuration at time of installation in `CMConfig.xml.backup`. The location of these files is determined at time of installation. The default location is `<INSTALL_DIR>/DataTransformation/`.

To identify the installation directory, run the following command:

```
CM_console -v
```

The installation directory appears after `Configuration file:` and before `/DataTransformation/`.

In systems that require multiple configurations, additional copies of `CMConfig.xml` are located in the following directories:

- The directory pointed to by the `IFConfigLocation4` environment variable on Windows machines.
- The `/home` directory of each user on Linux or UNIX systems.

You can modify the `CMConfig.xml` configuration file with the configuration editor or a text editor.

System environment variables also affect the functionality of Data Transformation. For more information, see [Environment Variables Overview](#).

## Using the Configuration Editor

You can use the configuration editor to change Data Transformation system settings.

To use the configuration editor on a Linux or UNIX computer, you must set the *DISPLAY* environment variable. For more information, see [Linux and UNIX Environment Variable Reference](#).

1. In the `<INSTALL_DIR>/DataTransformation` directory, back up the `CMConfig.xml` configuration file.
2. Open the configuration editor by performing one of the following actions:

| System  | Action  |
|---------|---|
| Windows | Click <b>Start &gt; All Programs &gt; Informatica 9.5.0 &gt; Data Transformation &gt; Configuration</b> . |
| Linux   | Run the following command:<br><code>&lt;INSTALL_DIR&gt;/DataTransformation/CMConfig</code>                |
| UNIX    | Run the following command:<br><code>&lt;INSTALL_DIR&gt;/DataTransformation/CMConfig</code>                |

3. In the tree in the left panel, select a parameter group.  
The list of parameters in the group appears in the right panel. Read-only parameters are displayed on a gray background.
4. Perform one of the following actions:

| Action                             | Description   |
|------------------------------------|---|
| To add a new parameter             | In the tree in the left panel, right-click a parameter group, click <b>Add</b> , and then select the parameter that you want to add.<br>The parameter appears in the right panel. |
| To change the value of a parameter | Double-click the value in the right column, then type or select the new value. To change the value of a path variable, click the browse button, and then select the path.         |
| To remove a parameter              | In the right panel, right-click the parameter, and then click <b>Remove</b> .<br><b>Note:</b> Some parameters cannot be removed.  |

5. Click the **Save** icon.  
The changes are saved to `CMConfig.xml`.
6. Restart Data Transformation.

## Configuration Settings Reference

The following tables describe the editable parameters as they appear in the tree in the configuration editor interface.

## CM Configuration

| Parameter                     | Description   | Default Value                             |
|-------------------------------|---|---|
| file_format                   | The version number of the configuration file format. Do not change this value unless instructed by Informatica Global Customer Support. | 1001                                      |
| xmlns:xsi                     | The namespace of the XML schema language used in Data Transformation. The value is read-only.   | http://www.w3.org/2001/XMLSchema-instance |
| xsi:noNamespaceSchemaLocation | The file name of the schema for validating Data Transformation configuration files. The value is read-only.                             | CMConfig.xsd                              |

### CM Configuration > General

| Parameter                              | Description   | Default Value                              |
|--|---|--|
| Minimum configuration refresh interval | The time interval, in microseconds, at which Data Transformation checks for system configuration updates. | 36000000                                   |
| Default code page                      | The default working encoding.   | Windows_1252                               |
| CM log files directory                 | The name of the log directory.  | Logs                                       |
| CM Reports directory                   | The path to the directory where the Engine stores event logs and reports.                                 | <INSTALL_DIR>/DataTransformation/CMReports |
| User logs directory                    | The path to the directory where the Engine stores user-defined logs.                                      | <INSTALL_DIR>/DataTransformation/UserLogs  |

### CM Configuration > General > Java

| Parameter         | Description   | Default Value                      |
|-------------------|---|------------------------------------|
| Home              | The path to the JRE that runs the Engine.   | <INSTALL_DIR>\clients\java\jre\bin |
| Maximum Heap Size | The maximum heap size, in megabytes, that the JRE can use. This value controls the maximum size of documents that can be processed by document processors. Do not change this value unless instructed by Informatica Global Customer Support. | 64                                 |

### CM Configuration > CM Repository

| Parameter | Description   | Default Value |
|-----------|---|---------------|
| mode      | The access mode of the repository. Do not change this value unless instructed by Informatica Global Customer Support. | FileSystem    |

### CM Configuration > CM Repository > File System

| Parameter | Description   | Default Value                      |
|-----------|---|------------------------------------|
| Base Path | The location of the repository where Data Transformation services are stored. | <INSTALL_DIR>/clients/DT/ServiceDB |

### CM Configuration > CM Engine

| Parameter                     | Description   | Default Value                 |
|-------------------------------|---|-------------------------------|
| Days to keep history          | The number of days that the Engine saves event logs.  | 4                             |
| PreprocessorMaxBuf            | The maximum buffer size for input documents, in bytes. Do not change this value unless instructed by Informatica Global Customer Support.   | 5000000                       |
| Service refresh interval      | The time interval, in seconds, at which Data Transformation checks for repository updates such as new or revised services.  | 30                            |
| Reuse memory between requests | A memory allocation option. Do not change this value unless instructed by Informatica Global Customer Support.  | true                          |
| JVM Location                  | The location of the JRE (Windows only).<br><b>Important:</b> The configuration editor requires the JRE. If you edit this value, save the new setting and exit the configuration editor before you uninstall the previous JRE. | <INSTALL_DIR>\java\bin\client |
| Invocation                    | The method of calling the Engine.<br>- InProc. In-process<br>- Server. Out-of-process   | InProc                        |
| Disable concurrency           | Disables running the Engine in more than one thread. Do not change this value unless instructed by Informatica Global Customer Support.   | false                         |

### CM Configuration > CM Engine > CM Server

| Parameter         | Description  | Default Value |
|-------------------|--|---------------|
| Debug level       | The degree of verbosity of the CMServer diagnostic log.<br>- 0. None<br>- 1. Vital information only<br>- 2. Invocation diagnostic information<br>- 3, 4. Detailed diagnostic information<br>- 5. Complete diagnostic information | n/a           |
| Log location      | Path to the CMServer diagnostic log.   | n/a           |
| Number of retries | The maximum number of restarts permitted during the interval specified in <i>Restart timeout</i> . If a client process exceeds this number, it stops trying to restart the Engine.   | 4             |
| Restart timeout   | The time interval in seconds during which restarts are counted.  | 900           |

| Parameter        | Description   | Default Value                  |
|------------------|---|--------------------------------|
| Server Path      | The path to the <code>CM_Server.sh</code> shared object (Linux and UNIX only).  | <INSTALL_DIR>/bin/cm_server.sh |
| Thread Pool Size | The maximum number of Engine threads that can run client requests concurrently per process. If the number of client requests exceeds the number of available threads, the Server queues the requests until a thread is available. | 4                              |

#### CM Configuration > CM Engine > JVM Init Parameters

| Parameter     | Description   | Default Value |
|---------------|---|---------------|
| JVM parameter | Initialization parameters for the JRE. You can add multiple parameters if required. | n/a           |

#### CM Libraries > HIPAA Validation

| Parameter | Description  | Default Value |
|-----------|--|---------------|
| Url       | IP address or host name and port of the HIPAA Validation engine. | n/a           |

#### CM Libraries > HIPAA Validation > RemoteWS

| Parameter  | Description  | Default Value |
|------------|--|---------------|
| LocalPath  | Path of the HIPAA Validation engine as seen from the local computer. You cannot edit this parameter with the configuration editor. | n/a           |
| RemotePath | Path of the HIPAA Validation engine as seen from a remote computer. You cannot edit this parameter with the configuration editor.  | n/a           |

#### Trace

**Trace** parameters appear under the nodes for **CM Repository**, **CM Engine**, **System Utilities**, and **CM Agents**. **Trace** parameters are used for troubleshooting. Do not edit them unless instructed by Informatica Global Customer Support.

| Parameter      | Description  | Default Value |
|----------------|--|---------------|
| Enabled        | Enables a debugging trace. Do not enable the trace unless instructed by Informatica. | false         |
| Severity level | The severity level of the trace messages:<br>- ERROR<br>- WARNING<br>- INFORMATION   | ERROR         |

### Trace > Active Categories

| Parameter | Description   | Default Value  |
|-----------|---|--|
| Category  | The Data Transformation modules that generate trace messages. | ENVIRONMENT<br>EXEC<br>EXTERNALS<br>FILESYSTEM<br>INPUT_DOC<br>INTERFACES<br>NETWORKING<br>OUTPUT_DOC<br>PREPROCESSOR_UNIT<br>REQUEST<br>SYSTEMRESOURCES<br>VIEWIO |

### Trace > Message Information

| Parameter               | Description   | Default Value |
|-------------------------|---|---------------|
| Process and threads Ids | Includes the ID of processes and threads in the trace messages. | true          |
| Time stamp              | Includes the time stamp in the trace messages.                  | true          |

### Trace > Trace File

| Parameter         | Description   | Default Value    |
|-------------------|---|------------------|
| Trace file name   | Name of the trace file.   | CMEngine_log.txt |
| Maximum file size | The maximum trace file size, in bytes.  | 1000000          |
| Recycling method  | The method of file handling when the trace file reaches the maximum size: <ul style="list-style-type: none"><li>- Restart. Start a new file labeled with a timestamp.</li><li>- Circular. The oldest messages are deleted to make room for new messages.</li><li>- None. Stops the trace.</li></ul> | Restart          |



# CHAPTER 3

## Event Logs

This chapter includes the following topics:

- [Using the Event Log for Troubleshooting, 17](#)
- [User Logs, 19](#)

## Using the Event Log for Troubleshooting

The main troubleshooting tool of Data Transformation Engine is the event log. The event log contains information about the operations that the software performs while processing a document.

Event logs can be generated when you run a service in the Engine. This chapter discusses some specific points about the Engine event logs.

### Log Generation

Data Transformation Engine generates event logs when it encounters an error or failure while running a service.

When you run the Data Transformation Engine from CM\_console, the `Events.cme` logs are stored in the current directory.

When you call the Data Transformation Engine from PowerCenter or an API, the logs are stored in the `CMReports` directory.

- On Windows platforms, the default log location is the following directory:

```
<Data Transformation installation folder>\DataTransformation\CMReports\tmp\date
```

- On UNIX platforms, the default location is the following directory:

```
<Data Transformation installation folder>/CMReports/tmp/date
```

You can customize the location with the configuration editor by editing the `CMConfig.xml` file.

Within the `CMReports` directory, the logs are organized by date and service name:

```
19Jan2020\Service1_A115656584-14611-19812-12403\events.cme
```

The string `A115656584-14611-19812-12403` is a GUID identifier.

To view a log, in the Developer tool, click **Windows > Show View > Other > Data Processor Events**. Click and drag the `events.cme` file to the **Events** window of the Data Processor transformation.

In addition to the event log, Data Transformation Engine saves a copy of the source document in a subdirectory of the log directory. If you double-click an event in the log, the text that caused the event appears in the IntelliScript editor.

## Log Configuration

You can configure the Engine event logs in the Data Transformation Configuration Editor. For more information on using the Configuration Editor, see the *Data Transformation Installation and Configuration Guide*.

### Log Location

The following table describes the settings in the Configuration Editor that you edit to change the log location:

| Setting   | Description  |
|---|--|
| CM Configuration/General/CM Reports directory   | The path of the reports directory.<br>If the Configuration Editor does not display this setting, you can add it by right-clicking the <code>CM Configuration/General</code> node, and click <code>Add &gt; CM Reports Directory</code> . You can then enter the setting value. |
| CM Configuration/General/CM log files directory | Subdirectory of the reports directory, where Data Transformation stores the event logs. The default value is <code>Logs</code> .   |

### Days to Keep History

Data Transformation purges old Engine event logs and old copies of source documents periodically. The following table describes the parameter that configures log behavior:

| Parameter                                       | Description  |
|---|--|
| CM Configuration/CM Engine/Days to keep history | The number of days that Data Transformation saves event logs and user logs before purging. Default is 4.<br>Only the log locations defined in the Configuration Editor are purged. |

### Multiple Users

If Data Transformation Engine runs under multiple user accounts, the users' logs may overwrite each other, or it may be difficult to identify the logs belonging to a particular user. You can prevent this by configuring the users with different log locations. For more information about setting up multiple configurations, see the *Data Transformation Installation and Configuration Guide*.

## Engine Initialization Event Log

In addition to the logs of service events, there is an Engine initialization event log. This log records problems that occur when Data Transformation Engine starts, without reference to any service or input data. View this log to diagnose installation problems such as missing environment variables.

The initialization log is located in the `CMReports\Init` directory.

# User Logs

A transformation can output failure events to a user-defined log.

If an anchor fails to find text in the source document, it can write a message in the user log. This can occur even if the anchor is defined as optional, so that the failure does not terminate the transformation processing.

The user log can contain the following information:

- Failure level: Information, Warning, or Error
- Name of the component that failed
- Failure description
- Location of the failed component in the script
- Additional information about the transformation status, such as the values of data holders.

To define the user-log output, assign the `on_fail` property of the appropriate transformation components.

On Windows platforms, you can find the user log in the following directory:

```
<INSTALL_DIR>\DataTransformation\UserLogs
```

On Linux and UNIX platforms, you can find the user log in the following directory:

```
<INSTALL_DIR>/UserLogs
```

You can customize the location with the configuration editor.

By default, each execution of a transformation generates a user log having a unique name:

```
<service_name>+<unique_string>.log
```

A transformation can set the user-log location at runtime by using `SetValue` actions to assign the following system variables. Set the phase property of `SetValue` to `initial`, ensuring that `SetValue` runs before any component that writes to the user log.

| Variable                                       | Description                    |
|--|--------------------------------|
| VarServiceInfo/StandardError/StandardErrorDir  | Directory path of the user log |
| VarServiceInfo/StandardError/StandardErrorName | File name of the user log      |

Data Transformation purges old user logs stored in the location that is defined in the Configuration Editor. If you store user logs in another location, Data Transformation does not purge them. For more information, see [“Days to Keep History” on page 18](#).

# INDEX

## A

- administration
  - overview [7](#)

## C

- configuration
  - editing, using the configuration editor [11](#)
  - parameters, reference [12](#)
- configuration editor
  - use [11](#)
- configuration file
  - location [8](#)
- custom global components
  - location of directories [8](#)

## D

- days to keep history
  - event log [18](#)
- design environment
  - permissions [10](#)
- directory
  - locations [8](#)

## E

- Eclipse workspace directory
  - location [8](#)
- engine event log
  - troubleshooting [17](#)
- event log
  - days to keep [18](#)
  - Engine initialization [18](#)
  - for multiple users [18](#)
  - troubleshooting [17](#)
- event logs
  - configuration [18](#)
  - Engine [17](#)
  - when generated [17](#)

## F

- Failure logs
  - user-defined [19](#)
- folder
  - locations [8](#)

## G

- global components, custom
  - location of directories [8](#)

## H

- home directory
  - location [8](#)

## I

- initialization
  - event log [18](#)
- installation directory
  - location [8](#)

## J

- Java home directory
  - location [8](#)
- JRE directory
  - location [8](#)

## L

- license file
  - location [8](#)
- log directory
  - location [8](#)
- log files
  - user-defined [19](#)
- logs
  - event [17](#)

## P

- permissions
  - design environment [10](#)
  - production environment [9](#)
  - Windows users [10](#)
- production environment
  - permissions [9](#)
- projects
  - directory location [8](#)

## R

- repository
  - directory location [8](#)

## U

user logs

failures [19](#)

user permissions [10](#)

## W

workspace

directory location [8](#)