



Informatica® PowerExchange Adapters for  
PowerCenter

10.1.1 HotFix 2

# Release Notes

Informatica PowerExchange Adapters for PowerCenter Release Notes  
10.1.1 HotFix 2  
November 2017

© Copyright Informatica LLC 1993, 2018

Publication Date: 2018-10-05

# Table of Contents

Abstract. . . . .	vi
Informatica Bug Tracking System Change. . . . .	7
<b>Chapter 1: Upgrade Support. . . . .</b>	<b>8</b>
<b>Chapter 2: PowerExchange for JMS. . . . .</b>	<b>9</b>
PowerExchange for JMS (10.1.1 HotFix 2). . . . .	9
PowerExchange for JMS (10.1.1 HotFix 1). . . . .	9
PowerExchange for JMS Fixed Limitations (10.1.1 HotFix 1). . . . .	9
PowerExchange for JMS Known Limitations (10.1.1 HotFix 1). . . . .	9
PowerExchange for JMS (10.1.1). . . . .	10
PowerExchange for JMS Fixed Limitations (10.1.1). . . . .	10
PowerExchange for JMS Known Limitations (10.1.1). . . . .	10
<b>Chapter 3: PowerExchange for LDAP. . . . .</b>	<b>11</b>
PowerExchange for LDAP (10.1.1 HotFix 2). . . . .	11
PowerExchange for LDAP (10.1.1 HotFix 1). . . . .	11
PowerExchange for LDAP (10.1.1). . . . .	11
PowerExchange for LDAP Fixed Limitations (10.1.1). . . . .	11
PowerExchange for LDAP Known Limitations (10.1.1). . . . .	12
<b>Chapter 4: PowerExchange for Lotus Notes. . . . .</b>	<b>13</b>
PowerExchange for Lotus Notes (10.1.1 HotFix 2). . . . .	13
PowerExchange for Lotus Notes (10.1.1 HotFix 1). . . . .	13
PowerExchange for Lotus Notes (10.1.1). . . . .	13
<b>Chapter 5: PowerExchange for Oracle E-Business Suite. . . . .</b>	<b>14</b>
PowerExchange for Oracle E-Business Suite (10.1.1 HotFix 2). . . . .	14
PowerExchange for Oracle E-Business Suite Fixed Limitations (10.1.1 HotFix 2). . . . .	14
PowerExchange for Oracle E-Business Suite Known Limitations (10.1.1 HotFix 2). . . . .	14
PowerExchange for Oracle E-Business Suite (10.1.1 HotFix 1). . . . .	15
PowerExchange for Oracle E-Business Suite (10.1.1). . . . .	15
<b>Chapter 6: PowerExchange for PeopleSoft. . . . .</b>	<b>16</b>
PowerExchange for PeopleSoft (10.1.1 HotFix 2). . . . .	16
PowerExchange for PeopleSoft (10.1.1 HotFix 1). . . . .	16
PowerExchange for PeopleSoft (10.1.1). . . . .	16
<b>Chapter 7: PowerExchange for Salesforce. . . . .</b>	<b>17</b>
PowerExchange for Salesforce (10.1.1 HotFix 2). . . . .	17

PowerExchange for Salesforce Fixed Limitations (10.1.1 HotFix 2). . . . .	17
PowerExchange for Salesforce Known Limitations (10.1.1 HotFix 2). . . . .	17
PowerExchange for Salesforce (10.1.1 HotFix 1). . . . .	17
PowerExchange for Salesforce Fixed Limitations (10.1.1 HotFix 1). . . . .	17
PowerExchange for Salesforce Known Limitations (10.1.1 HotFix 1). . . . .	18
PowerExchange for Salesforce (10.1.1). . . . .	18
<b>Chapter 8: PowerExchange for SAP NetWeaver. . . . .</b>	<b>19</b>
PowerExchange for SAP NetWeaver (10.1.1 HotFix 2). . . . .	19
Dropped Support for the CPI-C Protocol. . . . .	19
Install C++ Run-time Library libstdc++.so.6. . . . .	19
Install Microsoft Run-time DLLs Version 8.0.50727.4053 . . . . .	20
Patches and Libraries . . . . .	20
Updating the SAP BI System . . . . .	20
PowerExchange for SAP NetWeaver Fixed Limitations (10.1.1 HotFix 2). . . . .	20
PowerExchange for SAP NetWeaver Known Limitations (10.1.1 HotFix 2). . . . .	20
PowerExchange for SAP NetWeaver (10.1.1 HotFix 1). . . . .	21
PowerExchange for SAP NetWeaver Fixed Limitations (10.1.1 HotFix 1). . . . .	21
PowerExchange for SAP NetWeaver Known Limitations (10.1.1 HotFix 1). . . . .	21
PowerExchange for SAP NetWeaver (10.1.1). . . . .	21
PowerExchange for SAP NetWeaver Fixed Limitations (10.1.1). . . . .	21
PowerExchange for SAP NetWeaver Known Limitations (10.1.1). . . . .	22
<b>Chapter 9: PowerExchange for Siebel. . . . .</b>	<b>23</b>
PowerExchange for Siebel (10.1.1 HotFix 2). . . . .	23
PowerExchange for Siebel (10.1.1 HotFix 1). . . . .	23
PowerExchange for Siebel (10.1.1). . . . .	23
<b>Chapter 10: PowerExchange for Teradata Parallel Transporter API. . . . .</b>	<b>24</b>
PowerExchange for Teradata Parallel Transporter API (10.1.1 HotFix 2). . . . .	24
PowerExchange for Teradata Parallel Transporter API Fixed Limitations (10.1.1 HotFix 2). . . . .	24
PowerExchange for Teradata Parallel Transporter API Known Limitations (10.1.1 HotFix 2). . . . .	24
PowerExchange for Teradata Parallel Transporter API (10.1.1 HotFix 1). . . . .	25
PowerExchange for Teradata Parallel Transporter API (10.1.1). . . . .	25
PowerExchange for Teradata Parallel Transporter API Fixed Limitations (10.1.1). . . . .	25
PowerExchange for Teradata Parallel Transporter API Known Limitations (10.1.1). . . . .	25
<b>Chapter 11: PowerExchange for Web Services. . . . .</b>	<b>26</b>
PowerExchange for Web Services (10.1.1 HotFix 2). . . . .	26
PowerExchange for Web Services (10.1.1 HotFix 1). . . . .	26
PowerExchange for Web Services (10.1.1). . . . .	26
PowerExchange for Web Services Fixed Limitations (10.1.1). . . . .	26
PowerExchange for Web Services Known Limitations (10.1.1). . . . .	27

**Chapter 12: Informatica Global Customer Support..... 28**

# Abstract

This document contains important information about installation, closed enhancements, fixed limitations, and known limitations for PowerExchange adapters for PowerCenter.

# Informatica Bug Tracking System Change

Informatica is migrating bugs to a different bug tracking system. The bug numbers in the bug ID column are replaced with the bug number in the new tracking system. You can find the bug IDs from the previous tracking system after the bug description. For example, (397187).

# CHAPTER 1

## Upgrade Support

In version 10.1.1 HotFix 2, Informatica supports upgrade for Informatica traditional products only, such as PowerCenter and Data Quality.

You cannot apply the hotfix to a domain that runs big data products. Big data products include Big Data Management, Big Data Quality, Enterprise Information Catalog, Intelligent Data Lake, Big Data Parser, and Intelligent Streaming.

If you run traditional and big data products in the same domain, you must split the domain before you apply the hotfix. When you split the domain, you create a copy of the domain so that you can run big data products and traditional products in separate domains. You duplicate the nodes on each machine in the domain. You also duplicate the services that are common to both traditional and big data products. After you split the domain, you can apply the hotfix to the domain that runs traditional products.

**Note:** You cannot split a domain if the Model repository is integrated with a third-party version control system.

**Note:** Although Informatica big data products are not supported in 10.1.1 HotFix 2, the documentation does contain references to Hadoop and other big data terminology.



## CHAPTER 2

# PowerExchange for JMS

This chapter includes the following topics:

- [PowerExchange for JMS \(10.1.1 HotFix 2\), 9](#)
- [PowerExchange for JMS \(10.1.1 HotFix 1\), 9](#)
- [PowerExchange for JMS \(10.1.1\), 10](#)

## PowerExchange for JMS (10.1.1 HotFix 2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for JMS (10.1.1 HotFix 1)

### PowerExchange for JMS Fixed Limitations (10.1.1 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

CR	Description
OCON-8572	When a JMS target application momentarily shuts down, the PowerCenter Integration Service fails to recover the messages in the recovery queue.

### PowerExchange for JMS Known Limitations (10.1.1 HotFix 1)

There are no known limitations in this release.

# PowerExchange for JMS (10.1.1)

## PowerExchange for JMS Fixed Limitations (10.1.1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-2132	The Integration Service fails to recover a session when writing data to JMS targets. This error occurs when the session terminates before the Integration Service commits messages to the JMS target.

## PowerExchange for JMS Known Limitations (10.1.1)

There are no known limitations in this release.

## CHAPTER 3

# PowerExchange for LDAP

This chapter includes the following topics:

- [PowerExchange for LDAP \(10.1.1 HotFix 2\), 11](#)
- [PowerExchange for LDAP \(10.1.1 HotFix 1\), 11](#)
- [PowerExchange for LDAP \(10.1.1\), 11](#)

## PowerExchange for LDAP (10.1.1 HotFix 2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for LDAP (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for LDAP (10.1.1)

### PowerExchange for LDAP Fixed Limitations (10.1.1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for LDAP Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
PLAT-14848	When you enable CDC, the PowerCenter Integration Service fails to capture the changes made after the change number in the CDC file. The session fails and the following error is logged in the session log: at com.informatica.powerconnect.ldap.server.reader.LDAPRdrPartitionDriver.run(LDAPRdrPartitionDriver.java:1873) (404317)

## CHAPTER 4

# PowerExchange for Lotus Notes

This chapter includes the following topics:

- [PowerExchange for Lotus Notes \(10.1.1 HotFix 2\), 13](#)
- [PowerExchange for Lotus Notes \(10.1.1 HotFix 1\), 13](#)
- [PowerExchange for Lotus Notes \(10.1.1\), 13](#)

## PowerExchange for Lotus Notes (10.1.1 HotFix 2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for Lotus Notes (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for Lotus Notes (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## CHAPTER 5

# PowerExchange for Oracle E-Business Suite

This chapter includes the following topics:

- [PowerExchange for Oracle E-Business Suite \(10.1.1 HotFix 2\), 14](#)
- [PowerExchange for Oracle E-Business Suite \(10.1.1 HotFix 1\), 15](#)
- [PowerExchange for Oracle E-Business Suite \(10.1.1\), 15](#)

## PowerExchange for Oracle E-Business Suite (10.1.1 HotFix 2)

### PowerExchange for Oracle E-Business Suite Fixed Limitations (10.1.1 HotFix 2)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

### PowerExchange for Oracle E-Business Suite Known Limitations (10.1.1 HotFix 2)

The following table describes known limitations:

Bug	Description
OCON-10523	When you preview data while importing Oracle E-Business Suite source or target objects from the PowerCenter Designer, the PowerCenter Designer stops working and data is not saved. Workaround: Do not preview data while importing Oracle E-Business Suite source or target objects.

## PowerExchange for Oracle E-Business Suite (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for Oracle E-Business Suite (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## CHAPTER 6

# PowerExchange for PeopleSoft

This chapter includes the following topics:

- [PowerExchange for PeopleSoft \(10.1.1 HotFix 2\), 16](#)
- [PowerExchange for PeopleSoft \(10.1.1 HotFix 1\), 16](#)
- [PowerExchange for PeopleSoft \(10.1.1\), 16](#)

## PowerExchange for PeopleSoft (10.1.1 HotFix 2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for PeopleSoft (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for PeopleSoft (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.



## CHAPTER 7

# PowerExchange for Salesforce

This chapter includes the following topics:

- [PowerExchange for Salesforce \(10.1.1 HotFix 2\), 17](#)
- [PowerExchange for Salesforce \(10.1.1 HotFix 1\), 17](#)
- [PowerExchange for Salesforce \(10.1.1\), 18](#)

## PowerExchange for Salesforce (10.1.1 HotFix 2)

### PowerExchange for Salesforce Fixed Limitations (10.1.1 HotFix 2)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-10349	When you use the Salesforce Bulk API and update a Salesforce object, the status of the updated record is logged incorrect in the SFDC success file.
OCON-10316	When you use the Salesforce Standard API and write data to a Salesforce object, data written to the SFDC error file is not enclosed with double quotes.

### PowerExchange for Salesforce Known Limitations (10.1.1 HotFix 2)

There are no known limitations in this release.

## PowerExchange for Salesforce (10.1.1 HotFix 1)

### PowerExchange for Salesforce Fixed Limitations (10.1.1 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-8701	The default row type is set to 2 (Delete) when you upgrade from PowerExchange for Salesforce 9.5.1.HF3 to 10.1.1.
OCON-8693	When the Error Log type is set to Relational Database, the error messages are not logged into PMERR tables.
OCON-8690	The column that has <code>AnyType</code> data type is not imported.
OCON-8684	The UPSERT operation fails when you upgrade from PowerExchange for Salesforce 9.1 to 10.1.
OCON-8681	When you use the Salesforce Bulk API and write data to a Salesforce object, data written to the SFDC error file is enclosed with double quotes.

## PowerExchange for Salesforce Known Limitations (10.1.1 HotFix 1)

There are no known limitations in this release.

## PowerExchange for Salesforce (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## CHAPTER 8

# PowerExchange for SAP NetWeaver

This chapter includes the following topics:

- [PowerExchange for SAP NetWeaver \(10.1.1 HotFix 2\), 19](#)
- [PowerExchange for SAP NetWeaver \(10.1.1 HotFix 1\), 21](#)
- [PowerExchange for SAP NetWeaver \(10.1.1\), 21](#)

## PowerExchange for SAP NetWeaver (10.1.1 HotFix 2)

### Dropped Support for the CPI-C Protocol

Informatica dropped support for the CPI-C protocol.

Use the RFC protocol to generate and install ABAP programs while reading data from SAP tables.

If you upgrade ABAP mappings that were generated with the CPI-C protocol, you must complete the following tasks:

1. Regenerate and reinstall the ABAP program by using RFC stream mode.
2. Create a System user or a communication user with the appropriate authorization profile to enable dialog-free communication between SAP and Informatica.

For more information, see the *Informatica PowerExchange for SAP NetWeaver 10.1.1 HotFix 2 User Guide for PowerCenter*.

### Install C++ Run-time Library libstdc++.so.6

Before you install and configure PowerExchange for SAP NetWeaver, install the C++ run-time 6.0 library libstdc++.so.6 on the Linux machine that hosts the PowerCenter Integration Service.

For more information about installing the C++ run-time library libstdc++.so.6, see SAP Note 1021236.

## Install Microsoft Run-time DLLs Version 8.0.50727.4053

Before you install and configure PowerExchange for SAP NetWeaver, install the Microsoft run-time DLLs version 8.0.50727.4053 on the Windows machine that hosts the PowerCenter Integration Service and the PowerCenter Client.

For more information about installing the Microsoft run-time DLLs version 8.0.50727.4053, see SAP Note 1375494.

## Patches and Libraries

This section contains information about patches and libraries required to run PowerExchange for SAP sessions.

## Updating the SAP BI System

To run a data extraction session by using SAP BI Open Hub Service, update the SAP BI systems with the following patches:

- Install Patch level 25 (SAPKW70025) on SAP BI 7.0.
- Install Patch level 4 (SAPKW74004) on SAP BW 7.4.
- Install Patch level 8 (SAPKW73008) on SAP BW 7.3.
- Install Patch level 20 (SAPKW35020) on SAP BW 3.5.

When you use the Open Hub Service (OHS) to read data in the RAW format from SAP BI, you must install SAP BW version 7.3 Support Package 5 or later. Update the SAP BW systems with the following patches:

- SAP notes 1690065
- SAP notes 1691813

## PowerExchange for SAP NetWeaver Fixed Limitations (10.1.1 HotFix 2)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-10345	When you read data from an InfoSpoke whose last column is of the CHAR data type and the column contains a NULL value, the PowerCenter Integration Service substitutes the NULL value with the data from the next row. As a result, incorrect data is written to the target.
OCON-10282	When you run an ABAP session, the session randomly fails with an error message indicating that the time at which the ABAP program was installed was earlier than the time at which the ABAP mapping was last saved.

## PowerExchange for SAP NetWeaver Known Limitations (10.1.1 HotFix 2)

There are no known limitations in this release.

# PowerExchange for SAP NetWeaver (10.1.1 HotFix 1)

## PowerExchange for SAP NetWeaver Fixed Limitations (10.1.1 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-8711	When you enable compression and read data from SAP tables through ABAP, sessions terminate randomly.
OCON-8677	When you write data to SAP BW, the InfoPackage status in the SAP BW Monitor is incorrectly set to green in the following scenarios: <ul style="list-style-type: none"><li>- The session aborts after writing some rows.</li><li>- The session stops after writing some rows.</li><li>- The session fails with an error.</li></ul>
OCON-8676	SAP BAPI sessions that contain table type parameters randomly fail and generate core files.

## PowerExchange for SAP NetWeaver Known Limitations (10.1.1 HotFix 1)

There are no known limitations in this release.

# PowerExchange for SAP NetWeaver (10.1.1)

## PowerExchange for SAP NetWeaver Fixed Limitations (10.1.1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-7221	When you update records in the SAP target table, the SAP table writer session fails with an out of memory error message. (463378)
OCON-7220	If you partition the listener workflow, the PowerCenter Integration Service does not trigger the BCI processing mapping. (463878)
OCON-6401	The PowerCenter Designer stops responding when you create an SAP/ALE IDoc Interpreter transformation or SAP/ALE IDoc Prepare transformation on Windows version 8.1.

Bug	Description
OCON-6400	The PowerCenter Designer stops responding when you create an SAP/ALE IDoc Interpreter transformation on Windows Server 2012 R2.
OCON-6323	When you use the pmrep installabaprogram command to generate and install an ABAP program, the ABAP program is always installed in CPI-C stream mode instead of RFC stream mode.
OCON-6218	When you configure partitions for an ABAP session and define a date field as the partition key, the PowerCenter Integration Service does not read the data correctly.
OCON-6214	When you enable compression and run an ABAP session, the session fails with a data conversion error message in certain situations.
OCON-2997	Installation of non-Unicode secure transports fails on SAP ECC version 6.0 instances.
OCON-2541	RFC stream mode sessions stop responding when SAP R/3 sources contain dates that are not valid.
CORE-74	If you update the Source Qualifier transformation ports in an SAP ABAP mapping, export the mapping, and later import the modified mapping XML file, the SAP Source Qualifier transformation in the PowerCenter Repository is corrupted. This issue occurs when the Source Qualifier transformation calls an ABAP function.

## PowerExchange for SAP NetWeaver Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
OCON-6663	When you run a mapping in streaming mode to read data from SAP tables, the session log displays an incorrect rejected records count.
OCON-2568	If you use patch 39 of the SAP NetWeaver RFC SDK libraries, the SAP BW Service does not start. (461350) Workaround: Use patch 38 of the SAP NetWeaver RFC SDK libraries and start the SAP BW Service.

## CHAPTER 9

# PowerExchange for Siebel

This chapter includes the following topics:

- [PowerExchange for Siebel \(10.1.1 HotFix 2\), 23](#)
- [PowerExchange for Siebel \(10.1.1 HotFix 1\), 23](#)
- [PowerExchange for Siebel \(10.1.1\), 23](#)

## PowerExchange for Siebel (10.1.1 HotFix 2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for Siebel (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for Siebel (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## CHAPTER 10

# PowerExchange for Teradata Parallel Transporter API

This chapter includes the following topics:

- [PowerExchange for Teradata Parallel Transporter API \(10.1.1 HotFix 2\), 24](#)
- [PowerExchange for Teradata Parallel Transporter API \(10.1.1 HotFix 1\), 25](#)
- [PowerExchange for Teradata Parallel Transporter API \(10.1.1\), 25](#)

## PowerExchange for Teradata Parallel Transporter API (10.1.1 HotFix 2)

### PowerExchange for Teradata Parallel Transporter API Fixed Limitations (10.1.1 HotFix 2)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-10339	Teradata sessions that connect to TTU version 14.10.00.07 or later and run a Teradata Stored Procedure fail with the following error message: <code>Invalid cursor state</code>

### PowerExchange for Teradata Parallel Transporter API Known Limitations (10.1.1 HotFix 2)

There are no known limitations in this release.



# PowerExchange for Teradata Parallel Transporter API (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

# PowerExchange for Teradata Parallel Transporter API (10.1.1)

## PowerExchange for Teradata Parallel Transporter API Fixed Limitations (10.1.1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for Teradata Parallel Transporter API Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
OCON-983	If a Teradata mapping fails when the error limit is reached, the Teradata target table gets locked. When you run the mapping again, the mapping fails because the target table is locked. This issue occurs when you use the Load operator. (443157)

## CHAPTER 11

# PowerExchange for Web Services

This chapter includes the following topics:

- [PowerExchange for Web Services \(10.1.1 HotFix 2\), 26](#)
- [PowerExchange for Web Services \(10.1.1 HotFix 1\), 26](#)
- [PowerExchange for Web Services \(10.1.1\), 26](#)

## PowerExchange for Web Services (10.1.1 HotFix 2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for Web Services (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for Web Services (10.1.1)

### PowerExchange for Web Services Fixed Limitations (10.1.1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

## PowerExchange for Web Services Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
OCON-2711	<p>When you upgrade, the password for the certificate file and private key file in the Web Service Consumer connection is deleted.</p> <p>Workaround: You must manually set the values for the <b>Certificate File Password</b> and <b>Key Password</b> fields in Web Service Consumer connections. (461072)</p>

## CHAPTER 12

# Informatica Global Customer Support

You can contact a Global Support Center by telephone or through Online Support on Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:

<http://www.informatica.com/us/services-and-training/support-services/global-support-centers>.

If you are an Informatica Network member, you can use Online Support at <http://network.informatica.com>.