



Informatica® PowerExchange Adapters for
PowerCenter

10.1.1 HotFix 1

Release Notes

Informatica PowerExchange Adapters for PowerCenter Release Notes
10.1.1 HotFix 1
June 2017

© Copyright Informatica LLC 1993, 2018

Publication Date: 2018-10-05

Table of Contents

Abstract.	viii
Informatica Bug Tracking System Change.	9
Chapter 1: PowerExchange for Amazon Redshift.	10
PowerExchange for Amazon Redshift (10.1.1 HotFix 1).	10
PowerExchange for Amazon Redshift Fixed Limitations.	10
PowerExchange for Amazon Redshift Known Limitations	10
PowerExchange for Amazon Redshift (10.1.1).	11
PowerExchange for Amazon Redshift Fixed Limitations (10.1.1).	11
PowerExchange for Amazon Redshift Known Limitations (10.1.1).	11
Chapter 2: PowerExchange for Amazon S3.	12
PowerExchange for Amazon S3 (10.1.1 HotFix 1).	12
PowerExchange for Amazon S3 Fixed Limitations (10.1.1 HotFix 1).	12
PowerExchange for Amazon S3 Known Limitations (10.1.1 HotFix 1).	12
PowerExchange for Amazon S3 (10.1.1).	12
PowerExchange for Amazon S3 Fixed Limitations (10.1.1).	12
PowerExchange for Amazon S3 Known Limitations (10.1.1).	13
Chapter 3: PowerExchange for Cassandra.	14
PowerExchange for Cassandra (10.1.1 HotFix 1).	14
PowerExchange for Cassandra Fixed Limitations (10.1.1 HotFix 1).	14
PowerExchange for Cassandra Third-Party Fixed Limitations (10.1.1 HotFix 1).	14
PowerExchange for Cassandra Known Limitations (10.1.1 HotFix 1).	14
PowerExchange for Cassandra (10.1.1).	15
PowerExchange for Cassandra Fixed Limitations (10.1.1).	15
PowerExchange for Cassandra Third-Party Fixed Limitations (10.1.1).	15
PowerExchange for Cassandra Known Limitations (10.1.1).	15
PowerExchange for Cassandra Third-Party Limitations (10.1.1).	15
Chapter 4: PowerExchange for Cloud Applications.	17
PowerExchange for Cloud Applications (10.1.1 HF1).	17
PowerExchange for Cloud Applications Fixed Limitations (10.1.1 HF1).	17
PowerExchange for Cloud Applications Known Limitations (10.1.1 HF1).	17
Chapter 5: PowerExchange for Essbase.	18
PowerExchange for Essbase (10.1.1 HotFix 1).	18
PowerExchange for Essbase (10.1.1).	18

Chapter 6: PowerExchange for Email Server.....	19
PowerExchange for Email Server (10.1.1 HotFix 1).	19
PowerExchange for Email Server (10.1.1).	19
Chapter 7: PowerExchange for Greenplum.....	20
PowerExchange for Greenplum (10.1.1 HotFix 1).	20
PowerExchange for Greenplum (10.1.1).	20
Chapter 8: PowerExchange for Hadoop.....	21
PowerExchange for Hadoop (10.1.1 HotFix 1).	21
PowerExchange for Hadoop Fixed Limitations (10.1.1 Hotfix 1).	21
PowerExchange for Hadoop Known Limitations (10.1.1 HotFix 1).	21
PowerExchange for Hadoop (10.1.1).	21
PowerExchange for Hadoop Fixed Limitations (10.1.1).	21
PowerExchange for Hadoop Known Limitations (10.1.1).	22
Chapter 9: PowerExchange for JD Edwards EnterpriseOne.....	23
PowerExchange for JD Edwards EnterpriseOne (10.1.1 HotFix 1).	23
PowerExchange for JD Edwards EnterpriseOne (10.1.1).	23
Chapter 10: PowerExchange for JD Edwards World.....	24
PowerExchange for JD Edwards World (10.1.1 HotFix 1).	24
PowerExchange for JD Edwards World (10.1.1).	24
Chapter 11: PowerExchange for JMS.....	25
PowerExchange for JMS (10.1.1 HotFix 1).	25
PowerExchange for JMS Fixed Limitations (10.1.1 HotFix 1).	25
PowerExchange for JMS Known Limitations (10.1.1 HotFix 1).	25
PowerExchange for JMS (10.1.1).	25
PowerExchange for JMS Fixed Limitations (10.1.1).	25
PowerExchange for JMS Known Limitations (10.1.1).	26
Chapter 12: PowerExchange for LDAP.....	27
PowerExchange for LDAP (10.1.1 HotFix 1).	27
PowerExchange for LDAP (10.1.1).	27
PowerExchange for LDAP Fixed Limitations (10.1.1).	27
PowerExchange for LDAP Known Limitations (10.1.1).	27
Chapter 13: PowerExchange for Lotus Notes.....	28
PowerExchange for Lotus Notes (10.1.1 HotFix 1).	28
PowerExchange for Lotus Notes (10.1.1).	28

Chapter 14: PowerExchange for Microsoft Azure Blob Storage.....	29
PowerExchange for Microsoft Azure Blob Storage (10.1.1 HotFix 1).	29
PowerExchange for Microsoft Azure Blob Storage Fixed Limitations (10.1.1 HF1).	29
PowerExchange for Microsoft Azure Blob Storage Known Limitations (10.1.1 HotFix 1).	29
PowerExchange for Microsoft Azure Blob Storage (10.1.1).	30
PowerExchange for Microsoft Azure Blob Storage Fixed Limitations (10.1.1).	30
PowerExchange for Microsoft Azure Blob Storage Known Limitations (10.1.1).	30
 Chapter 15: PowerExchange for Microsoft Azure SQL Data Warehouse.....	 31
PowerExchange for Microsoft Azure SQL Data Warehouse(10.1.1 HotFix 1).	31
PowerExchange for Microsoft Azure SQL Data Warehouse Fixed Limitations (10.1.1 HF1).	31
PowerExchange for Microsoft Azure SQL Data Warehouse Known Limitations (10.1.1 HF1).	32
PowerExchange for Microsoft Azure SQL Data Warehouse (10.1.1).	32
Microsoft Azure SQL Data Warehouse Fixed Limitations (10.1.1).	32
Microsoft Azure SQL Data Warehouse Known Limitations (10.1.1).	33
 Chapter 16: PowerExchange for MongoDB.....	 34
PowerExchange for MongoDB (10.1.1 HotFix 1).	34
PowerExchange for MongoDB (10.1.1).	34
PowerExchange for MongoDB Fixed Limitations (10.1.1).	34
PowerExchange for MongoDB Known Limitations (10.1.1).	34
PowerExchange for MongoDB Third-Party Limitations (10.1.1).	35
 Chapter 17: PowerExchange for Microsoft Dynamics CRM.....	 36
PowerExchange for Microsoft Dynamics CRM (10.1.1 HotFix 1).	36
PowerExchange for Microsoft Dynamics CRM (10.1.1).	36
 Chapter 18: PowerExchange for MSMQ.....	 37
PowerExchange for MSMQ (10.1.1 HotFix 1).	37
PowerExchange for MSMQ (10.1.1).	37
 Chapter 19: PowerExchange for Netezza.....	 38
PowerExchange for Netezza (10.1.1 HotFix 1).	38
PowerExchange for Netezza (10.1.1).	38
 Chapter 20: PowerExchange for Oracle E-Business Suite.....	 39
PowerExchange for Oracle E-business Suite (10.1.1 HotFix 1).	39
PowerExchange for Oracle E-Business Suite (10.1.1).	39
 Chapter 21: PowerExchange for PeopleSoft.....	 40
PowerExchange for PeopleSoft (10.1.1 HotFix 1).	40
PowerExchange for PeopleSoft (10.1.1).	40

Chapter 22: PowerExchange for Salesforce.....	41
PowerExchange for Salesforce (10.1.1 HotFix 1).	41
PowerExchange for Salesforce Fixed Limitations (10.1.1 Hotfix 1).	41
PowerExchange for Salesforce Known Limitations (10.1.1 HotFix 1).	41
PowerExchange for Salesforce (10.1.1).	42
Chapter 23: PowerExchange for SAP NetWeaver.....	43
PowerExchange for SAP NetWeaver (10.1.1 HotFix 1).	43
Install C++ Run-time Library libstdc++.so.6.	43
Install Microsoft Run-time DLLs Version 8.0.50727.4053	43
Patches and Libraries	43
Updating the SAP BI System	43
PowerExchange for SAP NetWeaver Fixed Limitations (10.1.1 HotFix 1).	44
PowerExchange for SAP NetWeaver Known Limitations (10.1.1 HotFix 1).	44
PowerExchange for SAP NetWeaver (10.1.1).	44
PowerExchange for SAP NetWeaver Fixed Limitations (10.1.1).	44
PowerExchange for SAP NetWeaver Known Limitations (10.1.1).	45
PowerExchange for SAP NetWeaver Third-Party Known Limitations (10.1.1).	46
Chapter 24: PowerExchange for Siebel.....	47
PowerExchange for Siebel (10.1.1 HotFix 1).	47
PowerExchange for Siebel (10.1.1).	47
Chapter 25: PowerExchange for Tableau.....	48
PowerExchange for Tableau (10.1.1 HotFix 1).	48
PowerExchange for Tableau (10.1.1).	48
Chapter 26: PowerExchange for Teradata Parallel Transporter API.....	49
PowerExchange for Teradata Parallel Transporter API (10.1.1 HotFix 1).	49
PowerExchange for Teradata Parallel Transporter API (10.1.1).	49
PowerExchange for Teradata Parallel Transporter API Fixed Limitations (10.1.1).	49
PowerExchange for Teradata Parallel Transporter API Known Limitations (10.1.1).	50
Chapter 27: PowerExchange for Vertica.....	51
PowerExchange for Vertica (10.1.1 HotFix 1).	51
PowerExchange for Vertica Fixed Limitations (10.1.1 Hotfix 1).	51
PowerExchange for Vertica Known Limitations (10.1.1 HotFix 1).	51
PowerExchange for Vertica (10.1.1).	51
Chapter 28: PowerExchange for Web Services.....	52
PowerExchange for Web Services (10.1.1 HotFix 1).	52
PowerExchange for Web Services (10.1.1).	52

PowerExchange for Web Services Fixed Limitations (10.1.1).	52
PowerExchange for Web Services Known Limitations (10.1.1).	52
Chapter 29: PowerExchange for webMethods.	53
PowerExchange for webMethods (10.1.1 HotFix 1).	53
PowerExchange for webMethods (10.1.1).	53
Chapter 30: PowerExchange for WebSphere MQ.	54
PowerExchange for WebSphere MQ (10.1.1 HotFix 1).	54
PowerExchange for WebSphere MQ (10.1.1).	54
Chapter 31: Informatica Global Customer Support.	55

Abstract

This document contains important information about installation, closed enhancements, fixed limitations, and known limitations for PowerExchange adapters for PowerCenter.

Informatica Bug Tracking System Change

Informatica is migrating bugs to a different bug tracking system. The bug numbers in the bug ID column are replaced with the bug number in the new tracking system. You can find the bug IDs from the previous tracking system after the bug description. For example, (397187).

CHAPTER 1

PowerExchange for Amazon Redshift

This chapter includes the following topics:

- [PowerExchange for Amazon Redshift \(10.1.1 HotFix 1\), 10](#)
- [PowerExchange for Amazon Redshift \(10.1.1\), 11](#)

PowerExchange for Amazon Redshift (10.1.1 HotFix 1)

PowerExchange for Amazon Redshift Fixed Limitations

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-8654	When you run an Amazon Redshift mapping, the connection to Amazon S3 fails.
OCON-8585	When you use an Amazon Redshift connection to perform an update or upsert pushdown operation for an ODBC type connection, the operation fails with the following error message: FnName: Execute Direct - [Amazon][AmazonRedshift] (30) Error occurred while trying to execute a query:[SQLState XX000] ERROR: This type of correlated subquery pattern isnot supported due to internal error

PowerExchange for Amazon Redshift Known Limitations

There are no known limitations in this release.

PowerExchange for Amazon Redshift (10.1.1)

PowerExchange for Amazon Redshift Fixed Limitations (10.1.1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-9171	When you run a session in real time to load records to an Amazon Redshift target from a real time source, the PowerCenter Repository Service does not load all the records to the target.
OCON-7029	The folder path you specify when you import Amazon Redshift objects from PowerCenter Designer cannot be overwritten when you configure the object in a mapping or in the Amazon Redshift object connection at run-time.
OCON-6159	The PowerCenter Integration Service ignores the Stop on Error option that you specify in the session properties.
OCON-6158	The PowerCenter Integration Service ignores the Commit Interval option that you specify in the session properties. Effective from PowerExchange for Amazon Redshift 10.1.1, the PowerCenter Integration Service honors the Commit Interval option and performs commit after 10000 rows are processed. Ensure to fine tune the options as per your requirement.
OCON-5824	The PowerCenter client saves all the connection attributes except the password attribute.(INFA443223)

PowerExchange for Amazon Redshift Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
OCON-7164	When a session fails after reaching the error threshold, the row statistics shows incorrect number of applied rows.
OCON-6858	If you add constraints to the table structure in a mapping, while the specified constraints are not present in the Amazon Redshift source table, the session fails with an error message.
OCON-6160	Though the connection properties display the Number of bytes needed to support multibytes for varchar field, multibytes for varchar is not supported. Workaround: Ignore the Number of bytes needed to support multibytes for varchar field.

CHAPTER 2

PowerExchange for Amazon S3

This chapter includes the following topics:

- [PowerExchange for Amazon S3 \(10.1.1 HotFix 1\), 12](#)
- [PowerExchange for Amazon S3 \(10.1.1\), 12](#)

PowerExchange for Amazon S3 (10.1.1 HotFix 1)

PowerExchange for Amazon S3 Fixed Limitations (10.1.1 HotFix 1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Amazon S3 Known Limitations (10.1.1 HotFix 1)

The following table describes known limitations:

Bug	Description
OCON-9017	When you read an Amazon S3 file that is not in a valid format, a null pointer exception occurs and an appropriate error message does not appear.

PowerExchange for Amazon S3 (10.1.1)

PowerExchange for Amazon S3 Fixed Limitations (10.1.1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Amazon S3 Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
OCON-7021	The PowerCenter Integration service does not process the filter conditions when you configure the source qualifier.
OCON-6512	The folder path you specify when you import Amazon S3 objects from PowerCenter Designer cannot be overwritten when you configure the object in a mapping or in the Amazon S3 object connection at run-time.
OCON-5986	When you write data to an Amazon S3 file, if there is a single or double quote in the source data, an extra quote is added to the target. (INFA450608)
OCON-5985	When you read data from or write data to an Amazon S3 file, the PowerCenter Integration Service might display an exception or the fields or metadata are not fetched as expected when you select incorrect Formatting Options. Workaround: You must select valid Formatting Options and proceed with the import process. (INFA450607)
OCON-5983	When you specify a delimiter in the Others option in File Formatting Options, the PowerCenter Integration Service might display an error or the fields or metadata are not fetched as expected. Workaround: Follow the below guidelines when you use the Others option for delimiter in File Formatting Options. <ul style="list-style-type: none">- You must use a single special character excluding comma as the delimiter such as #, @, &, or ~.- You must not use multibyte characters as the delimiter.- You must not use text qualifiers such as ' and " as the delimiter. (INFA451017)
OCON-7016	Amazon S3 Adapter does not support the Create Target option(INFA420509)

CHAPTER 3

PowerExchange for Cassandra

This chapter includes the following topics:

- [PowerExchange for Cassandra \(10.1.1 HotFix 1\), 14](#)
- [PowerExchange for Cassandra \(10.1.1\), 15](#)

PowerExchange for Cassandra (10.1.1 HotFix 1)

PowerExchange for Cassandra Fixed Limitations (10.1.1 HotFix 1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Cassandra Third-Party Fixed Limitations (10.1.1 HotFix 1)

The following table describes third-party fixed limitations:

Bug	Description
OCON-9020	When you use a Cassandra ODBC connection to import tables from the Cassandra column family, the ODBC driver fails to extract the tables from the schema. ODBC Simba driver reference number: 00092152
OCON-8071	When there are unconnected ports in an uncached lookup, the session fails. ODBC Simba driver reference number: 00092467

PowerExchange for Cassandra Known Limitations (10.1.1 HotFix 1)

There are no known limitations in this release.

PowerExchange for Cassandra (10.1.1)

PowerExchange for Cassandra Fixed Limitations (10.1.1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Cassandra Third-Party Fixed Limitations (10.1.1)

The following table describes third-party fixed limitations:

Bug	Description
OCON-667	If any schema in the Cassandra database contains a user defined type (UDT), the Cassandra ODBC driver does not list the tables from which you can import the metadata. (460849)

PowerExchange for Cassandra Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
PLAT-14671	When you select the Show Default Schema option in the Connection Explorer view, the Informatica Cassandra ODBC driver fails to fetch the tables from the default keyspace. Workaround: Disable the Show Default Schema option in the connection explorer and browse the keyspace to import the metadata. (421174)

PowerExchange for Cassandra Third-Party Limitations (10.1.1)

The following table describes third-party known limitations:

Bug	Description
PLAT-14799	The Cassandra database does not allow periods in column names. PreSQL or PostgreSQL queries generated with the SQL Editor fail with a syntax error because the SQL Editor prefixes periods to column names to qualify column names with table names. Workaround: Do not qualify column names with table names in queries. (397187)
PLAT-14798	The Cassandra database stores values of the Float data type in the exponential format. The value of the Float data type read by the Informatica Cassandra ODBC driver is not the same as the value of the Float data type in the Cassandra database because the Informatica Cassandra ODBC driver maps the Float data type to SQL_Real. (397018)
OCON-7027	The Cassandra ODBC driver does not support null values in collections and reports non-key columns in virtual tables as not nullable.

Bug	Description
OCON-7023	<p>If you use a single SQL statement to write multiple rows to a Cassandra target and you bind the default value to the first row, the insert statement fails.</p> <p>Workaround: Use null instead of the default value.</p>
OCON-6203	<p>The performance of writing data to a Cassandra target is slow when you use Cassandra ODBC driver 2.4.1 when compared to 2.0.18.</p>

CHAPTER 4

PowerExchange for Cloud Applications

This chapter includes the following topic:

- [PowerExchange for Cloud Applications \(10.1.1 HF1\), 17](#)

PowerExchange for Cloud Applications (10.1.1 HF1)

PowerExchange for Cloud Applications Fixed Limitations (10.1.1 HF1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-7581	For PowerExchange for Clouds Applications sessions, you can configure only the Insert operation. The Delete and Update operations are not supported.

PowerExchange for Cloud Applications Known Limitations (10.1.1 HF1)

The following table describes known limitations:

Bug	Description
OCON-7808	The metadata import fails when the table name contains special characters.

CHAPTER 5

PowerExchange for Essbase

This chapter includes the following topics:

- [PowerExchange for Essbase \(10.1.1 HotFix 1\), 18](#)
- [PowerExchange for Essbase \(10.1.1\), 18](#)

PowerExchange for Essbase (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Essbase (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 6

PowerExchange for Email Server

This chapter includes the following topics:

- [PowerExchange for Email Server \(10.1.1 HotFix 1\), 19](#)
- [PowerExchange for Email Server \(10.1.1\), 19](#)

PowerExchange for Email Server (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Email Server (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 7

PowerExchange for Greenplum

This chapter includes the following topics:

- [PowerExchange for Greenplum \(10.1.1 HotFix 1\), 20](#)
- [PowerExchange for Greenplum \(10.1.1\), 20](#)

PowerExchange for Greenplum (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Greenplum (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 8

PowerExchange for Hadoop

This chapter includes the following topics:

- [PowerExchange for Hadoop \(10.1.1 HotFix 1\), 21](#)
- [PowerExchange for Hadoop \(10.1.1\), 21](#)

PowerExchange for Hadoop (10.1.1 HotFix 1)

PowerExchange for Hadoop Fixed Limitations (10.1.1 Hotfix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
CORE-5739	The Integration Service shuts down the DTM process unexpectedly when you run a mapping with an HDFS target having the FileNamePort option.
CORE-5716	The Integration Service shuts down the DTM process unexpectedly when you run a mapping with a parameterized HDFS connection for source or target.

PowerExchange for Hadoop Known Limitations (10.1.1 HotFix 1)

There are no known limitations in this release.

PowerExchange for Hadoop (10.1.1)

PowerExchange for Hadoop Fixed Limitations (10.1.1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Hadoop Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
CORE-44	PowerExchange for Hadoop session fails on Knox-enabled HDP 2.3 cluster. (INFA458768)

CHAPTER 9

PowerExchange for JD Edwards EnterpriseOne

This chapter includes the following topics:

- [PowerExchange for JD Edwards EnterpriseOne \(10.1.1 HotFix 1\), 23](#)
- [PowerExchange for JD Edwards EnterpriseOne \(10.1.1\), 23](#)

PowerExchange for JD Edwards EnterpriseOne (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for JD Edwards EnterpriseOne (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 10

PowerExchange for JD Edwards World

This chapter includes the following topics:

- [PowerExchange for JD Edwards World \(10.1.1 HotFix 1\), 24](#)
- [PowerExchange for JD Edwards World \(10.1.1\), 24](#)

PowerExchange for JD Edwards World (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for JD Edwards World (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 11

PowerExchange for JMS

This chapter includes the following topics:

- [PowerExchange for JMS \(10.1.1 HotFix 1\), 25](#)
- [PowerExchange for JMS \(10.1.1\), 25](#)

PowerExchange for JMS (10.1.1 HotFix 1)

PowerExchange for JMS Fixed Limitations (10.1.1 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

CR	Description
OCON-8572	When a JMS target application momentarily shuts down, the PowerCenter Integration Service fails to recover the messages in the recovery queue.

PowerExchange for JMS Known Limitations (10.1.1 HotFix 1)

There are no known limitations in this release.

PowerExchange for JMS (10.1.1)

PowerExchange for JMS Fixed Limitations (10.1.1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-2132	The Integration Service fails to recover a session when writing data to JMS targets. This error occurs when the session terminates before the Integration Service commits messages to the JMS target.

PowerExchange for JMS Known Limitations (10.1.1)

There are no known limitations in this release.

CHAPTER 12

PowerExchange for LDAP

This chapter includes the following topics:

- [PowerExchange for LDAP \(10.1.1 HotFix 1\), 27](#)
- [PowerExchange for LDAP \(10.1.1\), 27](#)

PowerExchange for LDAP (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for LDAP (10.1.1)

PowerExchange for LDAP Fixed Limitations (10.1.1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for LDAP Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
PLAT-14848	When you enable CDC, the PowerCenter Integration Service fails to capture the changes made after the change number in the CDC file. The session fails and the following error is logged in the session log: at com.informatica.powerconnect.ldap.server.reader.LDAPRdrPartitionDriver.run(LDAPRdrPartitionDriver.java: 1873) (404317)

CHAPTER 13

PowerExchange for Lotus Notes

This chapter includes the following topics:

- [PowerExchange for Lotus Notes \(10.1.1 HotFix 1\), 28](#)
- [PowerExchange for Lotus Notes \(10.1.1\), 28](#)

PowerExchange for Lotus Notes (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Lotus Notes (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 14

PowerExchange for Microsoft Azure Blob Storage

This chapter includes the following topics:

- [PowerExchange for Microsoft Azure Blob Storage \(10.1.1 HotFix 1\), 29](#)
- [PowerExchange for Microsoft Azure Blob Storage \(10.1.1\), 30](#)

PowerExchange for Microsoft Azure Blob Storage (10.1.1 HotFix 1)

PowerExchange for Microsoft Azure Blob Storage Fixed Limitations (10.1.1 HF1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Microsoft Azure Blob Storage Known Limitations (10.1.1 HotFix 1)

There are no known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Microsoft Azure Blob Storage (10.1.1)

PowerExchange for Microsoft Azure Blob Storage Fixed Limitations (10.1.1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Microsoft Azure Blob Storage Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
OCON-7012	When you import a Microsoft Azure Blob Storage source or target definition, you cannot sort the object names alphabetically. (455716)
OCON-6773	When you read from Microsoft Azure Blob Storage and the record contains special character, the Data Preview does not load any data.
OCON-6740	When you read from Microsoft Azure Blob Storage and the length of the data field is larger than the port size, the mapping fails and does not log an error message in the log file. Workaround: Increase the port size in Source and Source Qualifier.
OCON-6738	When you edit a Microsoft Azure Blob Storage connection in the Workflow Manager, the Account Key becomes visible.
OCON-6686	When you read unicode data from Microsoft Azure Blob Storage, the Data Preview loads junk characters.

CHAPTER 15

PowerExchange for Microsoft Azure SQL Data Warehouse

This chapter includes the following topics:

- [PowerExchange for Microsoft Azure SQL Data Warehouse\(10.1.1 HotFix 1\), 31](#)
- [PowerExchange for Microsoft Azure SQL Data Warehouse \(10.1.1\), 32](#)

PowerExchange for Microsoft Azure SQL Data Warehouse(10.1.1 HotFix 1)

PowerExchange for Microsoft Azure SQL Data Warehouse Fixed Limitations (10.1.1 HF1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-8657	If you write data to Microsoft Azure SQL Data Warehouse, enable truncate table and the source table does not contain any data, the PowerCenter Integration Service does not honor the truncate table request.
OCON-8830	Even if you do not specify the success file directory, the PowerCenter Integration Service creates success files in the following directory: <code>\$INFA_HOME//server/infra_shared/TgtFiles/success</code>
OCON-8715	When you write data to Microsoft Azure SQL Data Warehouse, the PowerCenter Integration Service writes the empty string column as null instead of empty string.

PowerExchange for Microsoft Azure SQL Data Warehouse Known Limitations (10.1.1 HF1)

The following table describes known limitations:

CR	Description
OCON-8281	If you run a mapping in the SSL domain, the mapping fails with the following exception: The driver could not establish a secure connection to SQL Server by using Secure Sockets Layer (SSL) encryption. Error: "java.security.cert.CertificateException: Failed to validate the server name in a certificate during Secure Sockets Layer (SSL) initialization.
OCON-8746	When you run a mapping, the PowerCenter Integration Service does not use the schema name from AzureDW connection and uses the schema name specified during the import of Microsoft Azure SQL Data Warehouse object.
OCON-8768	When you update data in Microsoft Azure SQL Data Warehouse and select Update as Update or Update else Insert in the target session properties, the number of rows displayed in target statistics is incorrect.
OCON-8819	When you update data in Microsoft Azure SQL Data Warehouse and select update as insert in the target session property, the PowerCenter Integration Service rejects the rows.
OCON-9288	When you upsert or update data to Microsoft Azure SQL Data Warehouse and more than one column in the source table contains same value as the target column on which the primary key is defined, the PowerCenter Integration Service updates data incorrectly.

PowerExchange for Microsoft Azure SQL Data Warehouse (10.1.1)

Microsoft Azure SQL Data Warehouse Fixed Limitations (10.1.1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

Microsoft Azure SQL Data Warehouse Known Limitations (10.1.1)

The following table describes known limitations:

CR	Description
OCON-9279	<p>After you upgrade to PowerExchange for Microsoft Azure SQL Data Warehouse, if you run an existing Microsoft Azure SQL Data Warehouse session, the session fails.</p> <p>Workaround: Update the Azure Blob Account Key and Azure DW JDBC connection properties before you run the session.</p>
OCON-9278	<p>PowerExchange for Microsoft Azure SQL Data Warehouse does not support the datetimeoffset data type.</p>
OCON-9277	<p>If the Informatica server time zone observes Daylight Saving Time (DST) and datetime or datetime2 columns in Microsoft Azure SQL Data Warehouse table contains dates with Daylight Saving Time changes, the time is changed by an hour or the mapping fails with the following error:</p> <pre>JAVA PLUGIN_1762 : [ERROR] com.informatica.powercenter.sdk.SDKException: com.informatica.cloud.api.adapter.runtime.exception.ReadException: com.informatica.cloud.adapter.azure.dw.common.BlobException: org.joda.time.IllegalInstantException: Cannot parse "2001-04-01 02:27:50.0000000": Illegal instant due to time zone offset transition</pre> <p>Workaround: Add the JVMOption2 custom property for the Power Center Integration Service and specify the value as -DforceUTCTimestamp=true. Restart the Power Center Integration Service after you define the custom property.</p>
OCON-9276	<p>When the Microsoft Azure SQL Data Warehouse contains an empty record with a varbinary column, the PowerCenter Integration Service reads the record as NULL.</p>
OCON-9275	<p>When you write data to Microsoft Azure SQL Data Warehouse, the PowerCenter Integration Service increases the datetime and datetime2 values by four seconds. This issue occurs if the value of the year field is less than 1969.</p>
OCON-9273	<p>When the precision of the data in a varbinary column is less than the maximum precision, the PowerCenter Integration Service processes the varbinary data as binary data.</p>
OCON-7499	<p>After you upgrade to PowerExchange for Microsoft Azure SQL Data Warehouse, the blob container name does not appear in the target session property and the session fails.</p> <p>Workaround: Update the Azure Blob Container Name property before you run an existing session.</p>

CHAPTER 16

PowerExchange for MongoDB

This chapter includes the following topics:

- [PowerExchange for MongoDB \(10.1.1 HotFix 1\), 34](#)
- [PowerExchange for MongoDB \(10.1.1\), 34](#)

PowerExchange for MongoDB (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for MongoDB (10.1.1)

PowerExchange for MongoDB Fixed Limitations (10.1.1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for MongoDB Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
PLAT-14814	Transformation errors appear in the session log even if the mapping does not contain any transformations. Workaround: You can ignore the transformation errors. (406337)
PLAT-14809	You cannot run Mongo shell commands from the PowerCenter Client. (405297)
PLAT-14806	When you refresh a MongoDB data source in the Import Tables dialog box, the dropped MongoDB collections still appear. (404363)

Bug	Description
PLAT-14805	The virtual tables appear in the Import Tables dialog box only when you import the table metadata. (404362)
PLAT-14779	Column names of a MongoDB data object cannot exceed 255 characters. (344934)
PLAT-14710	The performance of inserting data to MongoDB with 3.0 WiredTiger storage engine is slow when compared to MMapV1 storage engine. (433440)

PowerExchange for MongoDB Third-Party Limitations (10.1.1)

The following table describes third-party known limitations:

Bug	Description
PLAT-14869	When you use PowerExchange for MongoDB to insert, update, or delete records in the MongoDB database, the performance for each of these operations is slow for a MongoDB cluster when compared to a single node. (437855)
PLAT-14829	The performance of writing data to MongoDB with 3.0 MMapV1 storage engine decreases with an increase in the number of partitions in PowerCenter. (411226)
PLAT-14821	When you enable reading or writing as JSON documents, JSON import might fail because the JSON import and export formats in the Informatica MongoDB driver are not symmetrical. Workaround: To load JSON documents, use the mongoimport tool. (408233)
PLAT-14819	When you run a mapping with a Joiner transformation to read from a MongoDB database prior to version 2.6.3, the following error might appear in the mapping log even if the nested element is not null: LEFT_SUBFIELD only supports Object. (407700)
PLAT-14811	Even when you enable Show array count in virtual main table , the Informatica MongoDB driver does not create the array count column. (405302)

CHAPTER 17

PowerExchange for Microsoft Dynamics CRM

This chapter includes the following topics:

- [PowerExchange for Microsoft Dynamics CRM \(10.1.1 HotFix 1\), 36](#)
- [PowerExchange for Microsoft Dynamics CRM \(10.1.1\), 36](#)

PowerExchange for Microsoft Dynamics CRM (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Microsoft Dynamics CRM (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 18

PowerExchange for MSMQ

This chapter includes the following topics:

- [PowerExchange for MSMQ \(10.1.1 HotFix 1\), 37](#)
- [PowerExchange for MSMQ \(10.1.1\), 37](#)

PowerExchange for MSMQ (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for MSMQ (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 19

PowerExchange for Netezza

This chapter includes the following topics:

- [PowerExchange for Netezza \(10.1.1 HotFix 1\), 38](#)
- [PowerExchange for Netezza \(10.1.1\), 38](#)

PowerExchange for Netezza (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Netezza (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 20

PowerExchange for Oracle E-Business Suite

This chapter includes the following topics:

- [PowerExchange for Oracle E-business Suite \(10.1.1 HotFix 1\), 39](#)
- [PowerExchange for Oracle E-Business Suite \(10.1.1\), 39](#)

PowerExchange for Oracle E-business Suite (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Oracle E-Business Suite (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 21

PowerExchange for PeopleSoft

This chapter includes the following topics:

- [PowerExchange for PeopleSoft \(10.1.1 HotFix 1\), 40](#)
- [PowerExchange for PeopleSoft \(10.1.1\), 40](#)

PowerExchange for PeopleSoft (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for PeopleSoft (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 22

PowerExchange for Salesforce

This chapter includes the following topics:

- [PowerExchange for Salesforce \(10.1.1 HotFix 1\), 41](#)
- [PowerExchange for Salesforce \(10.1.1\), 42](#)

PowerExchange for Salesforce (10.1.1 HotFix 1)

PowerExchange for Salesforce Fixed Limitations (10.1.1 Hotfix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-8701	The default row type is set to 2 (Delete) when you upgrade from PowerExchange for Salesforce 9.5.1.HF3 to 10.1.1.
OCON-8693	When the Error Log type is set to Relational Database, the error messages are not logged into PMERR tables.
OCON-8690	The column that has <code>AnyType</code> data type is not imported.
OCON-8684	The UPSERT operation fails when you upgrade from PowerExchange for Salesforce 9.1 to 10.1.
OCON-8681	When you use the Salesforce Bulk API and write data to a Salesforce object, data written to the SFDC error file is enclosed with double quotes.

PowerExchange for Salesforce Known Limitations (10.1.1 HotFix 1)

There are no known limitations in this release.

PowerExchange for Salesforce (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 23

PowerExchange for SAP NetWeaver

This chapter includes the following topics:

- [PowerExchange for SAP NetWeaver \(10.1.1 HotFix 1\), 43](#)
- [PowerExchange for SAP NetWeaver \(10.1.1\), 44](#)

PowerExchange for SAP NetWeaver (10.1.1 HotFix 1)

Install C++ Run-time Library libstdc++.so.6

Before you install and configure PowerExchange for SAP NetWeaver, install the C++ run-time 6.0 library `libstdc++.so.6` on the Linux machine that hosts the PowerCenter Integration Service.

For more information about installing the C++ run-time library `libstdc++.so.6`, see SAP Note 1021236.

Install Microsoft Run-time DLLs Version 8.0.50727.4053

Before you install and configure PowerExchange for SAP NetWeaver, install the Microsoft run-time DLLs version 8.0.50727.4053 on the Windows machine that hosts the PowerCenter Integration Service and the PowerCenter Client.

For more information about installing the Microsoft run-time DLLs version 8.0.50727.4053, see SAP Note 1375494.

Patches and Libraries

This section contains information about patches and libraries required to run PowerExchange for SAP sessions.

Updating the SAP BI System

To run a data extraction session by using SAP BI Open Hub Service, update the SAP BI systems with the following patches:

- Install Patch level 25 (SAPKW70025) on SAP BI 7.0.

- Install Patch level 4 (SAPKW74004) on SAP BW 7.4.
- Install Patch level 8 (SAPKW73008) on SAP BW 7.3.
- Install Patch level 20 (SAPKW35020) on SAP BW 3.5.

When you use the Open Hub Service (OHS) to read data in the RAW format from SAP BI, you must install SAP BW version 7.3 Support Package 5 or later. Update the SAP BW systems with the following patches:

- SAP notes 1690065
- SAP notes 1691813

PowerExchange for SAP NetWeaver Fixed Limitations (10.1.1 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-8711	When you enable compression and read data from SAP tables through ABAP, sessions terminate randomly.
OCON-8677	When you write data to SAP BW, the InfoPackage status in the SAP BW Monitor is incorrectly set to green in the following scenarios: <ul style="list-style-type: none"> - The session aborts after writing some rows. - The session stops after writing some rows. - The session fails with an error.
OCON-8676	SAP BAPI sessions that contain table type parameters randomly fail and generate core files.

PowerExchange for SAP NetWeaver Known Limitations (10.1.1 HotFix 1)

There are no known limitations in this release.

PowerExchange for SAP NetWeaver (10.1.1)

PowerExchange for SAP NetWeaver Fixed Limitations (10.1.1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-7221	When you update records in the SAP target table, the SAP table writer session fails with an out of memory error message. (463378)
OCON-7220	If you partition the listener workflow, the PowerCenter Integration Service does not trigger the BCI processing mapping. (463878)
OCON-6401	The PowerCenter Designer stops responding when you create an SAP/ALE IDoc Interpreter transformation or SAP/ALE IDoc Prepare transformation on Windows version 8.1.
OCON-6400	The PowerCenter Designer stops responding when you create an SAP/ALE IDoc Interpreter transformation on Windows Server 2012 R2.
OCON-6323	When you use the pmrep installabaprogram command to generate and install an ABAP program, the ABAP program is always installed in CPI-C stream mode instead of RFC stream mode.
OCON-6218	When you configure partitions for an ABAP session and define a date field as the partition key, the PowerCenter Integration Service does not read the data correctly.
OCON-6214	When you enable compression and run an ABAP session, the session fails with a data conversion error message in certain situations.
OCON-2997	Installation of non-Unicode secure transports fails on SAP ECC version 6.0 instances.
OCON-2541	RFC stream mode sessions stop responding when SAP R/3 sources contain dates that are not valid.
CORE-74	If you update the Source Qualifier transformation ports in an SAP ABAP mapping, export the mapping, and later import the modified mapping XML file, the SAP Source Qualifier transformation in the PowerCenter Repository is corrupted. This issue occurs when the Source Qualifier transformation calls an ABAP function.

PowerExchange for SAP NetWeaver Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
OCON-6663	When you run a mapping in streaming mode to read data from SAP tables, the session log displays an incorrect rejected records count.
OCON-2568	If you use patch 39 of the SAP NetWeaver RFC SDK libraries, the SAP BW Service does not start. (461350) Workaround: Use patch 38 of the SAP NetWeaver RFC SDK libraries and start the SAP BW Service.

PowerExchange for SAP NetWeaver Third-Party Known Limitations (10.1.1)

The following table describes third-party known limitations:

Bug	Description
OCON-2539	When you run a CPI-C stream mode session on a Red Hat Linux 6.5 operating system, the session fails. The PowerCenter Integration Service does not display any error message or generate a core file. (456948) SAP ticket reference number: 0000250971
OCON-2480	When you run a CPI-C stream mode session on a Red Hat Linux 7.0 operating system, the session shuts down unexpectedly. (441287) SAP ticket reference number: 0000250971

CHAPTER 24

PowerExchange for Siebel

This chapter includes the following topics:

- [PowerExchange for Siebel \(10.1.1 HotFix 1\), 47](#)
- [PowerExchange for Siebel \(10.1.1\), 47](#)

PowerExchange for Siebel (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Siebel (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 25

PowerExchange for Tableau

This chapter includes the following topics:

- [PowerExchange for Tableau \(10.1.1 HotFix 1\), 48](#)
- [PowerExchange for Tableau \(10.1.1\), 48](#)

PowerExchange for Tableau (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Tableau (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 26

PowerExchange for Teradata Parallel Transporter API

This chapter includes the following topics:

- [PowerExchange for Teradata Parallel Transporter API \(10.1.1 HotFix 1\), 49](#)
- [PowerExchange for Teradata Parallel Transporter API \(10.1.1\), 49](#)

PowerExchange for Teradata Parallel Transporter API (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Teradata Parallel Transporter API (10.1.1)

PowerExchange for Teradata Parallel Transporter API Fixed Limitations (10.1.1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Teradata Parallel Transporter API Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
OCON-983	If a Teradata mapping fails when the error limit is reached, the Teradata target table gets locked. When you run the mapping again, the mapping fails because the target table is locked. This issue occurs when you use the Load operator. (443157)

CHAPTER 27

PowerExchange for Vertica

This chapter includes the following topics:

- [PowerExchange for Vertica \(10.1.1 HotFix 1\), 51](#)
- [PowerExchange for Vertica \(10.1.1\), 51](#)

PowerExchange for Vertica (10.1.1 HotFix 1)

PowerExchange for Vertica Fixed Limitations (10.1.1 Hotfix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
CORE-5706	When you configure full pushdown optimization and the SQL override query is large, the mapping fails.

PowerExchange for Vertica Known Limitations (10.1.1 HotFix 1)

There are no known limitations.

PowerExchange for Vertica (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 28

PowerExchange for Web Services

This chapter includes the following topics:

- [PowerExchange for Web Services \(10.1.1 HotFix 1\), 52](#)
- [PowerExchange for Web Services \(10.1.1\), 52](#)

PowerExchange for Web Services (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Web Services (10.1.1)

PowerExchange for Web Services Fixed Limitations (10.1.1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Web Services Known Limitations (10.1.1)

The following table describes known limitations:

Bug	Description
OCON-2711	<p>When you upgrade, the password for the certificate file and private key file in the Web Service Consumer connection is deleted.</p> <p>Workaround: You must manually set the values for the Certificate File Password and Key Password fields in Web Service Consumer connections. (461072)</p>

CHAPTER 29

PowerExchange for webMethods

This chapter includes the following topics:

- [PowerExchange for webMethods \(10.1.1 HotFix 1\), 53](#)
- [PowerExchange for webMethods \(10.1.1\), 53](#)

PowerExchange for webMethods (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for webMethods (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 30

PowerExchange for WebSphere MQ

This chapter includes the following topics:

- [PowerExchange for WebSphere MQ \(10.1.1 HotFix 1\), 54](#)
- [PowerExchange for WebSphere MQ \(10.1.1\), 54](#)

PowerExchange for WebSphere MQ (10.1.1 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for WebSphere MQ (10.1.1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 31

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through Online Support on Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:

<http://www.informatica.com/us/services-and-training/support-services/global-support-centers>.

If you are an Informatica Network member, you can use Online Support at <http://network.informatica.com>.