



Informatica® Data Archive
6.4.4

Siebel Applications Accelerator Reference

© Copyright Informatica LLC 2003, 2018

This software and documentation contain proprietary information of Informatica LLC and are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright law. Reverse engineering of the software is prohibited. No part of this document may be reproduced or transmitted in any form, by any means (electronic, photocopying, recording or otherwise) without prior consent of Informatica LLC. This Software may be protected by U.S. and/or international Patents and other Patents Pending.

Use, duplication, or disclosure of the Software by the U.S. Government is subject to the restrictions set forth in the applicable software license agreement and as provided in DFARS 227.7202-1(a) and 227.7702-3(a) (1995), DFARS 252.227-7013(1)(ii) (OCT 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14 (ALT III), as applicable.

The information in this product or documentation is subject to change without notice. If you find any problems in this product or documentation, please report them to us in writing.

Informatica, Informatica Platform, Informatica Data Services, PowerCenter, PowerCenterRT, PowerCenter Connect, PowerCenter Data Analyzer, PowerExchange, PowerMart, Metadata Manager, Informatica Data Quality, Informatica Data Explorer, Informatica B2B Data Transformation, Informatica B2B Data Exchange Informatica On Demand, Informatica Identity Resolution, Informatica Application Information Lifecycle Management, Informatica Complex Event Processing, Ultra Messaging, Informatica Master Data Management, and Live Data Map are trademarks or registered trademarks of Informatica LLC in the United States and in jurisdictions throughout the world. All other company and product names may be trade names or trademarks of their respective owners.

Portions of this software and/or documentation are subject to copyright held by third parties, including without limitation: Copyright DataDirect Technologies. All rights reserved. Copyright © Sun Microsystems. All rights reserved. Copyright © RSA Security Inc. All Rights Reserved. Copyright © Ordinal Technology Corp. All rights reserved. Copyright © Aandacht c.v. All rights reserved. Copyright Genivia, Inc. All rights reserved. Copyright Isomorphic Software. All rights reserved. Copyright © Meta Integration Technology, Inc. All rights reserved. Copyright © Intalio. All rights reserved. Copyright © Oracle. All rights reserved. Copyright © Adobe Systems Incorporated. All rights reserved. Copyright © DataArt, Inc. All rights reserved. Copyright © ComponentSource. All rights reserved. Copyright © Microsoft Corporation. All rights reserved. Copyright © Rogue Wave Software, Inc. All rights reserved. Copyright © Teradata Corporation. All rights reserved. Copyright © Yahoo! Inc. All rights reserved. Copyright © Glyph & Cog, LLC. All rights reserved. Copyright © Thinkmap, Inc. All rights reserved. Copyright © Clearpace Software Limited. All rights reserved. Copyright © Information Builders, Inc. All rights reserved. Copyright © OSS Nokalva, Inc. All rights reserved. Copyright Edifecs, Inc. All rights reserved. Copyright Cleo Communications, Inc. All rights reserved. Copyright © International Organization for Standardization 1986. All rights reserved. Copyright © ej-technologies GmbH. All rights reserved. Copyright © Jaspersoft Corporation. All rights reserved. Copyright © International Business Machines Corporation. All rights reserved. Copyright © yWorks GmbH. All rights reserved. Copyright © Lucent Technologies. All rights reserved. Copyright © University of Toronto. All rights reserved. Copyright © Daniel Veillard. All rights reserved. Copyright © Unicode, Inc. Copyright IBM Corp. All rights reserved. Copyright © MicroQuill Software Publishing, Inc. All rights reserved. Copyright © PassMark Software Pty Ltd. All rights reserved. Copyright © LogiXML, Inc. All rights reserved. Copyright © 2003-2010 Lorenzi Davide, All rights reserved. Copyright © Red Hat, Inc. All rights reserved. Copyright © The Board of Trustees of the Leland Stanford Junior University. All rights reserved. Copyright © EMC Corporation. All rights reserved. Copyright © Flexera Software. All rights reserved. Copyright © Jinfonet Software. All rights reserved. Copyright © Apple Inc. All rights reserved. Copyright © Telerik Inc. All rights reserved. Copyright © BEA Systems. All rights reserved. Copyright © PDFlib GmbH. All rights reserved. Copyright © Orientation in Objects GmbH. All rights reserved. Copyright © Tanuki Software, Ltd. All rights reserved. Copyright © Ricebridge. All rights reserved. Copyright © Sencha, Inc. All rights reserved. Copyright © Scalable Systems, Inc. All rights reserved. Copyright © jqWidgets. All rights reserved. Copyright © Tableau Software, Inc. All rights reserved. Copyright © MaxMind, Inc. All Rights Reserved. Copyright © TMate Software s.r.o. All rights reserved. Copyright © MapR Technologies Inc. All rights reserved. Copyright © Amazon Corporate LLC. All rights reserved. Copyright © Highsoft. All rights reserved. Copyright © Python Software Foundation. All rights reserved. Copyright © BeOpen.com. All rights reserved. Copyright © CNRI. All rights reserved.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>), and/or other software which is licensed under various versions of the Apache License (the "License"). You may obtain a copy of these Licenses at <http://www.apache.org/licenses/>. Unless required by applicable law or agreed to in writing, software distributed under these Licenses is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Licenses for the specific language governing permissions and limitations under the Licenses.

This product includes software which was developed by Mozilla (<http://www.mozilla.org/>), software copyright The JBoss Group, LLC, all rights reserved; software copyright © 1999-2006 by Bruno Lowagie and Paulo Soares and other software which is licensed under various versions of the GNU Lesser General Public License Agreement, which may be found at <http://www.gnu.org/licenses/lgpl.html>. The materials are provided free of charge by Informatica, "as-is", without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

The product includes ACE(TM) and TAO(TM) software copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (©) 1993-2006, all rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (copyright The OpenSSL Project. All Rights Reserved) and redistribution of this software is subject to terms available at <http://www.openssl.org> and <http://www.openssl.org/source/license.html>.

This product includes Curl software which is Copyright 1996-2013, Daniel Stenberg, <daniel@haxx.se>. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at <http://curl.haxx.se/docs/copyright.html>. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

The product includes software copyright 2001-2005 (©) MetaStuff, Ltd. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at <http://www.dom4j.org/license.html>.

The product includes software copyright © 2004-2007, The Dojo Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at <http://dojotoolkit.org/license>.

This product includes ICU software which is copyright International Business Machines Corporation and others. All rights reserved. Permissions and limitations regarding this software are subject to terms available at <http://source.icu-project.org/repos/icu/icu/trunk/license.html>.

This product includes software copyright © 1996-2006 Per Bothner. All rights reserved. Your right to use such materials is set forth in the license which may be found at <http://www.gnu.org/software/kawa/Software-License.html>.

This product includes OSSP UUID software which is Copyright © 2002 Ralf S. Engelschall, Copyright © 2002 The OSSP Project Copyright © 2002 Cable & Wireless Deutschland. Permissions and limitations regarding this software are subject to terms available at <http://www.opensource.org/licenses/mit-license.php>.

This product includes software developed by Boost (<http://www.boost.org/>) or under the Boost software license. Permissions and limitations regarding this software are subject to terms available at http://www.boost.org/LICENSE_1_0.txt.

This product includes software copyright © 1997-2007 University of Cambridge. Permissions and limitations regarding this software are subject to terms available at <http://www.pcre.org/license.txt>.

This product includes software copyright © 2007 The Eclipse Foundation. All Rights Reserved. Permissions and limitations regarding this software are subject to terms available at <http://www.eclipse.org/org/documents/epl-v10.php> and at <http://www.eclipse.org/org/documents/edl-v10.php>.

This product includes software licensed under the terms at <http://www.tcl.tk/software/tcltk/license.html>, <http://www.bosrup.com/web/overlib/?License>, <http://www.stlport.org/doc/license.html>, <http://asm.ow2.org/license.html>, <http://www.cryptix.org/LICENSE.TXT>, <http://hsqldb.org/web/hsqldbLicense.html>, <http://httpunit.sourceforge.net/doc/license.html>, <http://jung.sourceforge.net/license.txt>, http://www.gzip.org/zlib/zlib_license.html, <http://www.openldap.org/software/release/license.html>, <http://www.libssh2.org>, <http://slf4j.org/license.html>, <http://www.sente.ch/software/OpenSourceLicense.html>, <http://fusesource.com/downloads/license-agreements/fuse-message-broker-v-5-3-license-agreement>, <http://antlr.org/license.html>, <http://aopalliance.sourceforge.net/>, <http://www.bouncycastle.org/licence.html>, <http://www.jgraph.com/jgraphdownload.html>, <http://www.jcraft.com/jsch/LICENSE.txt>, http://jotm.objectweb.org/bsd_license.html, <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>, <http://www.slf4j.org/license.html>, <http://nanoxml.sourceforge.net/orig/copyright.html>, <http://www.json.org/license.html>, <http://forge.ow2.org/projects/javaservice/>, <http://www.postgresql.org/about/licence.html>, <http://www.sqlite.org/copyright.html>, <http://www.tcl.tk/software/tcltk/license.html>, <http://www.jaxen.org/faq.html>, <http://www.jdom.org/docs/faq.html>, <http://www.slf4j.org/license.html>, <http://www.iodbc.org/dataspace/iodbc/wiki/IODBC/License>, <http://www.keplerproject.org/md5/license.html>, <http://www.toedter.com/en/jcalendar/license.html>, <http://www.edankert.com/bounce/index.html>, <http://www.net-snmp.org/about/license.html>, <http://www.openmdx.org/#FAQ>, http://www.php.net/license/3_01.txt, <http://srp.stanford.edu/license.txt>, <http://www.schneider.com/blowfish.html>, <http://www.jmock.org/license.html>, <http://xsom.java.net>, <http://benalman.com/about/license/>, <https://github.com/CreateJS/EaselJS/blob/master/src/easeljs/display/Bitmap.js>, <http://www.h2database.com/html/license.html#summary>, <http://jsoncpp.sourceforge.net/LICENSE>, <http://jdbc.postgresql.org/license.html>, <http://protobuf.googlecode.com/svn/trunk/src/google/protobuf/descriptor.proto>, <https://github.com/rantav/hector/blob/master/LICENSE>, <http://web.mit.edu/Kerberos/krb5-current/doc/mitK5license.html>, <http://jibx.sourceforge.net/jibx-license.html>, <https://github.com/lyokato/libgeohash/blob/master/LICENSE>, <https://github.com/hjiang/jsonxx/blob/master/LICENSE>, <https://code.google.com/p/lz4/>, <https://github.com/jedisct1/libsodium/blob/master/LICENSE>, <http://one-jar.sourceforge.net/index.php?page=documents&file=license>, <https://github.com/EsotericSoftware/kryo/blob/master/license.txt>, <http://www.scala-lang.org/license.html>, <https://github.com/tinkerpop/blueprints/blob/master/LICENSE.txt>, <http://gee.cs.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html>, <https://aws.amazon.com/ssl/>, <https://github.com/twbs/bootstrap/blob/master/LICENSE>, <https://sourceforge.net/p/xmlunit/code/HEAD/tree/trunk/LICENSE.txt>, <https://github.com/documentcloud/underscore-contrib/blob/master/LICENSE>, and <https://github.com/apache/hbase/blob/master/LICENSE.txt>.

This product includes software licensed under the Academic Free License (<http://www.opensource.org/licenses/afl-3.0.php>), the Common Development and Distribution License (<http://www.opensource.org/licenses/cddl1.php>), the Common Public License (<http://www.opensource.org/licenses/cpl1.0.php>), the Sun Binary Code License Agreement Supplemental License Terms, the BSD License (<http://www.opensource.org/licenses/bsd-license.php>), the new BSD License (<http://opensource.org/licenses/BSD-3-Clause>), the MIT License (<http://www.opensource.org/licenses/mit-license.php>), the Artistic License (<http://www.opensource.org/licenses/artistic-license-1.0>) and the Initial Developer's Public License Version 1.0 (<http://www.firebirdsql.org/en/initial-developer-s-public-license-version-1-0/>).

This product includes software copyright © 2003-2006 Joe Walnes, 2006-2007 XStream Committers. All rights reserved. Permissions and limitations regarding this software are subject to terms available at <http://xstream.codehaus.org/license.html>. This product includes software developed by the Indiana University Extreme! Lab. For further information please visit <http://www.extreme.indiana.edu/>.

This product includes software Copyright (c) 2013 Frank Balluffi and Markus Moeller. All rights reserved. Permissions and limitations regarding this software are subject to terms of the MIT license.

See patents at <https://www.informatica.com/legal/patents.html>.

DISCLAIMER: Informatica LLC provides this documentation "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of noninfringement, merchantability, or use for a particular purpose. Informatica LLC does not warrant that this software or documentation is error free. The information provided in this software or documentation may include technical inaccuracies or typographical errors. The information in this software and documentation is subject to change at any time without notice.

NOTICES

This Informatica product (the "Software") includes certain drivers (the "DataDirect Drivers") from DataDirect Technologies, an operating company of Progress Software Corporation ("DataDirect") which are subject to the following terms and conditions:

1. THE DATADIRECT DRIVERS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.
2. IN NO EVENT WILL DATADIRECT OR ITS THIRD PARTY SUPPLIERS BE LIABLE TO THE END-USER CUSTOMER FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES ARISING OUT OF THE USE OF THE ODBC DRIVERS, WHETHER OR NOT INFORMED OF THE POSSIBILITIES OF DAMAGES IN ADVANCE. THESE LIMITATIONS APPLY TO ALL CAUSES OF ACTION, INCLUDING, WITHOUT LIMITATION, BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS.

Publication Date: 2018-07-20

Table of Contents

Preface	6
Informatica Resources.	6
Informatica Network.	6
Informatica Knowledge Base.	6
Informatica Documentation.	6
Informatica Product Availability Matrixes.	7
Informatica Velocity.	7
Informatica Marketplace.	7
Informatica Global Customer Support.	7
 Chapter 1: Start Here.....	 8
Data Archive Overview.	8
Worksheets and Business Rules.	8
 Chapter 2: Accounts.....	 9
Accounts Overview.	9
Worksheet.	9
 Chapter 3: Activities.....	 11
Activities Overview.	11
Worksheet.	11
 Chapter 4: Assets.....	 13
Assets Overview.	13
Worksheet.	13
 Chapter 5: Change Request.....	 15
Change Request Overview.	15
Worksheet.	15
 Chapter 6: Contacts.....	 17
Contacts Overview.	17
Worksheet.	17
 Chapter 7: Invoices.....	 19
Invoices Overview.	19
Worksheet.	19
 Chapter 8: Opportunities.....	 21
Opportunities Overview.	21

Worksheet	21
Chapter 9: Orders.....	23
Orders Overview.	23
Worksheet	23
Chapter 10: Quotes.....	25
Quotes Overview.	25
Worksheet	25
Chapter 11: Service Request.....	27
Service Request Overview.	27
Worksheet	27
Chapter 12: Solutions.....	29
Solutions Overview.	29
Worksheet	29

Preface

The *Data Archive Siebel Applications Accelerator Reference* is written for Database Administrators (DBAs) that perform key tasks involving data backup, restore and retrieval using the Informatica Data Archive User Interface (UI). This guide assumes you have knowledge of your operating systems, relational database concepts, and the database engines, flat files, or mainframe systems in your environment.

Informatica Resources

Informatica Network

Informatica Network hosts Informatica Global Customer Support, the Informatica Knowledge Base, and other product resources. To access Informatica Network, visit <https://network.informatica.com>.

As a member, you can:

- Access all of your Informatica resources in one place.
- Search the Knowledge Base for product resources, including documentation, FAQs, and best practices.
- View product availability information.
- Review your support cases.
- Find your local Informatica User Group Network and collaborate with your peers.

Informatica Knowledge Base

Use the Informatica Knowledge Base to search Informatica Network for product resources such as documentation, how-to articles, best practices, and PAMs.

To access the Knowledge Base, visit <https://kb.informatica.com>. If you have questions, comments, or ideas about the Knowledge Base, contact the Informatica Knowledge Base team at KB_Feedback@informatica.com.

Informatica Documentation

To get the latest documentation for your product, browse the Informatica Knowledge Base at https://kb.informatica.com/_layouts/ProductDocumentation/Page/ProductDocumentSearch.aspx.

If you have questions, comments, or ideas about this documentation, contact the Informatica Documentation team through email at infa_documentation@informatica.com.

Informatica Product Availability Matrixes

Product Availability Matrixes (PAMs) indicate the versions of operating systems, databases, and other types of data sources and targets that a product release supports. If you are an Informatica Network member, you can access PAMs at

<https://network.informatica.com/community/informatica-network/product-availability-matrices>.

Informatica Velocity

Informatica Velocity is a collection of tips and best practices developed by Informatica Professional Services. Developed from the real-world experience of hundreds of data management projects, Informatica Velocity represents the collective knowledge of our consultants who have worked with organizations from around the world to plan, develop, deploy, and maintain successful data management solutions.

If you are an Informatica Network member, you can access Informatica Velocity resources at <http://velocity.informatica.com>.

If you have questions, comments, or ideas about Informatica Velocity, contact Informatica Professional Services at ips@informatica.com.

Informatica Marketplace

The Informatica Marketplace is a forum where you can find solutions that augment, extend, or enhance your Informatica implementations. By leveraging any of the hundreds of solutions from Informatica developers and partners, you can improve your productivity and speed up time to implementation on your projects. You can access Informatica Marketplace at <https://marketplace.informatica.com>.

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through Online Support on Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:

<http://www.informatica.com/us/services-and-training/support-services/global-support-centers>.

If you are an Informatica Network member, you can use Online Support at <http://network.informatica.com>.

CHAPTER 1

Start Here

This chapter includes the following topic:

- [Data Archive Overview, 8](#)

Data Archive Overview

When your organization purchases a license to use Informatica Data Archive, you get licenses for one or more Data Archive Modules. Each Module contains one or more Entities, which enable Archives to manage transaction tables used by a particular ERP application or module.

Worksheets and Business Rules

Worksheets

Entities have parameters that determine the records that will be archived and purged. Complete the worksheets in this section to determine the Entity's parameters. When you finish, you are ready to begin using Data Archive.

Business Rules

This guide contains explanations of the Business Rules encapsulated in the Entity, with recommended workarounds for rules that have exceptions. This information can provide insight into methods about using Data Archive Business Rules to suit your business needs and “archive and purge” strategy. Both your user community and application developers are likely to find this information useful.

CHAPTER 2

Accounts

This chapter includes the following topics:

- [Accounts Overview, 9](#)
- [Worksheet, 9](#)

Accounts Overview

Accounts play a critical role in defining the Siebel-owning companies' positional hierarchy. This includes mapping all regions and divisions into a hierarchy that is reflective of the companies reporting structure. In a typical Siebel implementation, hundreds of Account records makeup divisions, subdivisions, regions, etc. These records should never be archived from a Clients production database. Account records contain information about people with whom the client enters into business. Account records are one of the most highly transacted records.

Worksheet

Business Rules: Summary Information

System: Data Archive

Subsystem: Accounts

Cycle Name:

Cycle Date:

Parameter	Definition	Required?	Default	Your Organization's Value
p_org_id	Organization	No	NULL	
p_period_to	Last Update Date (LAST_UPD)	Yes	NULL	

Accounts that meet all of the following criteria will be considered inactive and are candidates for archive and purge process.

- The account is not related to any agreements.
- The account is not related to any agreement items.
- The account is not related to any Activities.
- The account is not related to any Call Lists.
- The account is not related to Assets as primary account.
- The account is not related to Assets.
- The account is not related to any Marketing Offers.
- The account is not related to any of the Quotes.
- The account is not related to any of the Quote Terms.
- The account is not related to Activities.
- The account is not related to any Event Travel Plans.
- The account is not related to any Event Locations.
- The account does not participate in Forecast Line Item.
- The account does not participate in Compensation Deal Credit.
- The account does not participate in Transactions that can be compensated.
- The account is not an Inventory Location.
- The account is not an Organization for any other Inventory Locations.
- The account is not related to Invoices.
- The account is not related to Opportunities.
- The account is not associated with Part Repairs.
- The account is not part of an Internal Organization.
- The account is not associated with Change Requests.
- The account is not associated with a Marketing Event or an Activity.
- The account is not associated with an Event Organization.
- The account is not associated with an Event Equipment Requirement.
- The account is not associated with a Service Request.
- The account is not associated with Invoice Charges.
- The account is not associated with Orders.

Exception Description

If an Account does not satisfy any of the above Business Rules, it should not be a candidate for archive and purge.

Exception Workaround

Informatica does not make any adjustments to this rule since it does not support archiving and purging information related to the Account if it is participating in any of the Business Rules.

CHAPTER 3

Activities

This chapter includes the following topics:

- [Activities Overview, 11](#)
- [Worksheet, 11](#)

Activities Overview

Activities are the tasks and actions performed to maintain relationships with customers. These customers are companies or individuals with which your company conducts business. It archives and purges the inactive activities of companies or individuals with which the company conducts business.

Worksheet

Business Rules: Summary Information

System: Data Archive

Subsystem: Activities

Cycle Name:

Cycle Date:

Parameter	Definition	Required?	Default	Your Organization's Value
p_org_id	Organization	No	NULL	
p_period_to	Actual Activity End Date (TODO_ACTL_END_DT)	Yes	NULL	
p_act_status	Activity Status Code	No	NULL	

Activities that meet all of the following criteria are considered inactive and are candidates for archive and purge process.

- Activities status is set to Cancelled, Done, Declined, Completed, or Closed.

- Status of an Activity is Done, which indicates the Activity is complete.
- Activity related Quote status is set to Accepted, Approved, or Rejected.
- Status of an Activity related to another Activity is set to Cancelled, Done, Declined, Completed, or Closed.
- Activity related Invoice status is set to Paid, Written Off, Cancelled, Closed, or Rejected.
- Activity related Order status is set to Closed, Cancelled, Rejected, or Complete.
- Activity related Order Item status is set to Approved or Booked.
- Activity is not associated with a Contact.
- Activity associated Campaign status is Completed or Cancelled.
- Activity associated Opportunity status is Accepted or Rejected.
- Activity is not associated with an Account.
- Activity associated Product Defect status is Closed or Verified.

Exception Description

If an Activity does not satisfy any of the above Business Rules, it should not be a candidate for archive and purge.

Exception Workaround

Informatica does not make any adjustments to this rule since it does not support archiving and purging information related to the Activity if it is participating in any of the Business Rules.

CHAPTER 4

Assets

This chapter includes the following topics:

- [Assets Overview, 13](#)
- [Worksheet, 13](#)

Assets Overview

Assets in Siebel are considered as an instance of a Siebel product. Asset records are rarely transacted. However, they are referenced often in terms of agreements, entitlement, and warranty coverage. Assets are a core component of Siebel's Service module.

Worksheet

Business Rules: Summary Information

System: Data Archive

Subsystem: Assets

Cycle Name:

Cycle Date:

Parameter	Definition	Required?	Default	Your Organization's Value
p_org_id	Organization	No	NULL	
p_period_to	Last Update Date (LAST_UPD)	Yes	NULL	

Assets that meet all of the following criteria will be considered inactive and are candidates for archive and purge process:

- Asset status is set to a status other than Active.
- Asset is part of an Order Item and the status of that Order Line Item is Closed, Cancelled, or Rejected.

- Asset is part of an Opportunity and the status of that Opportunity line is Lost, or Rejected.
- Asset is not part of an Invoice Item.
- Asset is not part of an Entitlement Item.
- Asset is part of an Auction Item and the status of the Auction Item is Closed.

Exception Description

If an Asset does not satisfy any of the above Business Rules, it should not be a candidate for archive.

Exception Workaround

Informatica does not make any adjustments to this rule since it does not support archiving and purging information related to the Asset if the status is Active.

CHAPTER 5

Change Request

This chapter includes the following topics:

- [Change Request Overview, 15](#)
- [Worksheet , 15](#)

Change Request Overview

Change request (CR) is a formal report or recommendation aimed at correcting a defect or adding an improvement to a product. Such products can include hardware, software, manufactured goods and capital equipment. Siebel Quality can manage multiple types of change requests, including enhancement requests and product defect reports.

Worksheet

Business Rules: Summary Information

System: Data Archive

Subsystem: Change Request

Cycle Name:

Cycle Date:

Parameter	Definition	Required?	Default	Your Organization's Value
p_org_id	Organization	No	NULL	
p_period_to	Last Update Date (LAST_UPD)	Yes	NULL	
p_defect_type	Defect Type	No	NULL	

Parameter	Definition	Required?	Default	Your Organization's Value
p_defect_area	Defect Area	No	NULL	
p_defect_sub_area_cd	Defect Sub Area	No	NULL	

Change Requests that meet all of the following criteria will be considered inactive and are candidates for archive and purge process.

- Change Request status is set to Closed or Verified.
- Change Request is not part of a Service Request.

Exception Description

If a Change Request does not satisfy any of the above Business Rules, it should not be a candidate for archive and purge.

Exception Workaround

Informatica does not make any adjustments to this rule since it does not support archiving and purging information related to the Change Request if it is participating in any of the Business Rules.

CHAPTER 6

Contacts

This chapter includes the following topics:

- [Contacts Overview, 17](#)
- [Worksheet , 17](#)

Contacts Overview

Contacts are all persons that come in contact with the Siebel application, including a person or individual involved in the sales, service, or marketing process. They are also users of the Siebel system, employees within the enterprise organization, or partner users of the Siebel application. Contacts in Siebel support many groups and functions across the enterprise. Contacts are some of the most highly transacted records.

Worksheet

Business Rules: Summary Information

System: Data Archive

Subsystem: Contacts

Cycle Name:

Cycle Date:

Parameter	Definition	Required?	Default	Your Organization's Value
p_org_id	Organization	No	NULL	
p_period_to	Last Update Date (LAST_UPD)	Yes	NULL	

Contacts that meet all of the following criteria are considered inactive and are candidates for archive and purge process:

- Contact has related Assets and the status of the Assets is not Active.

- Contact has related Campaigns and the status of the Campaigns is Rejected or Completed.
- Contact has related Agreements and the status of the Agreements is Expired, Cancelled, or Inactive.
- Contact has related Quotes and the status of the Quotes is Expired or Rejected.
- Contact has related Activities and the status of the Activities is Cancelled, Done, Declined, Completed, or Closed.
- Contact is not related to any Entitlements.
- Contact has related Fulfillment Requests and their status is Cancelled or Done.
- Contact is part of an Event and the status of the Event is Cancelled.
- Contact is not related to any Travel Plan for any of the Events.
- Contact is not related to any Event Reviews.
- Contact is not related to any Event Vendor Reviews.
- Contact is related to any Event Location with a status of Inactive or Retired.
- Contact is related to Invoices with a status of Cancelled, Rejected, or Closed.
- Contact is part of any of the Billing Contacts for the Invoices.
- Contact is related to an Opportunity; then the Opportunity which is Rejected.
- Contact is related to any of the Part Repairs; and all of them are marked with a Closed status.
- Contact is related to any of the Partner Program Applications; and their status is Rejected.
- Contact is related to a Service Request; which has a Closed or Cancelled status.

Exception Description

If a Contact does not satisfy any of the above Business Rules, it should not be a candidate for archive and purge.

Exception Workaround

Informatica does not make any adjustments to this rule since it does not support archiving and purging information related to the Contact if it is participating in any of the Business Rules.

CHAPTER 7

Invoices

This chapter includes the following topics:

- [Invoices Overview, 19](#)
- [Worksheet, 19](#)

Invoices Overview

An invoice may be considered as receivable or payable for the company. It may be generated to bill for an order, a project, a part repair, an agreement, a service request or an activity for products or services. Items on the invoice may be reconciled with one or more other entities as well. A payment may be made for one or more Invoices, and an invoice may be paid through one or more payments.

Worksheet

Business Rules: Summary Information

System: Data Archive

Subsystem: Invoices

Cycle Name:

Cycle Date:

Parameter	Definition	Required?	Default	Your Organization's Value
p_period_to	Fully Paid Date (INVC_FULLY_PAID_DT)	Yes	NULL	
p_org_id	Bill to Account Organization	No	NULL	

Invoices that meet all of the following criteria will be considered inactive and are candidates for archive and purge process:

- Invoice status is set to Cancelled, Closed or Rejected.

- Invoice is related to a Service Request and its status is set to Closed or Cancelled.
- Invoice is related to an Order and its status is set to Closed, Cancelled, Rejected, or Complete.

Exception Description

If an Invoice does not satisfy any of the above Business Rules, it should not be a candidate for archive and purge.

Exception Workaround

Informatica does not make any adjustments to this rule since it does not support archiving and purging information related to the Invoice if it is participating in any of the Business Rules.

CHAPTER 8

Opportunities

This chapter includes the following topics:

- [Opportunities Overview, 21](#)
- [Worksheet, 21](#)

Opportunities Overview

A Sales Opportunity represents a unique potential revenue-producing event related to an account. A Sales Opportunity can be a type of Product, Service, Hosted revenue or a combination thereof. The Sales Rep creates an Opportunity in Siebel when information is received for a qualified Sales Opportunity within their territory. Products and services may be added or priced to an opportunity.

Worksheet

Business Rules: Summary Information

System: Data Archive

Subsystem: Opportunities

Cycle Name:

Cycle Date:

Parameter	Definition	Required?	Default	Your Organization's Value
p_org_id	Organization	No	NULL	
p_period_to	Last Update Date (LAST_UPD)	Yes	NULL	
p_sales_stg	Sales Stage	No	NULL	

Parameter	Definition	Required?	Default	Your Organization's Value
p_sales_mthd	Sales Method	No	NULL	
p_revn_type	Revenue Type	No	NULL	

Opportunities that meet all of the following criteria will be considered inactive and are candidates for archive and purge process.

- Opportunities status is set to Won or Lost.

Exception Description

If an Opportunity does not satisfy any of the above Business Rules, it should not be a candidate for archive and purge.

Exception Workaround

Informatica does not make any adjustments to this rule since it does not support archiving and purging information related to the Opportunity if it is participating in any of the Business Rules.

CHAPTER 9

Orders

This chapter includes the following topics:

- [Orders Overview, 23](#)
- [Worksheet , 23](#)

Orders Overview

An order is a commitment on part of the customer to purchase products and services at a specific price. Orders can be generated by sales people from quotes, or may be created directly by call center agents and sales administrators. Orders can be created and placed all at once, or developed in stages as the customer clarifies the configuration of the items, requests availability, payment information, shipping information, and other details.

Worksheet

Business Rules: Summary Information

System: Data Archive

Subsystem: Orders

Cycle Name:

Cycle Date:

Parameter	Definition	Required?	Default	Your Organization's Value
p_org_id	Organization	No	NULL	
p_period_to	Order Date (ORDER_DT)	Yes	NULL	

Parameter	Definition	Required?	Default	Your Organization's Value
p_order_type	Order Type	No	NULL	
p_currency_cd	Currency Code	No	NULL	

Orders that meet all of the following criteria will be considered inactive and are candidates for archive and purge process.

- Order status is set to Closed, Cancelled, Rejected, or Complete.
- Order associated Invoice status is Paid, Written Off, Cancelled, Closed, or Rejected.
- Order is associated to an Order Item which in turn is associated to an Activity which is associated to an Invoice whose status is Paid, Written Off, Cancelled, Closed, or Rejected.

Exception Description

If an Order does not satisfy any of the above Business Rules, it should not be a candidate for archive and purge.

Exception Workaround

Informatica does not make any adjustments to this rule since it does not support archiving and purging information related to the Orders if it is participating in any of the Business Rules.

CHAPTER 10

Quotes

This chapter includes the following topics:

- [Quotes Overview, 25](#)
- [Worksheet , 25](#)

Quotes Overview

A quote is an offer to a customer for specific products and services at a specific price. Quotes can be generated by employee, end users such as call center sales representatives, by customers or by a channel partners. Quotes have plan and rate information provided to a client or partner. Quotes in Siebel provide limited policy information such as effective end dates, policy term, and contract state.

Worksheet

Business Rules: Summary Information

System: Data Archive

Subsystem: Quotes

Cycle Name:

Cycle Date:

Parameter	Definition	Required?	Default	Your Organization's Value
p_org_id	Organization	No	NULL	
p_period_start	Effective Start Date (EFF_START_DT)	No	NULL	
p_period_to	Effective Due Date (DUE_DT)	Yes	NULL	

Quotes that meet all of the following criteria will be considered inactive and are candidates for archive and purge process.

- Quote status is set to Expired or Rejected.
- Quote related Opportunity status is set to Lost or Rejected.
- Quote related Order status is set to Closed, Cancelled, Rejected, or Complete.

Exception Description

If a Quote does not satisfy any of the above Business Rules, it should not be a candidate for archive and purge.

Exception Workaround

Informatica does not make any adjustments to this rule since it does not support archiving and purging information related to the Quote if it is participating in any of the Business Rules.

CHAPTER 11

Service Request

This chapter includes the following topics:

- [Service Request Overview, 27](#)
- [Worksheet , 27](#)

Service Request Overview

Service Request (SR) is a request or inquiry from customers for information about the products or services offered by a business. Incoming inquiries from customers are logged as SRs. SRs have the following characteristics: an owner, a status, a commit date, and a priority level. They also usually have Activities associated with them that detail the actions taken to resolve the SR.

Worksheet

Business Rules: Summary Information

System: Data Archive

Subsystem: Service Request

Cycle Name:

Cycle Date:

Parameter	Definition	Required?	Default	Your Organization's Value
p_org_id	Organization	No	NULL	
p_sr_source	Source of an SR	No	NULL	
p_sr_type	Service Request Type	No	NULL	

Parameter	Definition	Required?	Default	Your Organization's Value
p_period_to	Service Request Close Date (ACT_CLOSE_DT)	Yes	NULL	
p_sr_priority	SR Priority	No	NULL	
p_sr_severity	SR Severity	No	NULL	
p_ignore_act_status	Ignore Service Request Activity status	No	NULL	
p_prod_id	Specific products	No	NULL	
p_prod_version	Product Version	No	NULL	
p_prod_active	Active Flag on Product Record	No	NULL	
p_prod_line	Product Line	No	NULL	

Service Requests that meet all of the following criteria will be considered inactive and are candidates for archive and purge process.

- Service Request status is set to Closed or Cancelled.
- Service Request related Activities are set to Completed, Closed, Cancelled, Declined, or Done.
- Service Request related Order status is Closed, Cancelled, Rejected, or Complete.
- Service Request related Quotes status is Rejected or Expired.
- Service Request is related to other Service Requests and none of them have a status set to Open or Pending.
- Service Request related Order Invoice status is Paid, Written Off, Cancelled, Closed, or Rejected.
- Service Request related Activity Invoice status is Paid, Written Off, Cancelled, Closed, or Rejected.
- Service Request related Order Item's Activity Invoice status is Paid, Written Off, Cancelled, Closed, or Rejected.
- Service Request has no related Product Defects.
- Service Request related Invoice status is Paid, Written Off, Cancelled, Closed, or Rejected.

Exception Description

If a Service Request does not satisfy any of the above Business Rules, it should not be a candidate for archive and purge.

Exception Workaround

Informatica does not make any adjustments to this rule since it does not support archiving and purging information related to the Service Request if it is participating in any of the Business Rules.

CHAPTER 12

Solutions

This chapter includes the following topics:

- [Solutions Overview, 29](#)
- [Worksheet , 29](#)

Solutions Overview

Siebel's Solutions are answers to frequently asked questions (FAQs). Solutions are documented by service agents and call center administrators. Agents and customers can frequently resolve service issues by searching this knowledge base of solutions.

Worksheet

Business Rules: Summary Information

System: Data Archive

Subsystem: Solutions

Cycle Name:

Cycle Date:

Parameter	Definition	Required?	Default	Your Organization's Value
p_org_id	Organization	No	NULL	
p_period_to	Last Update Date (LAST_UPD)	Yes	NULL	

Solutions that meet all of the following criteria will be considered inactive and are candidates for archive and purge process.

- Solution status is set to Obsolete.
- Solution is related to a Change Request and the Status of the Change Request is Closed.

- Solution is related to a Service Request and the Status of the Service Request is Closed.

Exception Description

If a Solution does not satisfy any of the above Business Rules, it should not be a candidate for archive and purge.

Exception Workaround

Informatica does not make any adjustments to this rule since it does not support archiving and purging information related to the Solution if it is participating in any of the Business Rules.