



Informatica® PowerExchange Adapters for
PowerCenter
10.2 HotFix 1

Release Notes (10.2 HotFix 1)

Informatica PowerExchange Adapters for PowerCenter Release Notes (10.2 HotFix 1)
10.2 HotFix 1
August 2018

© Copyright Informatica LLC 1993, 2018

Publication Date: 2018-10-05

Table of Contents

Abstract.	viii
Informatica Bug Tracking System Change.	9
Chapter 1: PowerExchange for Amazon Redshift.	10
PowerExchange for Amazon Redshift (10.2 HotFix 1).	10
PowerExchange for Amazon Redshift Fixed Limitations (10.2 HotFix 1).	10
PowerExchange for Amazon Redshift Known Limitations (10.2 HotFix 1).	10
PowerExchange for Amazon Redshift (10.2).	11
PowerExchange for Amazon Redshift Fixed Limitations (10.2).	11
PowerExchange for Amazon Redshift Known Limitations (10.2).	11
Chapter 2: PowerExchange for Amazon S3.	12
PowerExchange for Amazon S3 (10.2 HotFix 1).	12
PowerExchange for Amazon S3 (10.2).	12
PowerExchange for Amazon S3 Fixed Limitations (10.2).	12
PowerExchange for Amazon S3 Known Limitations (10.2).	13
Chapter 3: PowerExchange for Cassandra.	14
PowerExchange for Cassandra (10.2 HotFix 1).	14
PowerExchange for Cassandra (10.2).	14
PowerExchange for Cassandra Fixed Limitations (10.2).	14
PowerExchange for Cassandra Known Limitations (10.2).	14
PowerExchange for Cassandra Third-Party Limitations (10.2).	15
Chapter 4: PowerExchange for Cloud Applications.	16
PowerExchange for Cloud Applications (10.2).	16
PowerExchange for Cloud Applications Fixed Limitations.	16
PowerExchange for Cloud Applications Known Limitations.	16
Chapter 5: PowerExchange for Email Server.	17
PowerExchange for Email Server (10.2 HotFix 1).	17
PowerExchange for Email Server (10.2).	17
Chapter 6: PowerExchange for Essbase.	18
PowerExchange for Essbase (10.2 HotFix 1).	18
PowerExchange for Essbase (10.2).	18
Chapter 7: PowerExchange for Greenplum.	19
PowerExchange for Greenplum (10.2 HotFix 1).	19
PowerExchange for Greenplum Fixed Limitations (10.2 HotFix 1).	19

PowerExchange for Greenplum Known Limitations (10.2 HotFix 1).	19
PowerExchange for Greenplum (10.2).	20
PowerExchange for Greenplum Closed Enhancements (10.2).	20
PowerExchange for Greenplum Fixed Limitations (10.2).	20
PowerExchange for Greenplum Known Limitations (10.2).	20
Chapter 8: PowerExchange for Google BigQuery.	21
PowerExchange for Google BigQuery (10.2 HotFix 1).	21
Chapter 9: PowerExchange for Hadoop.	22
PowerExchange for Hadoop (10.2 HotFix 1).	22
PowerExchange for Hadoop (10.2).	22
PowerExchange for Hadoop Fixed Limitations.	22
PowerExchange for Hadoop Known Limitations.	22
Chapter 10: PowerExchange for JD Edwards EnterpriseOne.	23
PowerExchange for JD Edwards EnterpriseOne (10.2 HotFix 1).	23
PowerExchange for JD Edwards EnterpriseOne (10.2).	23
Chapter 11: PowerExchange for JD Edwards World.	24
PowerExchange for JD Edwards World (10.2 HotFix 1).	24
PowerExchange for JD Edwards World (10.2).	24
Chapter 12: PowerExchange for JMS.	25
PowerExchange for JMS (10.2 HotFix 1).	25
PowerExchange for JMS (10.2).	25
PowerExchange for JMS Fixed Limitations (10.2).	25
PowerExchange for JMS Known Limitations (10.2).	25
Chapter 13: PowerExchange for LDAP.	26
PowerExchange for LDAP (10.2 HotFix 1).	26
PowerExchange for LDAP (10.2).	26
PowerExchange for LDAP Fixed Limitations (10.2).	26
PowerExchange for LDAP Known Limitations (10.2).	27
Chapter 14: PowerExchange for Lotus Notes.	28
PowerExchange for Lotus Notes (10.2 HotFix 1).	28
PowerExchange for Lotus Notes (10.2).	28
Chapter 15: PowerExchange for Microsoft Azure Blob Storage.	29
PowerExchange for Microsoft Azure Blob Storage (10.2 HotFix 1).	29
PowerExchange for Microsoft Azure Blob Storage (10.2).	29
PowerExchange for Microsoft Azure Blob Storage Fixed Limitations (10.2).	29

PowerExchange for Microsoft Azure Blob Storage Known Limitations (10.2).	30
Chapter 16: PowerExchange for Microsoft Azure SQL Data Warehouse.....	31
PowerExchange for Microsoft Azure SQL Data Warehouse (10.2 HotFix 1).	31
PowerExchange for Microsoft Azure SQL Data Warehouse (10.2).	31
PowerExchange for Microsoft Azure SQL Data Warehouse Fixed Limitations (10.2).	31
PowerExchange for Microsoft Azure SQL Data Warehouse Known Limitations (10.2).	32
Chapter 17: PowerExchange for Microsoft Dynamics CRM.....	33
PowerExchange for Microsoft Dynamics CRM (10.2 HotFix 1).	33
PowerExchange for Microsoft Dynamics CRM Closed Enhancements (10.2 HotFix 1).	33
PowerExchange for Microsoft Dynamics CRM Fixed Limitations (10.2 HotFix 1).	33
PowerExchange for Microsoft Dynamics CRM Known Limitations (10.2 HotFix 1).	34
PowerExchange for Microsoft Dynamics CRM (10.2).	34
PowerExchange for Microsoft Dynamics CRM Fixed Limitations (10.2).	34
PowerExchange for Microsoft Dynamics CRM Known Limitations (10.2).	34
Chapter 18: PowerExchange for MongoDB.....	35
PowerExchange for MongoDB (10.2 HotFix 1).	35
PowerExchange for MongoDB (10.2).	35
PowerExchange for MongoDB Fixed Limitations (10.2).	35
PowerExchange for MongoDB Known Limitations (10.2).	35
PowerExchange for MongoDB Third-Party Limitations (10.2).	36
Chapter 19: PowerExchange for MSMQ.....	37
PowerExchange for MSMQ (10.2 HotFix 1).	37
PowerExchange for MSMQ (10.2).	37
Chapter 20: PowerExchange for Netezza.....	38
PowerExchange for Netezza (10.2 HotFix 1).	38
PowerExchange for Netezza Fixed Limitations (10.2 HotFix 1).	38
PowerExchange for Netezza Known Limitations (10.2 HotFix 1).	38
PowerExchange for Netezza (10.2).	38
Chapter 21: PowerExchange for Oracle E-Business Suite.....	39
PowerExchange for Oracle E-Business Suite (10.2 HotFix 1).	39
PowerExchange for Oracle E-Business Suite (10.2).	39
Chapter 22: PowerExchange for PeopleSoft.....	40
PowerExchange for PeopleSoft (10.2 HotFix 1).	40
PowerExchange for PeopleSoft (10.2).	40

Chapter 23: PowerExchange for Salesforce.....	41
PowerExchange for Salesforce (10.2 HotFix 1).	41
PowerExchange for Salesforce Fixed Limitations (10.2 HotFix 1).	41
PowerExchange for Salesforce Known Limitations (10.2 HotFix 1).	41
PowerExchange for Salesforce (10.2).	42
PowerExchange for Salesforce Fixed Limitations (10.2).	42
PowerExchange for Salesforce Known Limitations (10.2).	42
 Chapter 24: PowerExchange for Salesforce Analytics.....	 43
PowerExchange for Salesforce Analytics (10.2 HotFix 1).	43
PowerExchange for Salesforce Analytics Fixed Limitations (10.2 HotFix 1).	43
PowerExchange for Salesforce Analytics Known Limitations (10.2 HotFix 1).	44
 Chapter 25: PowerExchange for SAP NetWeaver.....	 45
PowerExchange for SAP NetWeaver (10.2 HotFix 1).	45
PowerExchange for SAP NetWeaver Closed Enhancement Requests (10.2 HotFix 1).	45
PowerExchange for SAP NetWeaver Fixed Limitations (10.2 HotFix 1).	46
PowerExchange for SAP NetWeaver Known Limitations (10.2 HotFix 1).	46
PowerExchange for SAP NetWeaver (10.2).	47
Install C++ Run-time Library libstdc++.so.6.	47
Install Microsoft Run-time DLLs Version 8.0.50727.4053	47
Patches and Libraries	47
Updating the SAP BI System	47
PowerExchange for SAP NetWeaver Fixed Limitations (10.2).	47
PowerExchange for SAP NetWeaver Known Limitations (10.2).	48
PowerExchange for SAP NetWeaver Third-Party Limitations (10.2).	48
 Chapter 26: PowerExchange for Siebel.....	 49
PowerExchange for Siebel (10.2 HotFix 1).	49
PowerExchange for Siebel Fixed Limitations (10.2 HotFix 1).	49
PowerExchange for Siebel Known Limitations (10.2 HotFix 1).	49
PowerExchange for Siebel (10.2).	49
 Chapter 27: PowerExchange for Snowflake.....	 50
PowerExchange for Snowflake (10.2 HotFix 1).	50
PowerExchange for Snowflake Fixed Limitations (10.2 HotFix 1).	50
PowerExchange for Snowflake Known Limitations (10.2 HotFix 1).	51
PowerExchange for Snowflake Third-Party Limitations (10.2 HotFix 1).	51
 Chapter 28: PowerExchange for Tableau.....	 52
PowerExchange for Tableau (10.2 HotFix 1).	52
PowerExchange for Tableau (10.2).	52

Chapter 29: PowerExchange for Teradata Parallel Transporter API.....	53
PowerExchange for Teradata Parallel Transporter API (10.2 HotFix 1).	53
PowerExchange for Teradata Parallel Transporter API (10.2).	53
PowerExchange for Teradata Parallel Transporter API Fixed Limitations (10.2).	53
PowerExchange for Teradata Parallel Transporter API Known Limitations (10.2).	54
 Chapter 30: PowerExchange for Vertica.....	 55
PowerExchange for Vertica (10.2 HF1).	55
PowerExchange for Vertica Fixed Limitations (10.2 HF1).	55
PowerExchange for Vertica Known Limitations (10.2 HF1).	55
PowerExchange for Vertica (10.2).	55
 Chapter 31: PowerExchange for Web Services.....	 56
PowerExchange for Web Services (10.2 HotFix 1).	56
PowerExchange for Web Services (10.2).	56
PowerExchange for Web Services Fixed Limitations (10.2).	56
PowerExchange for Web Services Known Limitations (10.2).	56
 Chapter 32: PowerExchange for webMethods.....	 57
PowerExchange for webMethods (10.2 HotFix 1).	57
PowerExchange for webMethods (10.2).	57
 Chapter 33: PowerExchange for WebSphere MQ.....	 58
PowerExchange for WebSphere MQ (10.2 HF1).	58
PowerExchange for WebSphere MQ (10.2).	58
PowerExchange for WebSphere MQ Fixed Limitations (10.2).	58
PowerExchange for WebSphere MQ Known Limitations (10.2).	58
 Chapter 34: Informatica Global Customer Support.....	 59

Abstract

This document contains important information about installation, closed enhancements, fixed limitations, and known limitations for PowerExchange adapters for PowerCenter.

Informatica Bug Tracking System Change

Informatica is migrating bugs to a different bug tracking system. The bug numbers in the bug ID column are replaced with the bug number in the new tracking system. You can find the bug IDs from the previous tracking system after the bug description. For example, (397187).

CHAPTER 1

PowerExchange for Amazon Redshift

This chapter includes the following topics:

- [PowerExchange for Amazon Redshift \(10.2 HotFix 1\), 10](#)
- [PowerExchange for Amazon Redshift \(10.2\), 11](#)

PowerExchange for Amazon Redshift (10.2 HotFix 1)

PowerExchange for Amazon Redshift Fixed Limitations (10.2 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-13941	When a batch fails as the value of the Max Redshift Errors per Upload Batch for INSERT property is greater than the number of errors, the PowerCenter Integration Service displays incorrect statistics in the session logs.
OCON-13715	Even though the target table column contains a primary key, you must add a primary key to update the table column.

PowerExchange for Amazon Redshift Known Limitations (10.2 HotFix 1)

There are no known limitations in this release.

PowerExchange for Amazon Redshift (10.2)

PowerExchange for Amazon Redshift Fixed Limitations (10.2)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-9846	When you specify a new schema name in the connection property after creating an Amazon Redshift connection, the connection is successful. However, the PowerCenter Repository Service does not display the contents of the new schema.
OCON-9226	When you run a workflow to export sources or targets that contains a table with one primary key column and a null value, the workflow fails.
OCON-7904	When you run a mapping to read data from a Varchar data type field with decimal value and write to an Integer or a Boolean data type field, the task fails.
OCON-7780	When you configure the pushdown date and time-related functions on a Linux environment, the task fails with the following error message: <code>Unable to fetch log</code>
OCON-7010	When you run a PowerExchange for Amazon Redshift session, you cannot edit the connection properties within the session mapping.

PowerExchange for Amazon Redshift Known Limitations (10.2)

The following table describes known limitations:

Bug	Description
OCON-8080	When you run a session to read data from an Amazon Redshift table and a row is rejected, the PowerCenter Integration Service does not write data to the target. However, the session runs successfully without any error message.
OCON-7164	When a session fails after reaching the error threshold, the row statistics shows an incorrect number of applied rows.
OCON-7008	When you import objects from Amazon Redshift, you cannot import related objects as a source.
OCON-6858	If you add constraints to the table structure in a mapping while the specified constraints are not present in the Amazon Redshift source table, the session fails with an error message.

CHAPTER 2

PowerExchange for Amazon S3

This chapter includes the following topics:

- [PowerExchange for Amazon S3 \(10.2 HotFix 1\), 12](#)
- [PowerExchange for Amazon S3 \(10.2\), 12](#)

PowerExchange for Amazon S3 (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Amazon S3 (10.2)

PowerExchange for Amazon S3 Fixed Limitations (10.2)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-9846	If you enter a new folder name in the connection property after creating an Amazon S3 connection, the connection is successful. However, the PowerCenter Repository Service does not display the contents of the new folder.

PowerExchange for Amazon S3 Known Limitations (10.2)

The following table describes known limitations:

Bug	Description
OCON-9835	If you set the value of the TransferManager Thread Pool Size property in the target session properties to greater than 50, the temporary files are not deleted from the staging location even after the task is complete.
OCON-9017	When you read an Amazon S3 file that is not in a valid format, a null pointer exception occurs and an appropriate error message does not appear.
OCON-7021	When you configure the Source Qualifier, the PowerCenter Integration Service does not process the filter conditions.
OCON-7016	PowerExchange for Amazon S3 does not support the Create Target option.
OCON-7014	When you read data from or write data to an Amazon S3 file and select incorrect formatting options, the PowerCenter Integration Service might display an exception, or the fields or metadata are not fetched as expected. Workaround: You must select valid formatting options and proceed with the import process.
OCON-6512	When you configure an object in a mapping or in the Amazon S3 object connection at run time, the folder path you specify while you import Amazon S3 objects from PowerCenter Designer cannot be overwritten.

CHAPTER 3

PowerExchange for Cassandra

This chapter includes the following topics:

- [PowerExchange for Cassandra \(10.2 HotFix 1\), 14](#)
- [PowerExchange for Cassandra \(10 2\), 14](#)

PowerExchange for Cassandra (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Cassandra (10 2)

PowerExchange for Cassandra Fixed Limitations (10.2)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Cassandra Known Limitations (10.2)

The following table describes known limitations:

Bug	Description
OCON-11018	When you select the Show Default Schema option in the Connection Explorer view, the Informatica Cassandra ODBC driver fails to fetch the tables from the default keyspace. Workaround: Disable the Show Default Schema option in the connection explorer and browse the keyspace to import the metadata. (421174)

PowerExchange for Cassandra Third-Party Limitations (10.2)

The following table describes third-party known limitations:

Bug	Description
OCON-11307	The Cassandra database stores values of the Float data type in the exponential format. The value of the Float data type read by the Informatica Cassandra ODBC driver is not the same as the value of the Float data type in the Cassandra database because the Informatica Cassandra ODBC driver maps the Float data type to SQL_Real. (397018)
OCON-11206	The Cassandra database does not allow periods in column names. PreSQL or PostgreSQL queries generated with the SQL Editor fail with a syntax error because the SQL Editor prefixes periods to column names to qualify column names with table names. Workaround: Do not qualify column names with table names in queries. (397187)
OCON-7787	The performance of reading data from a Cassandra source is slow even when you increase the number of partitions.
OCON-7023	The Cassandra ODBC driver does not support null values in collections and reports non-key columns in virtual tables as not nullable.
OCON-7023	If you use a single SQL statement to write multiple rows to a Cassandra target and you bind the default value to the first row, the insert statement fails. Workaround: Use null instead of the default value.

CHAPTER 4

PowerExchange for Cloud Applications

This chapter includes the following topic:

- [PowerExchange for Cloud Applications \(10.2\), 16](#)

PowerExchange for Cloud Applications (10.2)

PowerExchange for Cloud Applications Fixed Limitations

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-7808	The metadata import fails when the table name contains special characters.

PowerExchange for Cloud Applications Known Limitations

The following table describes known limitations:

Bug	Description
OCON-9994	Running a session on Informatica Cloud fails if the source or target object has a data type with more than 104857600 precision in the mapping. Reducing the precision to a lower value also does not work. Workaround: Remove or disconnect the port with more than 104857600 precision in the mapping.

CHAPTER 5

PowerExchange for Email Server

This chapter includes the following topics:

- [PowerExchange for Email Server \(10.2 HotFix 1\), 17](#)
- [PowerExchange for Email Server \(10.2\), 17](#)

PowerExchange for Email Server (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Email Server (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 6

PowerExchange for Essbase

This chapter includes the following topics:

- [PowerExchange for Essbase \(10.2 HotFix 1\), 18](#)
- [PowerExchange for Essbase \(10.2\), 18](#)

PowerExchange for Essbase (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Essbase (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 7

PowerExchange for Greenplum

This chapter includes the following topics:

- [PowerExchange for Greenplum \(10.2 HotFix 1\), 19](#)
- [PowerExchange for Greenplum \(10.2\), 20](#)

PowerExchange for Greenplum (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Greenplum Fixed Limitations (10.2 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-14575	When you change the metadata for numeric(1,0) values to char(1) in the Greenplum target object and run the mapping, the PowerCenter Integration Service fails to write the data to the target.
OCON-13968	When you write data of high scale and precision to a Greenplum target that contains data of low scale and precision, data is corrupted.

PowerExchange for Greenplum Known Limitations (10.2 HotFix 1)

There are no known limitations in this release.

PowerExchange for Greenplum (10.2)

PowerExchange for Greenplum Closed Enhancements (10.2)

The following table describes closed enhancement requests:

CR	Description
OCON-8949	When the connection type is ODBC, the PowerCenter Integration Service can push TRUNC(DATE), CONCAT(), and TO_CHAR(DATE) functions to Greenplum using source-side and full pushdown optimization.

PowerExchange for Greenplum Fixed Limitations (10.2)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-7611	A session that writes data to a Greenplum target does not fail immediately if the target table does not exist. The session fails only after the PowerCenter Integration Service completes reading data from the source.

PowerExchange for Greenplum Known Limitations (10.2)

There are no known limitations in this release.

CHAPTER 8

PowerExchange for Google BigQuery

This chapter includes the following topic:

- [PowerExchange for Google BigQuery \(10.2 HotFix 1\), 21](#)

PowerExchange for Google BigQuery (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 9

PowerExchange for Hadoop

This chapter includes the following topics:

- [PowerExchange for Hadoop \(10.2 HotFix 1\), 22](#)
- [PowerExchange for Hadoop \(10.2\), 22](#)

PowerExchange for Hadoop (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Hadoop (10.2)

PowerExchange for Hadoop Fixed Limitations

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
BDM-9835 CORE-44	PowerExchange for Hadoop session fails on Knox-enabled HDP 2.3 cluster. (INFA458768)

PowerExchange for Hadoop Known Limitations

There are no known limitations in this release.

CHAPTER 10

PowerExchange for JD Edwards EnterpriseOne

This chapter includes the following topics:

- [PowerExchange for JD Edwards EnterpriseOne \(10.2 HotFix 1\), 23](#)
- [PowerExchange for JD Edwards EnterpriseOne \(10.2\), 23](#)

PowerExchange for JD Edwards EnterpriseOne (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for JD Edwards EnterpriseOne (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 11

PowerExchange for JD Edwards World

This chapter includes the following topics:

- [PowerExchange for JD Edwards World \(10.2 HotFix 1\), 24](#)
- [PowerExchange for JD Edwards World \(10.2\), 24](#)

PowerExchange for JD Edwards World (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for JD Edwards World (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 12

PowerExchange for JMS

This chapter includes the following topics:

- [PowerExchange for JMS \(10.2 HotFix 1\), 25](#)
- [PowerExchange for JMS \(10.2\), 25](#)

PowerExchange for JMS (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for JMS (10.2)

PowerExchange for JMS Fixed Limitations (10.2)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

CR	Description
OCON-9236	When a JMS target application momentarily shuts down, the PowerCenter Integration Service fails to recover the messages in the recovery queue.

PowerExchange for JMS Known Limitations (10.2)

There are no known limitations in this release.

CHAPTER 13

PowerExchange for LDAP

This chapter includes the following topics:

- [PowerExchange for LDAP \(10.2 HotFix 1\), 26](#)
- [PowerExchange for LDAP \(10.2\), 26](#)

PowerExchange for LDAP (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for LDAP (10.2)

PowerExchange for LDAP Fixed Limitations (10.2)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

CR	Description
OCON-7436	If you insert a null value to an LDAP target, the session fails with an error.

PowerExchange for LDAP Known Limitations (10.2)

The following table describes known limitations:

Bug	Description
PLAT-14848	<p>When you enable CDC, the PowerCenter Integration Service fails to capture the changes made after the change number in the session log. The session fails and the following error is logged in the session log:</p> <pre>at com.informatica.powerconnect.ldap.server.reader.LDAPRdrPartitionDriver.run(LDAPRdrPartitionDriver 1873)</pre>

CHAPTER 14

PowerExchange for Lotus Notes

This chapter includes the following topics:

- [PowerExchange for Lotus Notes \(10.2 HotFix 1\), 28](#)
- [PowerExchange for Lotus Notes \(10.2\), 28](#)

PowerExchange for Lotus Notes (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Lotus Notes (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 15

PowerExchange for Microsoft Azure Blob Storage

This chapter includes the following topics:

- [PowerExchange for Microsoft Azure Blob Storage \(10.2 HotFix 1\), 29](#)
- [PowerExchange for Microsoft Azure Blob Storage \(10.2\), 29](#)

PowerExchange for Microsoft Azure Blob Storage (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Microsoft Azure Blob Storage (10.2)

PowerExchange for Microsoft Azure Blob Storage Fixed Limitations (10.2)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Microsoft Azure Blob Storage Known Limitations (10.2)

The following table describes known limitations:

Bug	Description
OCON-9786	After you upgrade to PowerExchange for Microsoft Azure Blob Storage version 10.2, the account key specified in the connection properties becomes invalid. Workaround: Provide a valid account key in the connection properties to run the existing mappings successfully.
OCON-7012	When you import a Microsoft Azure Blob Storage source or target definition, you cannot sort the object names alphabetically.
OCON-6773	When you read from Microsoft Azure Blob Storage and the record contains special characters, the Data Preview does not load any data.
OCON-6740	When you read from Microsoft Azure Blob Storage and the length of the data field is larger than the port size, the mapping fails and PowerCenter Integration Service does not log an error message in the log file. Workaround: Increase the port size in the source and the Source Qualifier transformation.
OCON-6738	When you edit a Microsoft Azure Blob Storage connection in the Workflow Manager, the Account Key becomes visible.
OCON-6686	When you read unicode data from Microsoft Azure Blob Storage, the Data Preview loads junk characters.

CHAPTER 16

PowerExchange for Microsoft Azure SQL Data Warehouse

This chapter includes the following topics:

- [PowerExchange for Microsoft Azure SQL Data Warehouse \(10.2 HotFix 1\), 31](#)
- [PowerExchange for Microsoft Azure SQL Data Warehouse \(10.2\), 31](#)

PowerExchange for Microsoft Azure SQL Data Warehouse (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Microsoft Azure SQL Data Warehouse (10.2)

PowerExchange for Microsoft Azure SQL Data Warehouse Fixed Limitations (10.2)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-9279	After you upgrade to PowerExchange for Microsoft Azure SQL Data Warehouse, if you run an existing Microsoft Azure SQL Data Warehouse session, the session fails.
OCON-7499	After you upgrade to PowerExchange for Microsoft Azure SQL Data Warehouse, the blob container name does not appear in the target session property and the session fails.

PowerExchange for Microsoft Azure SQL Data Warehouse Known Limitations (10.2)

The following table describes known limitations:

CR	Description
OCON-9288	When you upsert or update data to Microsoft Azure SQL Data Warehouse and more than one column in the source table contains the same value as the target column on which the primary key is defined, the PowerCenter Integration Service updates data incorrectly.
OCON-9278	PowerExchange for Microsoft Azure SQL Data Warehouse does not support the datetimeoffset data type.
OCON-9276	When the Microsoft Azure SQL Data Warehouse data object contains an empty record with a varbinary column, the PowerCenter Integration Service reads the record as NULL.
OCON-9275	When you write data to Microsoft Azure SQL Data Warehouse, the PowerCenter Integration Service increases the datetime and datetime2 values by four seconds. This issue occurs if the value of the year field is less than 1969.
OCON-9273	When the precision of the data in a varbinary column is less than the maximum precision, the PowerCenter Integration Service processes the varbinary data as binary data.
OCON-8819	When you update data in Microsoft Azure SQL Data Warehouse and select Update as insert in the target session property, the PowerCenter Integration Service rejects the rows.
OCON-8768	When you update data in Microsoft Azure SQL Data Warehouse and select Update as Update or Update else Insert in the target session properties, the number of rows displayed in target statistics is incorrect.
OCON-8746	When you run a mapping, the PowerCenter Integration Service does not use the schema name from the AzureDW connection and uses the schema name specified during the import of the Microsoft Azure SQL Data Warehouse object.
OCON-8281	If you run a mapping in an SSL-enabled domain, the mapping fails with the following exception: The driver could not establish a secure connection to SQL Server by using Secure Sockets Layer (SSL) encryption. Error: "java.security.cert.CertificateException: Failed to validate the server name in a certificate during Secure Sockets Layer (SSL) initialization."

CHAPTER 17

PowerExchange for Microsoft Dynamics CRM

This chapter includes the following topics:

- [PowerExchange for Microsoft Dynamics CRM \(10.2 HotFix 1\), 33](#)
- [PowerExchange for Microsoft Dynamics CRM \(10.2\), 34](#)

PowerExchange for Microsoft Dynamics CRM (10.2 HotFix 1)

PowerExchange for Microsoft Dynamics CRM Closed Enhancements (10.2 HotFix 1)

The following table describes closed enhancements:

Bug	Description
OC0N-8979	You can use alternate keys to reference and delete rows in Microsoft Dynamics CRM.

PowerExchange for Microsoft Dynamics CRM Fixed Limitations (10.2 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

CR	Description
OCON-13755	When you insert data into a Microsoft Dynamics CRM target, the data synchronization task fails with the following error: <code>Failed to insert the record of entityId [null] into Microsoft Dynamics CRM because of the following error: [null]</code>
OCON-13704	When a task takes a long time to run, the security token is not refreshed and the rows are rejected.
OCON-9794	When you write to the campaignitem, campaignactivityitem, or roleprivileges intersect entity, the mapping fails.

PowerExchange for Microsoft Dynamics CRM Known Limitations (10.2 HotFix 1)

There are no known limitations in this release.

PowerExchange for Microsoft Dynamics CRM (10.2)

PowerExchange for Microsoft Dynamics CRM Fixed Limitations (10.2)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

CR	Description
OCON-8913	When you import an entity with the Customer data type from Microsoft Dynamics CRM, the following error message appears: <code>Found an integer attribute with unrecognized format: cabc_ctesteridtype</code>
OCON-8586	When you perform an update else insert operation to write to Microsoft Dynamics CRM, the PowerCenter Integration Service writes inactive records as active records.

PowerExchange for Microsoft Dynamics CRM Known Limitations (10.2)

There are no known limitations in this release.

CHAPTER 18

PowerExchange for MongoDB

This chapter includes the following topics:

- [PowerExchange for MongoDB \(10.2 HotFix 1\), 35](#)
- [PowerExchange for MongoDB \(10.2\), 35](#)

PowerExchange for MongoDB (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for MongoDB (10.2)

PowerExchange for MongoDB Fixed Limitations (10.2)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for MongoDB Known Limitations (10.2)

The following table describes known limitations:

Bug	Description
PLAT-14814	Transformation errors appear in the session log even if the mapping does not contain any transformations. Workaround: You can ignore the transformation errors. (406337)
PLAT-14809	You cannot run Mongo shell commands from the PowerCenter Client. (405297)
PLAT-14806	When you refresh a MongoDB data source in the Import Tables dialog box, the dropped MongoDB collections still appear. (404363)

Bug	Description
PLAT-14805	The virtual tables appear in the Import Tables dialog box only when you import the table metadata. (404362)
PLAT-14779	Column names of a MongoDB data object cannot exceed 255 characters. (344934)
PLAT-14710	The performance of inserting data to MongoDB with 3.0 WiredTiger storage engine is slow when compared to MMapV1 storage engine. (433440)
OCON-9726	When you create a session and specify special characters or white spaces in the source or target name, the session fails.

PowerExchange for MongoDB Third-Party Limitations (10.2)

The following table describes third-party known limitations:

Bug	Description
PLAT-14869	When you use PowerExchange for MongoDB to insert, update, or delete records in the MongoDB database, the performance for each of these operations is slow for a MongoDB cluster when compared to a single node. (437855)
PLAT-14829	The performance of writing data to MongoDB with 3.0 MMapV1 storage engine decreases with an increase in the number of partitions in PowerCenter. (411226)
PLAT-14821	When you enable reading or writing as JSON documents, JSON import might fail because the JSON import and export formats in the Informatica MongoDB driver are not symmetrical. Workaround: To load JSON documents, use the mongoimport tool. (408233)
PLAT-14819	When you run a mapping with a Joiner transformation to read from a MongoDB database prior to version 2.6.3, the following error might appear in the mapping log even if the nested element is not null: LEFT_SUBFIELD only supports Object. (407700)
PLAT-14811	Even when you enable Show array count in virtual main table , the Informatica MongoDB driver does not create the array count column. (405302)

CHAPTER 19

PowerExchange for MSMQ

This chapter includes the following topics:

- [PowerExchange for MSMQ \(10.2 HotFix 1\), 37](#)
- [PowerExchange for MSMQ \(10.2\), 37](#)

PowerExchange for MSMQ (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for MSMQ (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 20

PowerExchange for Netezza

This chapter includes the following topics:

- [PowerExchange for Netezza \(10.2 HotFix 1\), 38](#)
- [PowerExchange for Netezza \(10.2\), 38](#)

PowerExchange for Netezza (10.2 HotFix 1)

PowerExchange for Netezza Fixed Limitations (10.2 HotFix 1)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Netezza Known Limitations (10.2 HotFix 1)

The following table describes known limitations:

Bug	Description
OCON-14938	On Windows, when you configure an SQL transformation in a Netezza mapping using the query execution mode and the full dynamic connection, the mapping fails.
OCON-14627	On AIX and Solaris, when you run a session to write data to Netezza using the bulk mode, the session might fail with a signal error.

PowerExchange for Netezza (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 21

PowerExchange for Oracle E-Business Suite

This chapter includes the following topics:

- [PowerExchange for Oracle E-Business Suite \(10.2 HotFix 1\), 39](#)
- [PowerExchange for Oracle E-Business Suite \(10.2\), 39](#)

PowerExchange for Oracle E-Business Suite (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Oracle E-Business Suite (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 22

PowerExchange for PeopleSoft

This chapter includes the following topics:

- [PowerExchange for PeopleSoft \(10.2 HotFix 1\), 40](#)
- [PowerExchange for PeopleSoft \(10.2\), 40](#)

PowerExchange for PeopleSoft (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for PeopleSoft (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 23

PowerExchange for Salesforce

This chapter includes the following topics:

- [PowerExchange for Salesforce \(10.2 HotFix 1\), 41](#)
- [PowerExchange for Salesforce \(10.2\), 42](#)

PowerExchange for Salesforce (10.2 HotFix 1)

PowerExchange for Salesforce Fixed Limitations (10.2 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-12793	When you run a Salesforce session, the following behavior is observed: <ul style="list-style-type: none">- ID field is missing in the success files for standard Salesforce API.- Double quotes are missing in the success files for Salesforce Bulk API.
OCON-12517	If you provide incorrect values for ExternalId or IdLookup field when you upsert data to Salesforce, the Salesforce session fails.
OCON-10766	When you write data to a Salesforce object, the data written to the column with the data type as number is incorrect.

PowerExchange for Salesforce Known Limitations (10.2 HotFix 1)

The following table describes known limitations:

Bug	Description
OCON-14284	When you use the OAuth connection, the Lookup, Merge, and Picklist transformations fail.

PowerExchange for Salesforce (10.2)

PowerExchange for Salesforce Fixed Limitations (10.2)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

CR	Description
OCON-7360	When you configure error logging for a relational database, the PowerCenter Integration Service does not load the error messages to PMERR tables for the Salesforce target.

PowerExchange for Salesforce Known Limitations (10.2)

There are no known limitations in this release.

CHAPTER 24

PowerExchange for Salesforce Analytics

This chapter includes the following topic:

- [PowerExchange for Salesforce Analytics \(10.2 HotFix 1\), 43](#)

PowerExchange for Salesforce Analytics (10.2 HotFix 1)

PowerExchange for Salesforce Analytics Fixed Limitations (10.2 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-10533	When you run a session to write data to a Salesforce Analytics target and the Temp Folder Name specified in the connection properties of the session is not the same as the Temp Folder Name specified while importing a Salesforce Analytics Target definition, the session fails with the following error: <code>[java.io.FileNotFoundException:(The system cannot find the path specified)]</code>
OCON-7185	The session log does not display the correct path of the .gz file in the temporary location.
OCON-2286	If the JSON file is not valid, the PowerCenter Designer fails to create a target object and does not display an error message.
OCON-2707	After you install PowerExchange for Salesforce Analytics, you cannot use PowerExchange for SAP NetWeaver to import metadata from SAP BAPIs and SAP BW open hub sources. Similarly, you cannot use PowerExchange for Siebel to import metadata.

PowerExchange for Salesforce Analytics Known Limitations (10.2 HotFix 1)

The following table describes known limitations:

Bug	Description
OC0N-7277	When you write data to Salesforce Analytics, the statistics generated for applied rows and affected rows might display incorrect rows.

CHAPTER 25

PowerExchange for SAP NetWeaver

This chapter includes the following topics:

- [PowerExchange for SAP NetWeaver \(10.2 HotFix 1\), 45](#)
- [PowerExchange for SAP NetWeaver \(10.2\), 47](#)

PowerExchange for SAP NetWeaver (10.2 HotFix 1)

PowerExchange for SAP NetWeaver Closed Enhancement Requests (10.2 HotFix 1)

The following table describes closed enhancement requests:

Bug	Description
OCON-10355	In the listener session of business content integration mappings, you can configure the number of connection retries the PowerCenter Integration Service must attempt in the event of an unsuccessful connection with SAP. You can also configure the time interval in seconds between the connection retries.

PowerExchange for SAP NetWeaver Fixed Limitations (10.2 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-13555	When you configure partitions to load data to SAP BW, the status of the InfoPackage is incorrectly shown as red even though the session runs successfully.
OCON-13416	On Windows operating systems, SAP table reader sessions shut down unexpectedly if all of the following conditions are true: <ul style="list-style-type: none">- You enable compression.- You select the Reinitialize the Stage File and Persist the Stage File options, and run the session in file mode.- You clear the Reinitialize the Stage File option and select the Persist the Stage File, and run the same session again.
OCON-13310	If you enable compression and run an SAP table reader session in file mode, the PowerCenter Integration Service does not write all the rows to the target.
OCON-12183	The source system for the /INFATRAN/ZINFA_ABAP_GZIP transport is incorrectly set to SAP instead of EC5 .
OCON-11649	If you enable compression for a table reader session and use FTP to access the staging file, the PowerCenter Integration Service does not attempt to reconnect in the event of a connection failure.
OCON-11623	When you import SAP ABAP mappings with type <code>Stream(RFC)</code> , the program type changes to <code>File</code> in the Installed Programs dialog box.
OCON-10948	When you run an ABAP session, the session randomly fails with an error message indicating that the time at which the ABAP program was installed was earlier than the time at which the ABAP mapping was last saved.

PowerExchange for SAP NetWeaver Known Limitations (10.2 HotFix 1)

The following table describes known limitations:

Bug	Description
OCON-14960	After you upgrade to version 10.2 HotFix 1, SAP BAPI sessions fail on RedHat Linux and Solaris operating systems. Contact Informatica Global Customer Support for an Emergency Bug Fix.
OCON-14663	After you upgrade to version 10.2 HotFix 1 and regenerate an existing ABAP program with type <code>Stream(RFC)</code> , the type does not get updated to <code>Stream(RFC/HTTP)</code> in the Installed Programs dialog box.

PowerExchange for SAP NetWeaver (10.2)

Install C++ Run-time Library libstdc++.so.6

Before you install and configure PowerExchange for SAP NetWeaver, install the C++ run-time 6.0 library libstdc++.so.6 on the Linux machine that hosts the PowerCenter Integration Service.

For more information about installing the C++ run-time library libstdc++.so.6, see SAP Note 1021236.

Install Microsoft Run-time DLLs Version 8.0.50727.4053

Before you install and configure PowerExchange for SAP NetWeaver, install the Microsoft run-time DLLs version 8.0.50727.4053 on the Windows machine that hosts the PowerCenter Integration Service and the PowerCenter Client.

For more information about installing the Microsoft run-time DLLs version 8.0.50727.4053, see SAP Note 1375494.

Patches and Libraries

This section contains information about patches and libraries required to run PowerExchange for SAP sessions.

Updating the SAP BI System

To run a data extraction session by using SAP BI Open Hub Service, update the SAP BI systems with the following patches:

- Install Patch level 25 (SAPKW70025) on SAP BI 7.0.
- Install Patch level 4 (SAPKW74004) on SAP BW 7.4.
- Install Patch level 8 (SAPKW73008) on SAP BW 7.3.
- Install Patch level 20 (SAPKW35020) on SAP BW 3.5.

When you use the Open Hub Service (OHS) to read data in the RAW format from SAP BI, you must install SAP BW version 7.3 Support Package 5 or later. Update the SAP BW systems with the following patches:

- SAP notes 1690065
- SAP notes 1691813

PowerExchange for SAP NetWeaver Fixed Limitations (10.2)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for SAP NetWeaver Known Limitations (10.2)

The following table describes known limitations:

Bug	Description
OCON-10127	When you install an ABAP program to read data of the STRING and RAWSTRING data types from SAP tables, the program installation fails on non-Unicode SAP systems.
OCON-6663	When you run a session in stream mode to read data from SAP tables, the session log displays an incorrect rejected records count.
OCON-2568	If you use patch 39 of the SAP NetWeaver RFC SDK libraries, the SAP BW Service does not start. (461350) Workaround: Use patch 38 of the SAP NetWeaver RFC SDK libraries and start the SAP BW Service.

PowerExchange for SAP NetWeaver Third-Party Limitations (10.2)

The following table describes third-party known limitations:

Bug	Description
OCON-9920	If you configure HTTP streaming to read large volumes of data from SAP tables, the session stops responding. This issue occurs if you use SAP NetWeaver version 7.5. SAP ticket reference number: 353130/2017

CHAPTER 26

PowerExchange for Siebel

This chapter includes the following topics:

- [PowerExchange for Siebel \(10.2 HotFix 1\), 49](#)
- [PowerExchange for Siebel \(10.2\), 49](#)

PowerExchange for Siebel (10.2 HotFix 1)

PowerExchange for Siebel Fixed Limitations (10.2 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-10991	You cannot write NULL values to a Siebel target.

PowerExchange for Siebel Known Limitations (10.2 HotFix 1)

There are no known limitations in this release.

PowerExchange for Siebel (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 27

PowerExchange for Snowflake

This chapter includes the following topic:

- [PowerExchange for Snowflake \(10.2 HotFix 1\), 50](#)

PowerExchange for Snowflake (10.2 HotFix 1)

PowerExchange for Snowflake Fixed Limitations (10.2 HotFix 1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-13303	The PowerCenter Integration Service writes NULL from the date data type as 1753-01-01 in the Snowflake target table.
OCON-12604	The PowerCenter Integration Service writes NULL from the Timestamp data incorrectly in the Snowflake target table.
OCON-12603	The PowerCenter Integration Services writes NULL in the Numeric data type as 0 in the Snowflake table.
OCON-12414	When you configure an update operation for data that contains duplicate records, the PowerCenter Integration Service does not consider the defined custom keys in the target Snowflake table.
OCON-12231	The PowerCenter Integration Service writes empty values or NULL from the Snowflake source as NULL in the Snowflake target.
OCON-10810	If you do not define a primary key in the target table, the mapping fails to delete the record from or update the record in the Snowflake target table.
OCON-10486	The PowerCenter Integration Service writes incorrect target statistics after performing an insert, update, or delete operation.

PowerExchange for Snowflake Known Limitations (10.2 HotFix 1)

The following table describes known limitations:

Bug	Description
OCON-14893	You cannot use the user-defined Azure Blob staging location for creating temporary tables.
OCON-10825	You cannot use the OR operator in a filter condition.
OCON-10812	You cannot read data from or write data to a table if the table name has small or mixed case letters. Workaround: Use only uppercase letters in the source and target table names.

PowerExchange for Snowflake Third-Party Limitations (10.2 HotFix 1)

The following table describes third-party known limitations:

Bug	Description
OCON-14387	When you run a Snowflake mapping enabled with partitioning to read large amounts of data, the mapping fails with the following error: <code>powercenter.sdk.server.IOutputBuffer.flush(IOutputBuffer) Exception</code> Snowflake ticket reference number: 00028631

CHAPTER 28

PowerExchange for Tableau

This chapter includes the following topics:

- [PowerExchange for Tableau \(10.2 HotFix 1\), 52](#)
- [PowerExchange for Tableau \(10.2\), 52](#)

PowerExchange for Tableau (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Tableau (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 29

PowerExchange for Teradata Parallel Transporter API

This chapter includes the following topics:

- [PowerExchange for Teradata Parallel Transporter API \(10.2 HotFix 1\), 53](#)
- [PowerExchange for Teradata Parallel Transporter API \(10.2\), 53](#)

PowerExchange for Teradata Parallel Transporter API (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Teradata Parallel Transporter API (10.2)

PowerExchange for Teradata Parallel Transporter API Fixed Limitations (10.2)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

CR	Description
PLAT-15632	When you use the stream system operator to load data to Teradata and use multiple partitions and instances, the session might hang.

PowerExchange for Teradata Parallel Transporter API Known Limitations (10.2)

There are no known limitations in this release.

CHAPTER 30

PowerExchange for Vertica

This chapter includes the following topics:

- [PowerExchange for Vertica \(10.2 HF1\), 55](#)
- [PowerExchange for Vertica \(10.2\), 55](#)

PowerExchange for Vertica (10.2 HF1)

PowerExchange for Vertica Fixed Limitations (10.2 HF1)

Review the Release Notes of previous releases for information about previous fixed limitations.

The following table describes fixed limitations:

Bug	Description
OCON-11685	When you write data to a Vertica target, the Vertica Bulk Loader treats carriage return characters as new source records.

PowerExchange for Vertica Known Limitations (10.2 HF1)

There are no known limitations in this release.

PowerExchange for Vertica (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 31

PowerExchange for Web Services

This chapter includes the following topics:

- [PowerExchange for Web Services \(10.2 HotFix 1\), 56](#)
- [PowerExchange for Web Services \(10.2\), 56](#)

PowerExchange for Web Services (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Web Services (10.2)

PowerExchange for Web Services Fixed Limitations (10.2)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for Web Services Known Limitations (10.2)

The following table describes known limitations:

Bug	Description
OCON-2711	<p>When you upgrade, the password for the certificate file and private key file in the Web Service Consumer connection is deleted.</p> <p>Workaround: You must manually set the values for the Certificate File Password and Key Password fields in Web Service Consumer connections.</p>

CHAPTER 32

PowerExchange for webMethods

This chapter includes the following topics:

- [PowerExchange for webMethods \(10.2 HotFix 1\), 57](#)
- [PowerExchange for webMethods \(10.2\), 57](#)

PowerExchange for webMethods (10.2 HotFix 1)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for webMethods (10.2)

There are no fixed or known limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

CHAPTER 33

PowerExchange for WebSphere MQ

This chapter includes the following topics:

- [PowerExchange for WebSphere MQ \(10.2 HF1\), 58](#)
- [PowerExchange for WebSphere MQ \(10.2\), 58](#)

PowerExchange for WebSphere MQ (10.2 HF1)

There are no fixed or known limitations in this release.

PowerExchange for WebSphere MQ (10.2)

PowerExchange for WebSphere MQ Fixed Limitations (10.2)

There are no fixed limitations in this release.

Review the Release Notes of previous releases for information about previous fixed limitations.

PowerExchange for WebSphere MQ Known Limitations (10.2)

The following table describes known limitations:

Bug	Description
OCON-9733	When you enable message recovery and read from a WebSphere MQ source, the recovery session fails.

CHAPTER 34

Informatica Global Customer Support

You can contact a Global Support Center by telephone or through Online Support on Informatica Network.

To find your local Informatica Global Customer Support telephone number, visit the Informatica website at the following link:

<http://www.informatica.com/us/services-and-training/support-services/global-support-centers>.

If you are an Informatica Network member, you can use Online Support at <http://network.informatica.com>.